

## Publications by Prof. Takashi Hashimoto (1978 - Present)

Summary of publications (Click on year link to go to publications of the year)

Year	Article number	Year	Article Number
<a href="#">1978</a> .....	1	<a href="#">2000</a> .....	195-217
<a href="#">1981</a> .....	2	<a href="#">2001</a> .....	218-239
<a href="#">1982</a> .....	3-5	<a href="#">2002</a> .....	240-259
<a href="#">1983</a> .....	6,7	<a href="#">2003</a> .....	260-284
<a href="#">1984</a> .....	8	<a href="#">2004</a> .....	285-304
<a href="#">1985</a> .....	9	<a href="#">2005</a> .....	305-323
<a href="#">1986</a> .....	10	<a href="#">2006</a> .....	324-337
<a href="#">1987</a> .....	11-13	<a href="#">2007</a> .....	338-357
<a href="#">1988</a> .....	14-16	<a href="#">2008</a> .....	358-383
<a href="#">1989</a> .....	17-20	<a href="#">2009</a> .....	384-416
<a href="#">1990</a> .....	21-25	<a href="#">2010</a> .....	417-452
<a href="#">1991</a> .....	26-36	<a href="#">2011</a> .....	453-494
<a href="#">1992</a> .....	37-39	<a href="#">2012</a> .....	495-538
<a href="#">1993</a> .....	40-53	<a href="#">2013</a> .....	539-604
<a href="#">1994</a> .....	54-72	<a href="#">2014</a> .....	605-678
<a href="#">1995</a> .....	73-106	<a href="#">2015</a> .....	679-740
<a href="#">1996</a> .....	107-135	<a href="#">2016</a> .....	741-761
<a href="#">1997</a> .....	136-158	<a href="#">Accepted articles</a> .....	762-789
<a href="#">1998</a> .....	159-177		
<a href="#">1999</a> .....	178-194		

## 1978

- 1 Hashimoto T, Nishikawa T, Kurihara S, Hatano H: Complement-fixing pemphigus antibodies. Arch Dermatol 114(8):1191-1192, 1978.

## 1981

- 2 Nishikawa T, Hashimoto T, Kurihara S: Complement-fixing intercellular antibodies. Arch Dermatol 117(9):528, 1981.

## 1982

- 3 Hashimoto T, Sugiura M, Kurihara S, Nishikawa T: In vitro complement activation by intercellular antibodies. J Invest Dermatol 78(4):316-318, 1982.
- 4 Hashimoto T, Sugiura M, Kurihara S, Nishikawa T, Hatano H: Experimental acantholysis by complement-fixing intercellular antibodies. Arch Dermatol Res 273(1-2):129-135, 1982.
- 5 Yamasaki Y, Hashimoto T, Nishikawa T: Dermatitis herpetiformis with linear IgA deposition: ultrastructural localization of in vivo bound IgA. Acta Derm Venereol 62(5):401-405, 1982.

## 1983

- 6 Hashimoto T, Sugiura M, Kurihara S, Nishikawa T: Atypical pemphigus showing eosinophilic spongiosis. Clin Exp Dermatol 8(1):37-40, 1983.
- 7 Nishikawa T, Sugiura M, Hashimoto T, Kurihara S, Tamura N: Demonstration of beta 1H globulin in pemphigus. Acta Derm Venereol 63(1):39-41, 1983.

## 1984

- 8 Hashimoto T, Marks R: Factor XIII inhibits epidermal cell migration in vitro. J Invest Dermatol 83(6):441-444, 1984.

## 1985

- 9 Hashimoto T, Dykes PJ, Marks R: Retinoid-induced inhibition of growth and reduction of spreading of human epidermal cells in culture. Br J Dermatol 112(6):637-646, 1985.

## 1986

- 10 Hashimoto T, Inamoto N, Nakamura K: Triple extramammary Paget's disease. Immunohistochemical studies. Dermatologica 173(4):174-179, 1986.

## 1987

- 11 Hashimoto T, Inamoto N, Nakamura K, Harada R: Involucrin expression in skin appendage tumours. Br J Dermatol 117(3):325-332, 1987.
- 12 Hashimoto T, Inamoto N, Nakamura K, Nishikawa T: Intercellular IgA dermatosis with clinical features of subcorneal pustular dermatosis. Arch Dermatol 123(8):1062-1065, 1987.
- 13 Konohana I, Hashimoto T, Dykes PJ, Marks R: Effects of all-trans retinoic acid on the morphology of human epidermal cells in vitro. Arch Dermatol Res 279(7):459-464, 1987.

#### 1988

- 14 Hashimoto T: Experimental suprabasal bulla formation in organ cultured human skin with low calcium medium. J Invest Dermatol 90(4):501-504, 1988.
- 15 Hashimoto T: Correspondence (Reply). Br J Dermatol 118(4):586, 1988.
- 16 Hashimoto T, Inamoto N, Nakamura K: Two cases of clear cell acanthoma: an immunohistochemical study. J Cutan Pathol 15(1):27-30, 1988.

#### 1989

- 17 Hashimoto T, Nishikawa T: Findings in various dermatosis: Pemphigus In A Colour Atlas of Dermato-immunohistocytology, Ed. Ueki H and Yaoita H. Wolfe Medical Publications Ltd, Tokyo, :66-67, 1989.
- 18 Ogawa MM, Hashimoto T, Nishikawa T, Castro RM: IgG subclasses of intercellular antibodies in Brazilian pemphigus foliaceus--the relationship to complement fixing capability. Clin Exp Dermatol 14(1):29-31, 1989.
- 19 Sugi T, Hashimoto T, Hibi T, Nishikawa T: Production of human monoclonal anti-basement membrane zone (BMZ) antibodies from a patient with bullous pemphigoid (BP) by Epstein-Barr virus transformation. Analyses of the heterogeneity of anti-BMZ antibodies in BP sera using them. J Clin Invest 84(4):1050-1055, 1989.
- 20 Yamada H, Hashimoto T, Nishikawa T: IgG subclasses of intercellular and basement membrane zone antibodies: the relationship to the capability of complement fixation. J Invest Dermatol 92(4):585-587, 1989.

#### 1990

- 21 Amagai M, Hashimoto T, Tajima S, Inokuchi Y, Shimizu N, Saito M, Miki K, Nishikawa T: Partial cDNA cloning of the 230-kD mouse bullous pemphigoid antigen by use of a human monoclonal anti-basement membrane zone antibody. J Invest Dermatol 95(3):252-259, 1990.
- 22 Hashimoto T, Ogawa MM, Konohana A, Nishikawa T: Detection of pemphigus vulgaris and pemphigus

foliaceus antigens by immunoblot analysis using different antigen sources. *J Invest Dermatol* 94(3):327-331, 1990.

23 Ogawa MM, Hashimoto T, Konohana A, Castro RM, Nishikawa T: Immunoblot analyses of Brazilian pemphigus foliaceus antigen using different antigen sources. *Arch Dermatol Res* 282(2):84-88, 1990.

24 Ogawa MM, Hashimoto T, Suzuki T, Nishikawa T: The establishment of optimum culture condition for keratinocytes from human adult skin, and an attempt to graft cultured epidermal sheets onto athymic mice. *Keio J Med* 39(1):14-20, 1990.

25 Onodera Y, Hashimoto T, Miyakawa S, Shimizu H, Nishikawa T, Yamamoto K: A case of linear IgA bullous dermatosis of childhood: immunoelectron microscopic and IgA subclass studies. *Dermatologica* 180(4):267-271, 1990.

## 1991

26 Akiyama M, Hashimoto T, Sugiura M, Nishikawa T: Ultrastructural localization of pemphigus vulgaris and pemphigus foliaceus antigens in cultured human squamous carcinoma cells. *Br J Dermatol* 125(3):233-237, 1991.

27 Ebihara T, Hashimoto T, Iwatsuki K, Takigawa M, Ando M, Ohkawara A, Nishikawa T: Autoantigens for IgA anti-intercellular antibodies of intercellular IgA vesiculopustular dermatosis. *J Invest Dermatol* 97(4):742-745, 1991.

28 Hashimoto T, Konohana A, Nishikawa T: Immunoblot assay as an aid to the diagnoses of unclassified cases of pemphigus. *Arch Dermatol* 127(6):843-847, 1991.

29 Iwatsuki K, Takigawa M, Hashimoto T, Nishikawa T, Yamada M: Can pemphigus vulgaris become pemphigus foliaceus? *J Am Acad Dermatol* 25(5 Pt 1):797-800, 1991.

30 Minoshima S, Amagai M, Kudoh J, Fukuyama R, Hashimoto T, Nishikawa T, Shimizu N: Localization of the human gene for 230-kDal bullous pemphigoid autoantigen (BPAG1) to chromosome 6pter----q15. *Cytogenet Cell Genet* 57(1):30-32, 1991.

31 Niizeki H, Inoko H, Narimatsu H, Takata H, Sonoda A, Tadakuma T, Ando A, Tsuji K, Hashimoto T, Nishikawa T: HLA class II antigens are associated with Japanese pemphigus patients. *Hum Immunol* 31(4):246-250, 1991.

32 Nishikawa T, Hashimoto T, Teraki Y, Ebihara T: The clinical and histopathological spectrum of IgA pemphigus. *Clin Exp Dermatol* 16(5):401-402, 1991.

33 Sato H, Tanabe T, Kuramoto M, Tanaka K, Hashimoto T, Saito H: Isolation of exfoliative toxin from

*Staphylococcus hyicus* subsp. *hyicus* and its exfoliative activity in the piglet. *Vet Microbiol* 27(3-4):263-275, 1991.

- 34 Shimizu H, Hashimoto T, Nishikawa T, Eady RA: Human monoclonal anti-basement membrane zone antibodies derived from virally transformed lymphocytes of a patient with bullous pemphigoid recognize epitopes associated with hemidesmosomes. *Br J Dermatol* 124(3):217-220, 1991.
- 35 Tanaka M, Hashimoto T, Amagai M, Shimizu N, Ikeguchi N, Tsubata T, Hasegawa A, Miki K, Nishikawa T: Characterization of bullous pemphigoid antibodies by use of recombinant bullous pemphigoid antigen proteins. *J Invest Dermatol* 97(4):725-728, 1991.
- 36 Teraki Y, Amagai N, Hashimoto T, Kusunoki T, Nishikawa T: Intercellular IgA dermatosis of childhood. Selective deposition of monomer IgA1 in the intercellular space of the epidermis. *Arch Dermatol* 127(2):221-224, 1991.

### 1992

- 37 Akiyama M, Hashimoto T, Sugiura M, Nishikawa T: Ultrastructural localization of autoantigens of intercellular IgA vesiculopustular dermatosis in cultured human squamous cell carcinoma cells. *Arch Dermatol Res* 284(6):371-373, 1992.
- 38 Dmochowski M, Hashimoto T, Nishikawa T: The analysis of IgG subclasses of anti-intercellular antibodies in pemphigus by an immunoblot technique. *Arch Dermatol Res* 284(5):309-311, 1992.
- 39 Hoshino Y, Hashimoto T, Mimori T, Akizuki M, Nishikawa T: Recurrent annular erythema associated with anti-SS-B/La antibodies: analysis of the disease-specific epitope. *Br J Dermatol* 127(6):608-613, 1992.

### 1993

- 40 Akiyama M, Hashimoto T, Sugiura M, Nishikawa T: Ultrastructural localization of Brazilian pemphigus foliaceus (fogo selvagem) antigens in cultured human squamous cell carcinoma cells. *Br J Dermatol* 128(4):378-383, 1993.
- 41 Akiyama M, Hashimoto T, Sugiura M, Nishikawa T: Ultrastrukturelle lokalisation des antigens des brasilianischen pemphigus foliaceus (fogo selvagem) auf zellkulturzellen von menschenlichen plattenepithel-karzinomen. *Zeitschrift für Hautkrankheiten* 68(4):259-264, 1993.
- 42 Dmochowski M, Hashimoto T, Bhogal BS, Black MM, Miyakawa K, Miyamoto R, Nishikawa T: Concomitant occurrence of circulating IgA anti-intercellular and anti-basement membrane zone antibodies in autoimmune blistering diseases: immunofluorescence and immunoblot studies. *J Dermatol* 20(3):131-137, 1993.
- 43 Dmochowski M, Hashimoto T, Bhogal BS, Black MM, Zone JJ, Nishikawa T: Immunoblotting studies of

linear IgA disease. *J Dermatol Sci* 6(3):194-200, 1993.

- 44 Dmochowski M, Hashimoto T, Garrod DR, Nishikawa T: Desmocollins I and II are recognized by certain sera from patients with various types of pemphigus, particularly Brazilian pemphigus foliaceus. *J Invest Dermatol* 100(4):380-384, 1993.
- 45 Ebihara T, Hashimoto T, Kudoh J, Gamou S, Shimizu N, Nishikawa T: Detection of the 170-kDa bullous pemphigoid antigen by immunoprecipitation. *J Invest Dermatol* 100(2):176-179, 1993.
- 46 Hashimoto T: Cadherins and blistering skin diseases. *Current Opinion in Dermatology*:244-249, 1993.
- 47 Hashimoto T, Amagai M, Ebihara T, Gamou S, Shimizu N, Tsubata T, Hasegawa A, Miki K, Nishikawa T: Further analyses of epitopes for human monoclonal anti-basement membrane zone antibodies produced by stable human hybridoma cell lines constructed with Epstein-Barr virus transformants. *J Invest Dermatol* 100(3):310-315, 1993.
- 48 Hashimoto T, Amagai M, Parry DA, Dixon TW, Tsukita S, Tsukita S, Miki K, Sakai K, Inokuchi Y, Kudoh J, et al.: Desmoyokin, a 680 kDa keratinocyte plasma membrane-associated protein, is homologous to the protein encoded by human gene AHNAK. *J Cell Sci* 105 ( Pt 2):275-286, 1993.
- 49 Hashimoto T, Ebihara T, Ishiko A, Shimizu H, Bhogal BS, Black MM, Stanley JR, Nishikawa T: Comparative study of bullous pemphigoid antigens among Japanese, British, and U.S. patients indicates similar antigen profiles with the 170-kD antigen present both in the basement membrane and on the keratinocyte cell membrane. *J Invest Dermatol* 100(4):385-389, 1993.
- 50 Ishiko A, Shimizu H, Kikuchi A, Ebihara T, Hashimoto T, Nishikawa T: Human autoantibodies against the 230-kD bullous pemphigoid antigen (BPAG1) bind only to the intracellular domain of the hemidesmosome, whereas those against the 180-kD bullous pemphigoid antigen (BPAG2) bind along the plasma membrane of the hemidesmosome in normal human and swine skin. *J Clin Invest* 91(4):1608-1615, 1993.
- 51 Iwatsuki K, Hashimoto T, Ebihara T, Teraki Y, Nishikawa T, Kaneko F: Intercellular IgA vesiculo-pustular dermatosis and related disorders: diversity of IgA anti- intercellular autoantibodies. *Eur J Dermatol* 3:7-11, 1993.
- 52 Ostlere LS, Stevens H, Black MM, Rustin MH, Hashimoto T, Nishikawa T: Bullous pemphigoid in infancy--a case report including new immunoblotting observations. *Clin Exp Dermatol* 18(5):483-485, 1993.
- 53 Watanabe K, Hashimoto T, Ide A, Ebihara T, Nishikawa T: A severe case of pemphigus vulgaris containing autoantibodies against desmoglein (pemphigus foliaceus antigen), pemphigus vulgaris antigen and desmocollins I and II. *Proceedings of 8th Japan-Korea Joint Meeting of Dermatology*:289-292, 1993.

- 54 Amagai M, Hashimoto T, Shimizu N, Nishikawa T: Absorption of pathogenic autoantibodies by the extracellular domain of pemphigus vulgaris antigen (Dsg3) produced by baculovirus. *J Clin Invest* 94(1):59-67, 1994.
- 55 Chorzelski TP, Hashimoto T, Nishikawa T, Ebihara T, Dmochowski M, Ismail M, Jablonska S: Unusual acantholytic bullous dermatosis associated with neoplasia and IgG and IgA antibodies against bovine desmoglein I and II. *J Am Acad Dermatol* 31(2 Pt 2):351-355, 1994.
- 56 Dmochowski M, Hashimoto T, Amagai M, Kudoh J, Shimizu N, Koch PJ, Franke WW, Nishikawa T: The extracellular aminoterminal domain of bovine desmoglein 1 (Dsg1) is recognized only by certain pemphigus foliaceus sera, whereas its intracellular domain is recognized by both pemphigus vulgaris and pemphigus foliaceus sera. *J Invest Dermatol* 103(2):173-177, 1994.
- 57 Hashimoto K, Hashimoto T, Higashiyama M, Nishikawa T, Garrod DR, Yoshikawa K: Detection of anti-desmoglein I and II autoantibodies in two cases of Hallopeau type pemphigus vegetans by immunoblot analysis. *J Dermatol Sci* 7(2):100-106, 1994.
- 58 Hashimoto T, Ebihara T, Nishikawa T: Two different isoforms of desmoglein are recognized by autoantibodies in various types of pemphigus. *Dermatology* 189 Suppl 1:124-125, 1994.
- 59 Hashimoto T, Watanabe K, Ishiko A, Shimizu H, Hanyaku H, Kimura S, Nishikawa T: A case of bullous pemphigoid with antidesmoplakin autoantibodies. *Br J Dermatol* 131(5):694-699, 1994.
- 60 Ishiko A, Shimizu H, Masunaga T, Watanabe K, Hashimoto T, Nishikawa T: Postembedding immuno-electron-microscopic study of coexistence of pemphigus foliaceus (FP) and bullous pemphigoid (BP). *Electron Microscopy in Dermatology - Basic and Clinical Research*. Ishibashi Y, Nakagawa H, Suzuki H, ed. Elsevier Science:165-171, 1994.
- 61 Kawana S, Hashimoto T, Nishikawa T, Nishiyama S: Changes in clinical features, histologic findings, and antigen profiles with development of pemphigus foliaceus from pemphigus vulgaris. *Arch Dermatol* 130(12):1534-1538, 1994.
- 62 Kawana S, Hashimoto T, Nishikawa T, Nishiyama S: Shift in clinical features, histologic findings and antigen profiles from pemphigus vulgaris to pemphigus foliaceus--two case studies. *Dermatology* 189 Suppl 1:57-59, 1994.
- 63 Masunaga T, Shimizu H, Fujiwara T, Hashimoto T, Nishikawa T: Localization of desmoyokin in normal human skin. *Electron Microscopy in Dermatology - Basic and Clinical Research*. Ishibashi Y, Nakagawa H, Suzuki H, ed. Elsevier Science:229-232, 1994.
- 64 Miyagawa S, Shiomi Y, Fukumoto T, Nishikawa K, Ako H, Hashimoto T, Shirai T: Bullous eruption of systemic lupus erythematosus. *J Dermatol* 21(6):421-425, 1994.

- 65 Niizeki H, Inamoto N, Nakamura K, Tsuchimoto K, Hashimoto T, Nishikawa T: A case of pemphigus foliaceus after interferon alpha-2a therapy. *Dermatology* 189 Suppl 1:129-130, 1994.
- 66 Niizeki H, Inoko H, Mizuki N, Inamoto N, Watababe K, Hashimoto T, Nishikawa T: HLA-DQA1, -DQB1 and -DRB1 genotyping in Japanese pemphigus vulgaris patients by the PCR-RFLP method. *Tissue Antigens* 44(4):248-251, 1994.
- 67 Ohno H, Miyagawa S, Hashimoto T, Nakagawa A, Watanabe K, Nishikawa T, Shirai T: Atypical pemphigus with concomitant IgG and IgA anti-intercellular autoantibodies associated with monoclonal IgA gammopathy. *Dermatology* 189 Suppl 1:115-116, 1994.
- 68 Onodera Y, Shimizu H, Hashimoto T, Ishiko A, Ebihara T, Tanaka M, Nishikawa T: Difference in binding sites of autoantibodies against 230- and 170-kD bullous pemphigoid antigens on salt-split skin. *J Invest Dermatol* 102(5):686-690, 1994.
- 69 Shimizu H, Masunaga T, Ishiko A, Hashimoto T, Garrod DR, Shida H, Nishikawa T: Demonstration of desmosomal antigens by electron microscopy using cryofixed and cryosubstituted skin with silver-enhanced gold probe. *J Histochem Cytochem* 42(5):687-692, 1994.
- 70 Stevens H, Ostelere L, Black M, Nishikawa T, Hashimoto T, Bhogal B, Rustin M: Paraneoplastic pemphigus as a presenting feature of an occult lymphoma. *Eur J Dermatol* 4:26-29, 1994.
- 71 Watanabe K, Hashimoto T, Ishiko A, Shimizu H, Nishikawa T: A case of bullous pemphigoid with antidesmoplakin autoantibodies. *Dermatology* 189 Suppl 1:126-128, 1994.
- 72 Zillikens D, Erhard H, Prost C, Hashimoto T, Nishikawa T, Brocker EB: [Inflammatory type of epidermolysis bullosa acquisita]. *Hautarzt* 45(3):166-170, 1994.

## 1995

- 73 Amagai M, Fujimori T, Masunaga T, Shimizu H, Nishikawa T, Shimizu N, Takeichi M, Hashimoto T: Delayed assembly of desmosomes in keratinocytes with disrupted classic-cadherin-mediated cell adhesion by a dominant negative mutant. *J Invest Dermatol* 104(1):27-32, 1995.
- 74 Amagai M, Hashimoto T, Green KJ, Shimizu N, Nishikawa T: Antigen-specific immunoadsorption of pathogenic autoantibodies in pemphigus foliaceus. *J Invest Dermatol* 104(6):895-901, 1995.
- 75 Amagai M, Ishii K, Hashimoto T, Gamou S, Shimizu N, Nishikawa T: Conformational epitopes of pemphigus antigens (Dsg1 and Dsg3) are calcium dependent and glycosylation independent. *J Invest Dermatol* 105(2):243-247, 1995.
- 76 Axt M, Wever S, Baier G, Bogdan S, Hashimoto T, Brocker EB, Zillikens D: [Cicatricial pemphigoid--a



therapeutic problem]. *Hautarzt* 46(9):620-627, 1995.

- 77 Chorzelski T, Hashimoto T, Jablonska S, Nishikawa T, Kozłowska A, Krainska T, Osiecki M, Olszewska M, Rywik H: Pemphigus vulgaris transforming into pemphigus foliaceus and their coexistence. *Eur J Dermatol* 5:386-390, 1995.
- 78 Chorzelski T, Hashimoto T, Kormann N, Jablonska S, Kozłowska A, Ismail M, Rywik H: A typical pemphigus associated with malignant thymoma and autoimmune response restricted to 170 kD antigen: is it a variant of paraneoplastic pemphigus? *Eur J Dermatol* 5:31-35, 1995.
- 79 Dmochowski M, Hashimoto T, Chidgey MA, Yue KK, Wilkinson RW, Nishikawa T, Garrod DR: Demonstration of antibodies to bovine desmocollin isoforms in certain pemphigus sera. *Br J Dermatol* 133(4):519-525, 1995.
- 80 Hashimoto T: Recent progress in studies on autoantigens for various autoimmune blistering skin diseases. *Keio J Med* 44(4):115-123, 1995.
- 81 Hashimoto T, Amagai M, Garrod DR, Nishikawa T: Immunofluorescence and immunoblot studies on the reactivity of pemphigus vulgaris and pemphigus foliaceus sera with desmoglein 3 and desmoglein 1. *Epithelial Cell Biol* 4(2):63-69, 1995.
- 82 Hashimoto T, Amagai M, Watanabe K, Chorzelski TP, Bhogal BS, Black MM, Stevens HP, Boorsma DM, Korman NJ, Gamou S, et al.: Characterization of paraneoplastic pemphigus autoantigens by immunoblot analysis. *J Invest Dermatol* 104(5):829-834, 1995.
- 83 Hashimoto T, Amagai M, Watanabe K, Dmochowski M, Chidgey MA, Yue KK, Garrod DR, Nishikawa T: A case of pemphigus vulgaris showing reactivity with pemphigus antigens (Dsg1 and Dsg3) and desmocollins. *J Invest Dermatol* 104(4):541-544, 1995.
- 84 Hashimoto T, Gamou S, Shimizu N, Kitajima Y, Nishikawa T: Regulation of translocation of the desmoyokin/AHNAK protein to the plasma membrane in keratinocytes by protein kinase C. *Exp Cell Res* 217(2):258-266, 1995.
- 85 Hashimoto T, Matsumura K, Kawahara Y, Ohata Y, Nishikawa T: Immunoblot analysis using recombinant protein of the 180 kD bullous pemphigoid antigen NC16a domain as an aid to the diagnosis of atypical subepidermal autoimmune bullous skin diseases. *Keio J Med* 44(2):62-66, 1995.
- 86 Ide A, Hashimoto T, Amagai M, Tanaka M, Nishikawa T: Detection of autoantibodies against bullous pemphigoid and pemphigus antigens by an enzyme-linked immunosorbent assay using the bacterial recombinant proteins. *Exp Dermatol* 4(2):112-116, 1995.
- 87 Ide A, Hashimoto T, Nishikawa T: Two patients with unusual skin lesions and circulating antikeratinocyte cell

surface antibodies: detection of antibodies to the intracellular domain of the pemphigus foliaceus antigen (desmoglein) by studies using fusion proteins. *Br J Dermatol* 133(1):115-120, 1995.

- 88 Ishiko A, Hashimoto T, Shimizu H, Masunaga T, Nishibori Y, Watanabe K, Nishikawa T: Combined features of pemphigus foliaceus and bullous pemphigoid: immunoblot and immunoelectron microscopic studies. *Arch Dermatol* 131(6):732-734, 1995.
- 89 Jorg B, Hamm H, Dmochowski M, Hashimoto T, Zillikens D: Juvenile Lineare IgA-Dermatose: Moglichkeiten der Diagnostic. *Zeitschrift fur Hautkrankheiten* 70(3):185-188, 1995.
- 90 Kowalczyk AP, Anderson JE, Borgwardt JE, Hashimoto T, Stanley JR, Green KJ: Pemphigus sera recognize conformationally sensitive epitopes in the amino-terminal region of desmoglein-1. *J Invest Dermatol* 105(2):147-152, 1995.
- 91 Kudoh J, Wang Y, Minoshima S, Hashimoto T, Amagai M, Nishikawa T, Shtivelman E, Bishop JM, Shimizu N: Localization of the human AHNAK/desmoyokin gene (AHNAK) to chromosome band 11q12 by somatic cell hybrid analysis and fluorescence in situ hybridization. *Cytogenet Cell Genet* 70(3-4):218-220, 1995.
- 92 Masunaga T, Shimizu H, Ishiko A, Fujiwara T, Hashimoto T, Nishikawa T: Desmoyokin/AHNAK protein localizes to the non-desmosomal keratinocyte cell surface of human epidermis. *J Invest Dermatol* 104(6):941-945, 1995.
- 93 Miyagawa S, Hashimoto T, Ohno H, Nakagawa A, Watanabe K, Nishikawa T, Shirai T: Atypical pemphigus associated with monoclonal IgA gammopathy. *J Am Acad Dermatol* 32(2 Pt 2):352-357, 1995.
- 94 Miyakawa K, Miyamoto R, Bara S, Suzuki H, Dmochowski M, Hashimoto T: Vesiculopustular dermatosis with ulcerative colitis. Concurrent occurrence of circulating IgA anti-intercellular and anti-basement membrane zone antibodies. *Eur J Dermatol* 5:122-124, 1995.
- 95 Nishibori Y, Hashimoto T, Ishiko A, Shimizu H, Korman NJ, Nishikawa T: Paraneoplastic pemphigus: the first case report from Japan. *Dermatology* 191(1):39-42, 1995.
- 96 Ohata Y, Hashimoto T, Nishikawa T: Comparative study of autoantigens for various bullous skin diseases by immunoblotting using different dermo-epidermal separation techniques. *Clin Exp Dermatol* 20(6):454-458, 1995.
- 97 Seishima M, Esaki C, Osada K, Mori S, Hashimoto T, Kitajima Y: Pemphigus IgG, but not bullous pemphigoid IgG, causes a transient increase in intracellular calcium and inositol 1,4,5-triphosphate in DJM-1 cells, a squamous cell carcinoma line. *J Invest Dermatol* 104(1):33-37, 1995.
- 98 Shimizu H, Masunaga T, Ishiko A, Kikuchi A, Hashimoto T, Nishikawa T: Pemphigus vulgaris and pemphigus foliaceus sera show an inversely graded binding pattern to extracellular regions of desmosomes in different

layers of human epidermis. *J Invest Dermatol* 105(2):153-159, 1995.

- 99 Shimizu H, Masunaga T, Ishiko A, Matsumura K, Hashimoto T, Nishikawa T, Domloge-Hultsch N, Lazarova Z, Yancey KB: Autoantibodies from patients with cicatricial pemphigoid target different sites in epidermal basement membrane. *J Invest Dermatol* 104(3):370-373, 1995.
- 100 Shimizu K, Hashimoto T, Fukuda T, Watanabe K, Ishiko A, Niizeki H, Shimizu H, Zone JJ, Nishikawa T: A Japanese case of the fibrillar type of dermatitis herpetiformis. *Dermatology* 191(2):88-92, 1995.
- 101 Tamai K, Li K, Silos S, Rudnicka L, Hashimoto T, Nishikawa T, Uitto J: Interferon-gamma-mediated inactivation of transcription of the 230-kDa bullous pemphigoid antigen gene (BPAG1) provides novel insight into keratinocyte differentiation. *J Biol Chem* 270(1):392-396, 1995.
- 102 Vilela MJ, Hashimoto T, Nishikawa T, North AJ, Garrod D: A simple epithelial cell line (MDCK) shows heterogeneity of desmoglein isoforms, one resembling pemphigus vulgaris antigen. *J Cell Sci* 108 ( Pt 4):1743-1750, 1995.
- 103 Wever S, Burger M, Langfritz K, Hashimoto T, Nishikawa T, Brocker EB, Zillikens D: [Herpes gestationis. Clinical spectrum and diagnostic possibilities]. *Hautarzt* 46(3):158-164, 1995.
- 104 Wever S, Rank C, Hornschuh B, Hashimoto T, Nishikawa T, Brocker EB, Zillikens D: [Bullous pemphigoid simulation subacute simple prurigo]. *Hautarzt* 46(11):789-795, 1995.
- 105 Yue KK, Holton JL, Clarke JP, Hyam JL, Hashimoto T, Chidgey MA, Garrod DR: Characterisation of a desmocollin isoform (bovine DSC3) exclusively expressed in lower layers of stratified epithelia. *J Cell Sci* 108 ( Pt 6):2163-2173, 1995.
- 106 Zillikens D, Wever S, Roth A, Weidenthaler-Barth B, Hashimoto T, Brocker EB: Incidence of autoimmune subepidermal blistering dermatoses in a region of central Germany. *Arch Dermatol* 131(8):957-958, 1995.

## 1996

- 107 Chen KR, Shimizu S, Miyakawa S, Ishiko A, Shimizu H, Hashimoto T: Coexistence of psoriasis and an unusual IgG-mediated subepidermal bullous dermatosis: identification of a novel 200-kDa lower lamina lucida target antigen. *Br J Dermatol* 134(2):340-346, 1996.
- 108 Chorzelski T, Hashimoto T, Glinska-Ferenz M, Jarzabek-Chorzelska M, Olszewska M, Jablonska S: Unusual cutaneous cicatricial pemphigoid associated with antibodies of IgG and IgA class reacting exclusively with fusion protein BP180. *Eur J Dermatol* 6:32-35, 1996.
- 109 Chorzelski T, Hashimoto T, Jablonska S: Letter to the Editor, Paraneoplastic pemphigus. Are autoantibodies pathogenic or an epiphenomenon? A reply. . *Eur J Dermatol* 6:152-153, 1996.

- 110 Chorzeliski T, Hashimoto T, Jablonska S, Amagai M, Ishii K, Olszewska M, Jarzabek-Chorzelska M: Can pemphigus vulgaris be induced by nutritional factors? *Eur J Dermatol* 6(4):284-286, 1996.
- 111 Hashimoto T, Amagai M, Murakami H, Higashiyama M, Hashimoto K, Nishikawa T: Specific detection of anti-cell surface antibodies in herpes gestationis sera. *Exp Dermatol* 5(2):96-101, 1996.
- 112 Hashimoto T, Ebihara T, Dmochowski M, Kawamura K, Suzuki T, Tsurufuji S, Garrod DR, Nishikawa T: IgA antikeratinocyte surface autoantibodies from two types of intercellular IgA vesiculopustular dermatosis recognize distinct isoforms of desmocollin. *Arch Dermatol Res* 288(8):447-452, 1996.
- 113 Hashimoto T, Ebihara T, Nishikawa T: Studies of autoantigens recognized by IgA anti-keratinocyte cell surface antibodies. *J Dermatol Sci* 12(1):10-17, 1996.
- 114 Hashimoto T, Ishiko A, Shimizu H, Bhogal B, Black M, Nishikawa T: Reply for correspondence, Linear IgA dermatosis with IgA antibodies to type VII-collagen-reply. *Br J Dermatol* 135(6):1004-1005, 1996.
- 115 Hashimoto T, Ishiko A, Shimizu H, Tanaka T, Dodd HJ, Bhogal BS, Black MM, Nishikawa T: A case of linear IgA bullous dermatosis with IgA anti-type VII collagen autoantibodies. *Br J Dermatol* 134(2):336-339, 1996.
- 116 Hashimoto T, Murakami H, Senboshi Y, Kanzaki H, Arata J, Yancey KB, Nishikawa T: Antiepiligrin cicatricial pemphigoid: the first case report from Japan. *J Am Acad Dermatol* 34(5 Pt 2):940-942, 1996.
- 117 Ishiko A, Hashimoto T, Shimizu H, Nishikawa T: Epidermolysis bullosa acquisita: report of a case with comparison of immunogold electron microscopy using pre- and postembedding labelling. *Br J Dermatol* 134(1):147-151, 1996.
- 118 Ishiko A, Shimizu H, Masunaga T, Hashimoto T, Dmochowski M, Wojnarowska F, Bhogal BS, Black MM, Nishikawa T: 97-kDa linear IgA bullous dermatosis (LAD) antigen localizes to the lamina lucida of the epidermal basement membrane. *J Invest Dermatol* 106(4):739-743, 1996.
- 119 Izaki S, Yoshizawa Y, Hashimoto T, Korman NJ, Kitamura K, Hamamatsu Y, Ohashi N, Ogasa S: Paraneoplastic pemphigus: report of a case. *J Dermatol* 23(6):397-404, 1996.
- 120 Izaki S, Yoshizawa Y, Kitamura K, Kato H, Hashimoto H, Korman NJ, Hamamatsu Y, Ohashi N, Ogasa S: Paraneoplastic pemphigus: potential therapeutic effect of plasmapheresis. *Br J Dermatol* 134(5):987-989, 1996.
- 121 Kawachi Y, Ikegami M, Hashimoto T, Matsumura K, Tanaka T, Otsuka F: Autoantibodies to bullous pemphigoid and epidermolysis bullosa acquisita antigens in an infant. *Br J Dermatol* 135(3):443-447, 1996.
- 122 Kawahara Y, Hashimoto T, Ohata K, Nishikawa T: Eleven cases of bullous pemphigoid treated with combination of minocycline and nicotinamide. *Eur J Dermatol* 6:427-429, 1996.

- 123 Kawahara Y, Hashimoto T, Watanabe K, Kurihara S, Matsuo I, Nishikawa T: Two cases of atypical bullous disease showing linear IgG and IgA deposition in the basement membrane zone. *J Dermatol* 23(4):254-258, 1996.
- 124 Matsumura K, Amagai M, Nishikawa T, Hashimoto T: The majority of bullous pemphigoid and herpes gestationis serum samples react with the NC16a domain of the 180-kDa bullous pemphigoid antigen. *Arch Dermatol Res* 288(9):507-509, 1996.
- 125 Matsuzaki T, Mashima Y, Idei T, Hashimoto T, Mashima Y: Unilateral ocular cicatricial pemphigoid with circulating IgA and IgG autoantibodies reactive with the 180 kD bullous pemphigoid antigen. *Br J Ophthalmol* 80(8):769, 1996.
- 126 McCauliffe DP, Faircloth E, Wang L, Hashimoto T, Hoshino Y, Nishikawa T: Similar Ro/SS-A autoantibody epitope and titer responses in annular erythema of Sjogren's syndrome and subacute cutaneous lupus erythematosus. *Arch Dermatol* 132(5):528-531, 1996.
- 127 Murakami H, Amagai M, Higashiyama M, Hashimoto K, Chorzelski TP, Bhogal BS, Jenkins RE, Black MM, Zillikens D, Nishikawa T, Hashimoto T: Analysis of antigens recognized by autoantibodies in herpes gestationis. Usefulness of immunoblotting using a fusion protein representing an extracellular domain of the 180 kD bullous pemphigoid antigen. *J Dermatol Sci* 13(2):112-117, 1996.
- 128 Nishikawa T, Hashimoto T, Shimizu H, Ebihara T, Amagai M: Pemphigus: from immunofluorescence to molecular biology. *J Dermatol Sci* 12(1):1-9, 1996.
- 129 Ohata Y, Komiya H, Kawahara Y, Watanabe K, Nishikawa T, Hashimoto T: A case of Neumann type pemphigus vegetans showing reactivity with the 130 kD pemphigus vulgaris antigen. *Acta Derm Venereol* 76(2):169-170, 1996.
- 130 Rico MJ, Hashimoto To T, Watanabe K, Hall RP, Clark RB, Nishikawa T: Comparative epitope mapping of sera from United States (US) and Japanese patients with bullous pemphigoid (BP) to fusion proteins encoded by BPAG1. *J Dermatol Sci* 12(3):238-245, 1996.
- 131 Saeki H, Hayashi N, Komine M, Soma Y, Shimada S, Watanabe K, Hashimoto T: A case of generalized pustular psoriasis followed by bullous disease: an atypical case of bullous pemphigoid or a novel bullous disease? *Br J Dermatol* 134(1):152-155, 1996.
- 132 Shibata M, Tan M, Kakinuma H, Suzuki H, Kawahara Y, Hashimoto T: Bullous pemphigoid with extensive esophageal involvement. *Eur J Dermatol* 6:443-444, 1996.
- 133 Shimizu K, Hashimoto T, Wang N, Watanabe K, Ohata Y, Kikuchi A, Amagai M, Nishikawa T: A case of herpetiform pemphigus associated with autoimmune hemolytic anemia: detection of autoantibodies against multiple epidermal antigens. *Dermatology* 192(2):179-182, 1996.

- 134 Tanaka M, Hashimoto T, Dykes PJ, Nishikawa T: Clinical manifestations in 100 Japanese bullous pemphigoid cases in relation to autoantigen profiles. *Clin Exp Dermatol* 21(1):23-27, 1996.
- 135 Zillikens D, Kawahara Y, Ishiko A, Shimizu H, Mayer J, Rank CV, Liu Z, Giudice GJ, Tran HH, Marinkovich MP, Brocker EB, Hashimoto T: A novel subepidermal blistering disease with autoantibodies to a 200-kDa antigen of the basement membrane zone. *J Invest Dermatol* 106(3):465-470, 1996.

## 1997

- 136 Bowszyc-Dmochowska M, Hashimoto T, Dmochowski M, Nishikawa T: Evaluation of an avidin-biotin-peroxidase method with a monoclonal antibody to type IV collagen in the differential diagnosis of bullous pemphigoid and epidermolysis bullosa acquisita. *J Dermatol* 24(4):217-222, 1997.
- 137 Chiewchanvit S, Hashimoto T, Chaiwun B, Nishikawa T: A pemphigus case with long term survival, implicating the spectrum between paraneoplastic pemphigus and pemphigus vulgaris. *Int J Dermatol* 36(12):957-958, 1997.
- 138 Endo Y, Tamura A, Ishikawa O, Miyachi Y, Hashimoto T: Psoriasis vulgaris coexistent with epidermolysis bullosa acquisita. *Br J Dermatol* 137(5):783-786, 1997.
- 139 Hashimoto T, Han-Yaku H, Higashiyama M, Hashimoto K, Iwatsuki K, Kaneko F, Murakami H, Nishikawa T: Four Japanese patients with cicatricial pemphigoid showing both IgG and IgA antibodies against the 180 kDa bullous pemphigoid antigen. *Br J Dermatol* 137(2):305-306, 1997.
- 140 Hashimoto T, Kiyokawa C, Mori O, Miyasato M, Chidgey MA, Garrod DR, Kobayashi Y, Komori K, Ishii K, Amagai M, Nishikawa T: Human desmocollin 1 (Dsc1) is an autoantigen for the subcorneal pustular dermatosis type of IgA pemphigus. *J Invest Dermatol* 109(2):127-131, 1997.
- 141 Hashimoto T, Kuwae A, Inoh Y: A case of unusual bullous disease showing antibodies against a novel 200 kD basement membrane zone antigen. Proceedings for 10th Japan-Korea Joint Meeting of Dermatology, Hakone Japan, September 7-8. 1997.
- 142 Hornschuh B, Hamm H, Wever S, Hashimoto T, Schroder U, Brocker EB, Zillikens D: Treatment of 16 patients with bullous pemphigoid with oral tetracycline and niacinamide and topical clobetasol. *J Am Acad Dermatol* 36(1):101-103, 1997.
- 143 Inadomi T, Saito T, Kaneko M, Hashimoto T, Suzuki H: Bullous pemphigoid in an HB virus carrier: interaction between corticosteroids and HB virus. *J Dermatol* 24(3):179-183, 1997.
- 144 Inazumi T, Kikuchi A, Han-Yaku H, Hashimoto T, Nishikawa T: Intercellular IgA vesiculopustular dermatosis: an additional case and a review of the literature. *Eur J Dermatol* 7:503-507, 1997.

- 145 Ishii K, Amagai M, Hall RP, Hashimoto T, Takayanagi A, Gamou S, Shimizu N, Nishikawa T: Characterization of autoantibodies in pemphigus using antigen-specific enzyme-linked immunosorbent assays with baculovirus-expressed recombinant desmogleins. *J Immunol* 159(4):2010-2017, 1997.
- 146 Ishikawa O, Zaw KK, Miyachi Y, Hashimoto T, Tanaka T: The presence of anti-basement membrane zone antibodies in the sera of patients with non-bullous lupus erythematosus. *Br J Dermatol* 136(2):222-226, 1997.
- 147 Kawahara Y, Matsumura K, Hashimoto T, Nishikawa T: Immunoblot analysis of autoantigens in localized pemphigoid and pemphigoid nodularis. *Acta Derm Venereol* 77(3):187-190, 1997.
- 148 Kubo A, Amagai M, Hashimoto T, Doi T, Higashiyama M, Hashimoto K, Yoshikawa K: Herpetiform pemphigus showing reactivity with pemphigus vulgaris antigen (desmoglein 3). *Br J Dermatol* 137(1):109-113, 1997.
- 149 Kubo A, Hashimoto K, Inoue C, Hashimoto T, Yoshikawa K: Epidermolysis bullosa acquisita exacerbated by systemic estrogen and progesterone treatment and pregnancy. *J Am Acad Dermatol* 36(5 Pt 1):792-794, 1997.
- 150 Mori O, Karashima T, Matsuo K, Hashimoto T: Expression of desmogleins in Paget cells of mammary and extramammary Paget's disease. *Kurume Med J* 44(3):185-189, 1997.
- 151 Mori O, Karashima T, Matsuo K, Hashimoto T: Epidermal cell cultures from involved skin of patients with mammary and extramammary Paget's disease. *Kurume Med J* 44(3):165-169, 1997.
- 152 Ogg GS, Bhogal BS, Hashimoto T, Coleman R, Barker JN: Ramipril-associated lichen planus pemphigoides. *Br J Dermatol* 136(3):412-414, 1997.
- 153 Ohata C, Shirabe H, Takagi K, Kawatsu T, Hashimoto T: Localized bullous pemphigoid after radiation therapy: two cases. *Acta Derm Venereol* 77(2):157, 1997.
- 154 Okura M, Tatsuno Y, Sato M, Hashizume S, Kubota Y, Matumura K, Hashimoto T, Mizoguchi M: Vesicular pemphigoid with antidesmoplakin autoantibodies. *Br J Dermatol* 136(5):794-796, 1997.
- 155 Salmhofer W, Kawahara Y, Soyer HP, Kerl H, Nishikawa T, Hashimoto T: A subepidermal blistering disease with histopathological features of dermatitis herpetiformis and immunofluorescence characteristics of bullous pemphigoid: a novel subepidermal blistering disease or a variant of bullous pemphigoid? *Br J Dermatol* 137(4):599-604, 1997.
- 156 Tanaka H, Ishida-Yamamoto A, Hashimoto T, Hiramoto K, Harada T, Kawachi Y, Shimizu H, Tanaka T, Kishiyama K, Hopfner B, Takahashi H, Iizuka H, Bruckner-Tuderman L: A novel variant of acquired epidermolysis bullosa with autoantibodies against the central triple-helical domain of type VII collagen. *Lab Invest* 77(6):623-632, 1997.

- 157 Vaughan Jones SA, Bhogal BS, Black MM, Clement M, Hashimoto T, Nishikawa T: A typical case of pemphigoid gestationis with a unique pattern of intercellular immunofluorescence. *Br J Dermatol* 136(2):245-248, 1997.
- 158 Wakelin SH, Bhogal B, Black MM, Allen J, Wojnarowska F, Hashimoto T, Farr PM, Swain AF: Epidermolysis bullosa acquisita associated with epidermal-binding circulating antibodies. *Br J Dermatol* 136(4):604-609, 1997.

## 1998

- 159 Amagai M, Nishikawa T, Nousari HC, Anhalt GJ, Hashimoto T: Antibodies against desmoglein 3 (pemphigus vulgaris antigen) are present in sera from patients with paraneoplastic pemphigus and cause acantholysis in vivo in neonatal mice. *J Clin Invest* 102(4):775-782, 1998.
- 160 Chan LS, Vanderlugt CJ, Hashimoto T, Nishikawa T, Zone JJ, Black MM, Wojnarowska F, Stevens SR, Chen M, Fairley JA, Woodley DT, Miller SD, Gordon KB: Epitope spreading: lessons from autoimmune skin diseases. *J Invest Dermatol* 110(2):103-109, 1998.
- 161 Hashimoto T, Amagai M, Ning W, Nishikawa T, Karashima T, Mori O, Jablonska S, Chorzelski TP: Novel non-radioisotope immunoprecipitation studies indicate involvement of pemphigus vulgaris antigen in paraneoplastic pemphigus. *J Dermatol Sci* 17(2):132-139, 1998.
- 162 Hirako Y, Usukura J, Uematsu J, Hashimoto T, Kitajima Y, Owaribe K: Cleavage of BP180, a 180-kDa bullous pemphigoid antigen, yields a 120-kDa collagenous extracellular polypeptide. *J Biol Chem* 273(16):9711-9717, 1998.
- 163 Inoh Y, Nishikawa T, Hashimoto T: The vesicular pemphigoid phenotype may be related to antibodies to a 200 kDa antigen in the lower lamina lucida. *Br J Dermatol* 139(4):738-739, 1998.
- 164 Kawahara Y, Matsuo Y, Hashimoto T, Nishikawa T: A case of unique subepidermal blistering disease with autoantibodies against a novel dermal 200-kD antigen. *Dermatology* 196(2):213-216, 1998.
- 165 Kazama T, Yamamoto Y, Hashimoto T, Komai A, Ito M: Application of confocal laser scanning microscopy to differential diagnosis of bullous pemphigoid and epidermolysis bullosa acquisita. *Br J Dermatol* 138(4):593-601, 1998.
- 166 Kita Y, Kuroda K, Mimori T, Hashimoto T, Yamamoto K, Saito Y, Iwamoto I, Sumida T: T cell receptor clonotypes in skin lesions from patients with systemic lupus erythematosus. *J Invest Dermatol* 110(1):41-46, 1998.
- 167 Kiyokawa C, Fujito S, Mori O, Mochizuki M, Hashimoto T: Bullous pemphigoid showing unusual ocular changes. *Br J Dermatol* 139(4):693-696, 1998.



- 168 Kiyokawa C, Ruhrberg C, Nie Z, Karashima T, Mori O, Nishikawa T, Green KJ, Anhalt GJ, DiColandrea T, Watt FM, Hashimoto T: Envoplakin and periplakin are components of the paraneoplastic pemphigus antigen complex. *J Invest Dermatol* 111(6):1236-1238, 1998.
- 169 Matsuo K, Mori O, Hashimoto T: Apoptosis in murine hair follicles during catagen regression. *Arch Dermatol Res* 290(3):133-136, 1998.
- 170 Mori O, Miyasato M, Karashima T, Hashimoto T: Immunobead and density gradient purification of Paget cells: in vitro studies of proliferation. *J Dermatol* 25(8):497-502, 1998.
- 171 Murakami H, Nishioka S, Setterfield J, Bhogal BS, Black MM, Zillikens D, Yancey KB, Balding SD, Giudice GJ, Diaz LA, Nishikawa T, Kiyokawa C, Hashimoto T: Analysis of antigens targeted by circulating IgG and IgA autoantibodies in 50 patients with cicatricial pemphigoid. *J Dermatol Sci* 17(1):39-44, 1998.
- 172 Salmhofer W, Hashimoto T, Soyer H, Kerl H, Smolle J: Tiny papules in annular arrangement, *Dermatopathology: Practical & Conceptual*. 4(2):138-139, 1998.
- 173 Sato M, Shimizu H, Ishiko A, Masunaga T, Akiyama M, Hashimoto T, Kitajima Y, Nishikawa T: Precise ultrastructural localization of in vivo deposited IgG antibodies in fresh perilesional skin of patients with bullous pemphigoid. *Br J Dermatol* 138(6):965-971, 1998.
- 174 Shirahama S, Furukawa F, Yagi H, Tanaka T, Hashimoto T, Takigawa M: Bullous systemic lupus erythematosus: detection of antibodies against noncollagenous domain of type VII collagen. *J Am Acad Dermatol* 38(5 Pt 2):844-848, 1998.
- 175 Watanabe H, Sueki H, Kitami A, Kakuchi C, Ikeda Y, Nagata S, Hashimoto T, Iijima M: Flame figures associated with bullous pemphigoid. *J Dermatol* 25(10):632-636, 1998.
- 176 Weston WL, Friednash M, Hashimoto T, Seline P, Huff JC, Morelli JG: A novel childhood pemphigus vegetans variant of intraepidermal neutrophilic IgA dermatosis. *J Am Acad Dermatol* 38(4):635-638, 1998.
- 177 Yamazaki S, Yokozeki H, Katayama I, Komai R, Hashimoto T, Nishioka K: Childhood bullous pemphigoid associated with chronic renal allograft rejection. *Br J Dermatol* 138(3):547-548, 1998.

## 1999

- 178 Amagai M, Komai A, Hashimoto T, Shirakata Y, Hashimoto K, Yamada T, Kitajima Y, Ohya K, Iwanami H, Nishikawa T: Usefulness of enzyme-linked immunosorbent assay using recombinant desmogleins 1 and 3 for serodiagnosis of pemphigus. *Br J Dermatol* 140(2):351-357, 1999.
- 179 Chorzelski T, Hashimoto T, Maciejewska B, Amagai M, Anhalt GJ, Jablonska S: Paraneoplastic pemphigus associated with Castleman tumor, myasthenia gravis and bronchiolitis obliterans. *J Am Acad Dermatol* 41(3 Pt

- 1):393-400, 1999.
- 180 Chorzelski TP, Hashimoto T, Amagai M, Sysa-Jedrzejowska A, Choczaj A, Nousari HC, Anhalt GJ, Jablonska S: Paraneoplastic pemphigus with cutaneous and serological features of pemphigus foliaceus. *Br J Dermatol* 141(2):357-359, 1999.
- 181 Dmochowski M, Nie Z, Kiyokawa C, Hashimoto T: Human desmocollin 1a transiently expressed in COS-7 cells and NIH 3T3-3 cells is reacted by IgG4 antibodies in a pemphigus foliaceus serum. *J Dermatol Sci* 21(1):42-48, 1999.
- 182 Gooptu C, Mendelsohn S, Amagai M, Hashimoto T, Nishikawa T, Wojnarowska F: Unique immunobullous disease in a child with a predominantly IgA response to three desmosomal proteins. *Br J Dermatol* 141(5):882-886, 1999.
- 183 Hashimoto T: Skin diseases related to abnormality in desmosomes and hemidesmosomes--editorial review. *J Dermatol Sci* 20(2):81-84, 1999.
- 184 Ishii K, Amagai M, Komai A, Ebihara T, Chorzelski TP, Jablonska S, Ohya K, Nishikawa T, Hashimoto T: Desmoglein 1 and desmoglein 3 are the target autoantigens in herpetiform pemphigus. *Arch Dermatol* 135(8):943-947, 1999.
- 185 Mori O, Hashimoto T: Autologous whole blood intramuscular injection as a cure for chronic urticaria: report of a patient in whom intradermal injection of autologous serum continued to cause a weal-and-flare response. *Br J Dermatol* 140(6):1192-1193, 1999.
- 186 Morita E, Horiuchi K, Yamamoto S, Hashimoto T: A case of acquired autoimmune bullous disease associated with IgM macroglobulinaemia. *J Dermatol* 26(10):671-676, 1999.
- 187 Namba Y, Koizumi H, Kumakiri M, Hashimoto T, Muramatsu T, Ohkawara A: Bullous pemphigoid with permanent loss of the nails. *Acta Derm Venereol* 79(6):480-481, 1999.
- 188 Nie Z, Garrod DR, Chan LS, Hashimoto T: Complementary peptides against the major epitope in the NC16A domain of BP180 show no specificity as vaccines to bullous pemphigoid. *J Dermatol Sci* 21(3):157-164, 1999.
- 189 Nie Z, Hashimoto T: IgA antibodies of cicatricial pemphigoid sera specifically react with C-terminus of BP180. *J Invest Dermatol* 112(2):254-255, 1999.
- 190 Nousari HC, Deterding R, Wojtczack H, Aho S, Uitto J, Hashimoto T, Anhalt GJ: The mechanism of respiratory failure in paraneoplastic pemphigus. *N Engl J Med* 340(18):1406-1410, 1999.
- 191 Okuda C, Fujiwara H, Ito M, Hashimoto T: A unique case of localized pemphigus vulgaris. *Acta Derm Venereol* 79(6):483-484, 1999.

- 192 Robinson ND, Hashimoto T, Amagai M, Chan LS: The new pemphigus variants. *J Am Acad Dermatol* 40(5 Pt 1):649-671; quiz 672-643, 1999.
- 193 Yomada M, Komai A, Hashimoto T: Sublamina densa-type linear IgA bullous dermatosis successfully treated with oral tetracycline and niacinamide. *Br J Dermatol* 141(3):608-609, 1999.
- 194 Yomoda M, Inoue M, Nakama T, Mori O, Chen KR, Hashimoto T: Cutaneous eosinophilic vasculitis associated with rheumatoid arthritis. *Br J Dermatol* 140(4):754-755, 1999.

## 2000

- 195 Fujisawa H, Ishii Y, Tateishi T, Kawachi Y, Otsuka F, Amagai M, Komai A, Hashimoto T: Pemphigoid nodularis with IgA autoantibodies against the intracellular domain of desmoglein 1. *Br J Dermatol* 142(1):143-147, 2000.
- 196 Gruss C, Zillikens D, Hashimoto T, Amagai M, Kroiss M, Vogt T, Landthaler M, Stolz W: Rapid response of IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin. *J Am Acad Dermatol* 43(5 Pt 2):923-926, 2000.
- 197 Hashimoto Y, Suga Y, Yoshiike T, Hashimoto T, Takamori K: A case of antiepiligrin cicatricial pemphigoid successfully treated by plasmapheresis. *Dermatology* 201(1):58-60, 2000.
- 198 Inoue M, Tamai K, Shimizu H, Owaribe K, Nakama T, Hashimoto T, McGrath JA: A homozygous missense mutation in the cytoplasmic tail of beta4 integrin, G931D, that disrupts hemidesmosome assembly and underlies Non-Herlitz junctional epidermolysis bullosa without pyloric atresia? *J Invest Dermatol* 114(5):1061-1064, 2000.
- 199 Ishii K, Amagai M, Ohata Y, Shimizu H, Hashimoto T, Ohya K, Nishikawa T: Development of pemphigus vulgaris in a patient with pemphigus foliaceus: antidesmoglein antibody profile shift confirmed by enzyme-linked immunosorbent assay. *J Am Acad Dermatol* 42(5 Pt 2):859-861, 2000.
- 200 Karpati S, Amagai M, Liu WL, Dmochowski M, Hashimoto T, Horvath A: Identification of desmoglein 1 as autoantigen in a patient with intraepidermal neutrophilic IgA dermatosis type of IgA pemphigus. *Exp Dermatol* 9(3):224-228, 2000.
- 201 Kawahara Y, Zillikens D, Yancey KB, Marinkovich MP, Nie Z, Hashimoto T, Nishikawa T: Subepidermal blistering disease with autoantibodies against a novel dermal 200-kDa antigen. *J Dermatol Sci* 23(2):93-102, 2000.
- 202 Konishi N, Suzuki K, Tokura Y, Hashimoto T, Takigawa M: Bullous eruption associated with scabies: evidence for scabetic induction of true bullous pemphigoid. *Acta Derm Venereol* 80(4):281-283, 2000.

- 203 Kurose K, Mori O, Hachisuka H, Shimizu H, Owaribe K, Hashimoto T: Cultured keratinocytes from plectin/HD1-deficient epidermolysis bullosa simplex showed altered ability of adhesion to the matrix. *J Dermatol Sci* 24(3):184-189, 2000.
- 204 Mori O, Karashima T, Matsuo K, Hashimoto T, Katagata Y: Cultured Paget cells derived from the involved skin of a patient with extramammary Paget's disease had an extended life span. *J Dermatol* 27(1):60-63, 2000.
- 205 Mori O, Matsuo K, Hashimoto T: Anticancer drugs induce apoptosis in mouse hair follicles. *Kurume Med J* 47(3):193-197, 2000.
- 206 Mori O, Yasumoto S, Hashimoto T: Acquired progressive kinking of the hair in a Japanese girl. *J Dermatol* 27(8):550-551, 2000.
- 207 Musialowicz D, Hashimoto T, Jarzabek-Chorzelska M, Szczesniak N, Strasz-Kolacinska Z, Jablonska S: Pecherzyca paraneoplastyczna towarzysząca miesakowi wrzecionwa tokomorkowemu. Złożony zespół autoimmunologiczny z przeciwciałami skierowanymi przeciw plakinom i desmogleinom. *Przegląd dermatologiczny* 70(2):139-146, 2000.
- 208 Nie Z, Nagata Y, Joubeh S, Hirako Y, Owaribe K, Kitajima Y, Hashimoto T: IgA antibodies of linear IgA bullous dermatosis recognize the 15th collagenous domain of BP180. *J Invest Dermatol* 115(6):1164-1166, 2000.
- 209 Nie Z, Ning W, Amagai M, Hashimoto T: C-Terminus of desmoyokin/AHNAK protein is responsible for its translocation between the nucleus and cytoplasm. *J Invest Dermatol* 114(5):1044-1049, 2000.
- 210 Nishikawa T, Hashimoto T: Dermatoses with intraepidermal IgA deposits. *Clin Dermatol* 18(3):315-318, 2000.
- 211 Ono F, Hirota K, Morita M, Yasumoto S, Hashimoto T: Psoriasis vulgaris and psoriasis pustulosa associated with palmoplantar pustulosis. *Proceedings for the 15th Annual Meeting for the Japanese Society for Psoriasis Research*:62-63, 2000.
- 212 O'Toole EA, Mak LL, Guitart J, Woodley DT, Hashimoto T, Amagai M, Chan LS: Induction of keratinocyte IL-8 expression and secretion by IgG autoantibodies as a novel mechanism of epidermal neutrophil recruitment in a pemphigus variant. *Clin Exp Immunol* 119(1):217-224, 2000.
- 213 Takahashi M, Shimatsu Y, Kazama T, Kimura K, Otsuka T, Hashimoto T: Paraneoplastic pemphigus associated with bronchiolitis obliterans. *Chest* 117(2):603-607, 2000.
- 214 Tanaka S, Tsuda N, Kawano K, Sakamoto M, Nishida T, Hashimoto T, Shichijo S, Kamura T, Itoh K: Expression of tumor-rejection antigens in gynecologic cancers. *Jpn J Cancer Res* 91(11):1177-1184, 2000.
- 215 Ueki H, Kohda M, Hashimoto T, Komai A, Nobutoh T, Yamaguchi M, Ohmori K, Miyashita F, Yoda N:

Bullous pemphigoid associated with silicosis. *Dermatology* 201(3):265-267, 2000.

216 Yasuda H, Kobayashi H, Hashimoto T, Itoh K, Yamane M, Nakamura J: Subcorneal pustular dermatosis type of IgA pemphigus: demonstration of autoantibodies to desmoglein-1 and clinical review. *Br J Dermatol* 143(1):144-148, 2000.

217 Zillikens D, Ishiko A, Jonkman MF, Chimanovitch I, Shimizu H, Hashimoto T, Brocker EB: Autoantibodies in anti-p200 pemphigoid stain skin lacking laminin 5 and type VII collagen. *Br J Dermatol* 143(5):1043-1049, 2000.

## 2001

218 Amo Y, Ohkawa T, Tatsuta M, Hamada Y, Fujimura T, Katsuoka K, Hashimoto T: Clinical significance of enzyme-linked immunosorbent assay for the detection of circulating anti-BP180 autoantibodies in patients with bullous pemphigoid. *J Dermatol Sci* 26(1):14-18, 2001.

219 Egan CA, Reddy D, Nie Z, Taylor TB, Schmidt LA, Meyer LJ, Petersen MJ, Hashimoto T, Marinkovich MP, Zone JJ: IgG anti-LABD97 antibodies in bullous pemphigoid patients' sera react with the mid-portion of the BPAg2 ectodomain. *J Invest Dermatol* 116(2):348-350, 2001.

220 Gooptu C, Littlewood TJ, Frith P, Lyon CC, Carmichael AJ, Oliwiecki S, MacWhannell A, Amagai M, Hashimoto T, Dean D, Allen J, Wojnarowska F: Paraneoplastic pemphigus: an association with fludarabine? *Br J Dermatol* 144(6):1255-1261, 2001.

221 Hamada T, Nagata Y, Tomita M, Salmhofer W, Hashimoto T: Bullous pemphigoid sera react specifically with various domains of BP230, most frequently with C-terminal domain, by immunoblot analyses using bacterial recombinant proteins covering the entire molecule. *Exp Dermatol* 10(4):256-263, 2001.

222 Hashimoto T: Immunopathology of IgA pemphigus. *Clin Dermatol* 19(6):683-689, 2001.

223 Hashimoto T: Immunopathology of paraneoplastic pemphigus. *Clin Dermatol* 19(6):675-682, 2001.

224 Hashimoto T, Komai A, Futei Y, Nishikawa T, Amagai M: Detection of IgA autoantibodies to desmogleins by an enzyme-linked immunosorbent assay: the presence of new minor subtypes of IgA pemphigus. *Arch Dermatol* 137(6):735-738, 2001.

225 Komai A, Amagai M, Ishii K, Nishikawa T, Chorzelski T, Matsuo I, Hashimoto T: The clinical transition between pemphigus foliaceus and pemphigus vulgaris correlates well with the changes in autoantibody profile assessed by an enzyme-linked immunosorbent assay. *Br J Dermatol* 144(6):1177-1182, 2001.

226 Kurihara M, Nishimura F, Hashimoto T, Komai A, Ueda H, Koikeguchi S, Takashiba S, Murayama Y: Immunopathological diagnosis of cicatricial pemphigoid with desquamative gingivitis. A case report. *J*

Periodontol 72(2):243-249, 2001.

- 227 Matsuo K, Komai A, Ishii K, Futei Y, Amagai M, Deguchi H, Danno K, Hashimoto T: Pemphigus foliaceus with prominent neutrophilic pustules. *Br J Dermatol* 145(1):132-136, 2001.
- 228 Miyake H, Morishima Y, Komai R, Hashimoto T, Kishimoto S: Epidermolysis bullosa acquisita: correlation of IgE levels with disease activity under successful betamethasone/dapsone combination therapy. *Acta Derm Venereol* 81(6):429, 2001.
- 229 Nagata Y, Karashima T, Watt FM, Salmhofer W, Kanzaki T, Hashimoto T: Paraneoplastic pemphigus sera react strongly with multiple epitopes on the various regions of envoplakin and periplakin, except for the c-terminal homologous domain of periplakin. *J Invest Dermatol* 116(4):556-563, 2001.
- 230 Ogata K, Nakajima H, Ikeda M, Yamamoto Y, Amagai M, Hashimoto T, Kodama H: Drug-induced pemphigus foliaceus with features of pemphigus vulgaris. *Br J Dermatol* 144(2):421-422, 2001.
- 231 Ohata Y, Amagai M, Ishii K, Hashimoto T: Immunoreactivity against intracellular domains of desmogleins in pemphigus. *J Dermatol Sci* 25(1):64-71, 2001.
- 232 Ohyama M, Amagai M, Hashimoto T, Nousari HC, Anhalt GJ, Nishikawa T: Clinical phenotype and anti-desmoglein autoantibody profile in paraneoplastic pemphigus. *J Am Acad Dermatol* 44(4):593-598, 2001.
- 233 Pittella F, Katsube K, Takemura T, Hashimoto T, Kawano T, Garrod D, Takagi M: Perinuclear and cytoplasmic distribution of desmoglein in esophageal squamous cell carcinomas. *Pathol Res Pract* 197(2):85-91, 2001.
- 234 Schmidt E, Skrobek C, Kromminga A, Hashimoto T, Messer G, Brocker EB, Yancey KB, Zillikens D: Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180. *Br J Dermatol* 145(5):778-783, 2001.
- 235 Stavropoulos PG, Zarafonitis G, Petridis A, Hashimoto T, Harman KE, Black MM: Pemphigus vulgaris in two sisters. *Acta Derm Venereol* 81(2):149, 2001.
- 236 Sugita Y, Inomata N, Takahashi Y, Yomoda M, Hashimoto T, Ikezawa Z: Autoimmune vesicles on the face and neck. A variant of Brunsting-Perry type localized bullous pemphigoid? *Eur J Dermatol* 11(6):557-559, 2001.
- 237 Ueki H, Kohda M, Nobutoh T, Yamaguchi M, Omori K, Miyashita Y, Hashimoto T, Komai A, Tomokuni A, Ueki A: Antidesmoglein autoantibodies in silicosis patients with no bullous diseases. *Dermatology* 202(1):16-21, 2001.
- 238 Yasumoto S, Hashimoto T: Chronic skin ulcer after herpes zoster. The proceedings for the 12th Japan-Korea Joint Meeting of Dermatology, Nov. 8-9, Tokyo.207, 2001.
- 239 Yasumoto S, Kurose K, Nakama T, Mori O, Hashimoto T: A case of pemphigus vulgaris successfully treated

with mycophenolate mofetil. The proceedings for the 12th Japan-Korea Joint Meeting of Dermatology, Nov. 8-9, Tokyo.358, 2001.

## 2002

- 240 Beutner EH, Pelton S, Hashimoto T, Xu Y, Plunkett RW, Korman NJ, Helm TN, Jablonska S: A nonfatal case and 2 fatal cases of paraneoplastic pemphigus: can a complement indirect immunofluorescent test help to identify fatal "group A" paraneoplastic pemphigus cases? *J Am Acad Dermatol* 47(6):841-851, 2002.
- 241 Chan LS, Ahmed AR, Anhalt GJ, Bernauer W, Cooper KD, Elder MJ, Fine JD, Foster CS, Ghohestani R, Hashimoto T, Hoang-Xuan T, Kirtschig G, Korman NJ, Lightman S, Lozada-Nur F, Marinkovich MP, Mondino BJ, Prost-Squarcioni C, Rogers RS, 3rd, Setterfield JF, West DP, Wojnarowska F, Woodley DT, Yancey KB, Zillikens D, Zone JJ: The first international consensus on mucous membrane pemphigoid: definition, diagnostic criteria, pathogenic factors, medical treatment, and prognostic indicators. *Arch Dermatol* 138(3):370-379, 2002.
- 242 Hamada T, McLean WH, Ramsay M, Ashton GH, Nanda A, Jenkins T, Edelstein I, South AP, Bleck O, Wessagowit V, Mallipeddi R, Orchard GE, Wan H, Dopping-Hepenstal PJ, Mellerio JE, Whittock NV, Munro CS, van Steensel MA, Steijlen PM, Ni J, Zhang L, Hashimoto T, Eady RA, McGrath JA: Lipoid proteinosis maps to 1q21 and is caused by mutations in the extracellular matrix protein 1 gene (ECM1). *Hum Mol Genet* 11(7):833-840, 2002.
- 243 Hamada T, South AP, Mitsuhashi Y, Kinebuchi T, Bleck O, Ashton GH, Hozumi Y, Suzuki T, Hashimoto T, Eady RA, McGrath JA: Genotype-phenotype correlation in skin fragility-ectodermal dysplasia syndrome resulting from mutations in plakophilin 1. *Exp Dermatol* 11(2):107-114, 2002.
- 244 Hashimoto T, Yasumoto S, Nagata Y, Okamoto T, Fujita S: Clinical, histopathological and immunological distinction in two cases of IgA pemphigus. *Clin Exp Dermatol* 27(8):636-640, 2002.
- 245 Inoue M, Ueda K, Hashimoto T: Nevus lipomatosus cutaneus superficialis with follicular papules and hypertrophic pilo-sebaceous units. *Int J Dermatol* 41(4):241-243, 2002.
- 246 Kobayashi M, Amagai M, Kuroda-Kinoshita K, Hashimoto T, Shirakata Y, Hashimoto K, Nishikawa T: BP180 ELISA using bacterial recombinant NC16a protein as a diagnostic and monitoring tool for bullous pemphigoid. *J Dermatol Sci* 30(3):224-232, 2002.
- 247 Lanschuetzer C, Pohla-Gubo G, Schafleitner B, Hashimoto T, Salmhofer W, Argenziano G, Bauer J, Hintner H: The TIGA project (Telemedical Immunofluorescence Diagnosis in a Global Alliance). *Exp Dermatol* 11:609-610, 2002.
- 248 Leverkus M, Georgi M, Nie Z, Hashimoto T, Brocker EB, Zillikens D: Cicatricial pemphigoid with circulating IgA and IgG autoantibodies to the central portion of the BP180 ectodomain: beneficial effect of adjuvant

therapy with high-dose intravenous immunoglobulin. *J Am Acad Dermatol* 46(1):116-122, 2002.

- 249 Mori O, Nakama T, Hashimoto T: Aggressive digital papillary adenocarcinoma arising on the right great toe. *Eur J Dermatol* 12(5):491-494, 2002.
- 250 Morris SD, Mallipeddi R, Oyama N, Gratian MJ, Harman KE, Bhogal BS, Black MM, Eady RA, Hashimoto T, McGrath JA: Psoriasis bullosa acquisita. *Clin Exp Dermatol* 27(8):665-669, 2002.
- 251 Nitta Y, Kawamura C, Hashimoto T: Vesiculobullous systemic lupus erythematosus: a case with circulating IgG and IgA autoantibodies to type VII collagen. *J Am Acad Dermatol* 47(5 Suppl):S283-286, 2002.
- 252 Oiso N, Yamashita C, Yoshioka K, Amagai M, Komai A, Nagata Y, Hashimoto T, Ishii M: IgG/IgA pemphigus with IgG and IgA antidesmoglein 1 antibodies detected by enzyme-linked immunosorbent assay. *Br J Dermatol* 147(5):1012-1017, 2002.
- 253 Ruiz-Genao DP, Hernandez-Nunez A, Hashimoto T, Amagai M, Fernandez-Herrera J, Garcia-Diez A: A case of IgA pemphigus successfully treated with acitretin. *Br J Dermatol* 147(5):1040-1042, 2002.
- 254 Sakamoto K, Mori K, Hashimoto T, Yancey KB, Nakashima T: Antiepiligrin cicatricial pemphigoid of the larynx successfully treated with a combination of tetracycline and niacinamide. *Arch Otolaryngol Head Neck Surg* 128(12):1420-1423, 2002.
- 255 Sakamoto T, Hashimoto T, Furukawa F: Pyoderma gangrenosum in a patient with bullous systemic lupus erythematosus. *Eur J Dermatol* 12(5):485-487, 2002.
- 256 Shimanovich I, Skrobek C, Rose C, Nie Z, Hashimoto T, Brocker EB, Zillikens D: Pemphigoid gestationis with predominant involvement of oral mucous membranes and IgA autoantibodies targeting the C-terminus of BP180. *J Am Acad Dermatol* 47(5):780-784, 2002.
- 257 Sibley Hash K, Rencic A, Hernandez MI, Hashimoto T, Nousari HC: Aggressive immunosuppressive therapy for a refractory case of IgA pemphigus. *Arch Dermatol* 138(6):744-746, 2002.
- 258 Sitaru C, Kromminga A, Hashimoto T, Brocker EB, Zillikens D: Autoantibodies to type VII collagen mediate Fcγ-dependent neutrophil activation and induce dermal-epidermal separation in cryosections of human skin. *Am J Pathol* 161(1):301-311, 2002.
- 259 South AP, Ashton GH, Willoughby C, Ellis IH, Bleck O, Hamada T, Mannion G, Wessagowit V, Hashimoto T, Eady RA, McGrath JA: EEC (Ectrodactyly, Ectodermal dysplasia, Clefting) syndrome: heterozygous mutation in the p63 gene (R279H) and DNA-based prenatal diagnosis. *Br J Dermatol* 146(2):216-220, 2002.

## 2003

- 260 Abreu-Velez AM, Beutner EH, Montoya F, Bollag WB, Hashimoto T: Analyses of autoantigens in a new form



of endemic pemphigus foliaceus in Colombia. *J Am Acad Dermatol* 49(4):609-614, 2003.

- 261 Abreu-Velez AM, Hashimoto T, Bollag WB, Tobon Arroyave S, Abreu-Velez CE, Londono ML, Montoya F, Beutner EH: A unique form of endemic pemphigus in northern Colombia. *J Am Acad Dermatol* 49(4):599-608, 2003.
- 262 de Oliveira JP, Gabbi TV, Hashimoto T, Aoki V, Santi CG, Maruta CW, Rivitti EA, Reis VM: Two Brazilian cases of IgA pemphigus. *J Dermatol* 30(12):886-891, 2003.
- 263 Futei Y, Amagai M, Hashimoto T, Nishikawa T: Conformational epitope mapping and IgG subclass distribution of desmoglein 3 in paraneoplastic pemphigus. *J Am Acad Dermatol* 49(6):1023-1028, 2003.
- 264 Hamada T, Wessagowit V, South AP, Ashton GH, Chan I, Oyama N, Siri wattana A, Jewhasuchin P, Charuwichitratana S, Thappa DM, Jeevankumar B, Lenane P, Krafchik B, Kulthanan K, Shimizu H, Kaya TI, Erdal ME, Paradisi M, Paller AS, Seishima M, Hashimoto T, McGrath JA: Extracellular matrix protein 1 gene (ECM1) mutations in lipoid proteinosis and genotype-phenotype correlation. *J Invest Dermatol* 120(3):345-350, 2003.
- 265 Hashimoto T: Recent advances in the study of the pathophysiology of pemphigus. *Arch Dermatol Res* 295 Suppl 1:S2-11, 2003.
- 266 Hisamatsu Y, Abreu Velez AM, Amagai M, Ogawa MM, Kanzaki T, Hashimoto T: Comparative study of autoantigen profile between Colombian and Brazilian types of endemic pemphigus foliaceus by various biochemical and molecular biological techniques. *J Dermatol Sci* 32(1):33-41, 2003.
- 267 Hisamatsu Y, Nishiyama T, Amano S, Matsui C, Ghohostani R, Hashimoto T: Usefulness of immunoblotting using purified laminin 5 in the diagnosis of anti-laminin 5 cicatricial pemphigoid. *J Dermatol Sci* 33(2):113-119, 2003.
- 268 Joubeh S, Mori O, Owaribe K, Hashimoto T: Immunofluorescence analysis of the basement membrane zone components in human anagen hair follicles. *Exp Dermatol* 12(4):365-370, 2003.
- 269 Karlhofer FM, Hashimoto T, Slupetzky K, Kiss M, Liu Y, Amagai M, Pieczkowski F, Foedinger D, Kirnbauer R, Stingl G: 230-kDa and 190-kDa proteins in addition to desmoglein 1 as immunological targets in a subset of pemphigus foliaceus with a combined cell-surface and basement membrane zone immune staining pattern. *Exp Dermatol* 12(5):646-654, 2003.
- 270 Kawamoto N, Yamada A, Ohkouchi S, Maeda T, Tanaka S, Hashimoto T, Saijo Y, Saijo S, Nukiwa T, Shichijo S, Aizawa H, Itoh K: IgG reactive to CTL-directed epitopes of self-antigens is either lacking or unbalanced in atopic dermatitis patients. *Tissue Antigens* 61(5):352-361, 2003.
- 271 Kozłowska A, Hashimoto T, Jarzabek-Chorzelska M, Amagai A, Nagata Y, Strasz Z, Jabłonska S: Pemphigus

- herpetiformis with IgA and IgG antibodies to desmoglein 1 and IgG antibodies to desmocollin 3. *J Am Acad Dermatol* 48(1):117-122, 2003.
- 272 Lee JB, Fumimori T, Kurose K, Mori O, Hashimoto T: A case of bullous pemphigoid successfully treated by plasmapheresis: assessment of the change in titers of circulating antibodies by immunoblotting and enzyme-linked immunosorbent assay. *J Dermatol* 30(4):326-331, 2003.
- 273 Lee JB, Liu Y, Hashimoto T: Cicatricial pemphigoid sera specifically react with the most C-terminal portion of BP180. *J Dermatol Sci* 32(1):59-64, 2003.
- 274 Liu Y, Shimizu H, Hashimoto T: Immunofluorescence studies using skin sections of recessive dystrophic epidermolysis bullosa patients indicated that the antigen of anti-p200 pemphigoid is not a fragment of type VII collagen. *J Dermatol Sci* 32(2):125-129, 2003.
- 275 Matsuo K, Mori O, Hashimoto T: Plucking during telogen induces apoptosis in the lower part of hair follicles. *Arch Dermatol Res* 295(1):33-37, 2003.
- 276 McMillan JR, Matsumura T, Hashimoto T, Schumann H, Bruckner-Tuderman L, Shimizu H: Immunomapping of EBA sera to multiple epitopes on collagen VII: further evidence that anchoring fibrils originate and terminate in the lamina densa. *Exp Dermatol* 12(3):261-267, 2003.
- 277 Niimi Y, Kawana S, Hashimoto T, Kusunoki T: Paraneoplastic pemphigus associated with uterine carcinoma. *J Am Acad Dermatol* 48(5 Suppl):S69-72, 2003.
- 278 Ohshima Y, Tamada Y, Matsumoto Y, Hashimoto T: Dermatitis herpetiformis Duhring with palmoplantar keratosis. *Br J Dermatol* 149(6):1300-1302, 2003.
- 279 Ono F, Mori O, Hashimoto T: An epidermoid cyst with atypical keratinocytes in the lowermost portion of the cyst wall. *Kurume Med J* 50(1-2):67-70, 2003.
- 280 Shimanovich I, Hirako Y, Sitaru C, Hashimoto T, Brocker EB, Butt E, Zillikens D: The autoantigen of anti-p200 pemphigoid is an acidic noncollagenous N-linked glycoprotein of the cutaneous basement membrane. *J Invest Dermatol* 121(6):1402-1408, 2003.
- 281 Tanaka S, Harada M, Mine T, Noguchi M, Gohara R, Azuma K, Tamura M, Yamada A, Morinaga A, Nishikori M, Katagiri K, Itoh K, Yamana H, Hashimoto T: Peptide vaccination for patients with melanoma and other types of cancer based on pre-existing peptide-specific cytotoxic T-lymphocyte precursors in the periphery. *J Immunother* 26(4):357-366, 2003.
- 282 Tsukada Y, Kawase MK, Murashima A, Kitahora T, Hashimoto T, Komai A: Bullous pemphigoid associated with dermatomyositis successfully controlled with minocycline. *Clin Exp Dermatol* 28(5):563-564, 2003.

- 283 Umemoto N, Demitsu T, Toda S, Noguchi T, Suzuki SI, Kakurai M, Yamada T, Suzuki M, Nakagawa H, Komai A, Hashimoto T: A case of anti-p200 pemphigoid clinically mimicking inflammatory epidermolysis bullosa acquisita. *Br J Dermatol* 148(5):1058-1060, 2003.
- 284 Umemoto N, Demitsu T, Toda S, Ohsawa M, Noguchi T, Kakurai M, Yamada T, Suzuki M, Nakagawa H, Komai A, Hashimoto T: A case of nonscarring subepidermal blistering disease associated with autoantibodies reactive with both type VII collagen and laminin 5. *Dermatology* 207(1):61-64, 2003.
- 2004**
- 285 Fukumoto T, Umekawa T, Higuchi M, Hashimoto T, Shumann H, Bruckner-Tuderman L, Asada H, Miyagawa S: Childhood epidermolysis bullosa acquisita with autoantibodies against all 3 structural domains of type VII collagen. *J Am Acad Dermatol* 50(3):480-482, 2004.
- 286 Furukawa H, Miura T, Takahashi M, Nakamura K, Kaneko F, Ishii F, Komai R, Hashimoto T: A case of anti-p200 pemphigoid with autoantibodies against both a novel 200-kD dermal antigen and the 290-kD epidermolysis bullosa acquisita antigen. *Dermatology* 209(2):145-148, 2004.
- 287 Hamada T, Ishii N, Kawano Y, Takahashi Y, Inoue M, Yasumoto S, Hashimoto T: The P25L mutation in the KRT5 gene in a Japanese family with epidermolysis bullosa simplex with mottled pigmentation. *Br J Dermatol* 150(3):609-611, 2004.
- 288 Hisamatsu Y, Amagai M, Garrod DR, Kanzaki T, Hashimoto T: The detection of IgG and IgA autoantibodies to desmocollins 1-3 by enzyme-linked immunosorbent assays using baculovirus-expressed proteins, in atypical pemphigus but not in typical pemphigus. *Br J Dermatol* 151(1):73-83, 2004.
- 289 Ishii N, Ishida-Yamamoto A, Hashimoto T: Immunolocalization of target autoantigens in IgA pemphigus. *Clin Exp Dermatol* 29(1):62-66, 2004.
- 290 Ishii N, Yoshida M, Hisamatsu Y, Ishida-Yamamoto A, Nakane H, Iizuka H, Tanaka T, Hashimoto T: Epidermolysis bullosa acquisita sera react with distinct epitopes on the NC1 and NC2 domains of type VII collagen: study using immunoblotting of domain-specific recombinant proteins and postembedding immunoelectron microscopy. *Br J Dermatol* 150(5):843-851, 2004.
- 291 Izu K, Yamamoto O, Yasumoto S, Hashimoto T, Sata T, Tokura Y: Herpes zoster occurring as a solitary nodule on the index finger. *Br J Dermatol* 150(2):365-366, 2004.
- 292 Kishida Y, Kameyama J, Nei M, Hashimoto T, Baba K: Linear IgA bullous dermatosis of neonatal onset: case report and review of the literature. *Acta Paediatr* 93(6):850-852, 2004.
- 293 Kouno M, Kondoh G, Horie K, Komazawa N, Ishii N, Takahashi Y, Takeda J, Hashimoto T: Ahnak/Desmoyokin is dispensable for proliferation, differentiation, and maintenance of integrity in mouse

epidermis. *J Invest Dermatol* 123(4):700-707, 2004.

- 294 Lanschuetzer CM, Pohla-Gubo G, Schafleitner B, Hametner R, Hashimoto T, Salmhofer W, Bauer JW, Hintner H: Telepathology using immunofluorescence/immunoperoxidase microscopy. *J Telemed Telecare* 10(1):39-43, 2004.
- 295 Matsushima S, Horiguchi Y, Honda T, Fujii S, Okano T, Tanabe M, Wakayama T, Hashimoto T, Yancey KB: A case of anti-epiligrin cicatricial pemphigoid associated with lung carcinoma and severe laryngeal stenosis: review of Japanese cases and evaluation of risk for internal malignancy. *J Dermatol* 31(1):10-15, 2004.
- 296 Mine T, Sato Y, Noguchi M, Sasatomi T, Gouhara R, Tsuda N, Tanaka S, Shomura H, Katagiri K, Rikimaru T, Shichijo S, Kamura T, Hashimoto T, Shirouzu K, Yamada A, Todo S, Itoh K, Yamana H: Humoral responses to peptides correlate with overall survival in advanced cancer patients vaccinated with peptides based on pre-existing, peptide-specific cellular responses. *Clin Cancer Res* 10(3):929-937, 2004.
- 297 Mori O, Hashimoto T: Plexiform fibrohistiocytic tumor. *Eur J Dermatol* 14(2):118-120, 2004.
- 298 Nagano T, Tani M, Hiramatsu Y, Kohriyama K, Ishihara K, Nei M, Hashimoto T: A case of epidermolysis bullosa acquisita with bleeding tendency due to factor VIII inhibitor (acquired haemophilia). *Br J Dermatol* 151(3):716-717, 2004.
- 299 Ogawa Y, Adachi A, Okamoto M, Hashimoto T, Tomita Y: A case of refractory bullous pemphigoid with plasmapheresis-associated thrombopenia: efficacy of pulsed intravenous cyclophosphamide therapy. *J Dermatol* 31(8):651-654, 2004.
- 300 Preisz K, Horvath A, Sardy M, Somlai B, Harsing J, Amagai M, Hashimoto T, Nagata Y, Fekete S, Karpati S: Exacerbation of paraneoplastic pemphigus by cyclophosphamide treatment: detection of novel autoantigens and bronchial autoantibodies. *Br J Dermatol* 150(5):1018-1024, 2004.
- 301 Seishima M, Oda M, Oyama Z, Yoshimura T, Yamazaki F, Aoki T, Nei M, Hashimoto T: Antibody titers to desmogleins 1 and 3 in a patient with paraneoplastic pemphigus associated with follicular dendritic cell sarcoma. *Arch Dermatol* 140(12):1500-1503, 2004.
- 302 Suzuki T, Ito S, Inagaki K, Suzuki N, Tomita Y, Yoshino M, Hashimoto T: Investigation on the IVS5 +5G --> a splice site mutation of HPS1 gene found in Japanese patients with Hermansky-Pudlak syndrome. *J Dermatol Sci* 36(2):106-108, 2004.
- 303 Uchino Y, Kanekura T, Takeda K, Shimada H, Inoue M, Hashimoto T, Kanzaki T: A case of antiepiligrin cicatricial pemphigoid with nephrotic syndrome. *J Dermatol* 31(3):228-231, 2004.
- 304 Yasuda H, Tomita Y, Shibaki A, Hashimoto T: Two cases of subepidermal blistering disease with anti-p200 or 180-kD bullous pemphigoid antigen associated with psoriasis. *Dermatology* 209(2):149-155, 2004.

## 2005

- 305 Bruckner AL, Fitzpatrick JE, Hashimoto T, Weston WL, Morelli JG: Atypical IgA/IgG pemphigus involving the skin, oral mucosa, and colon in a child: a novel variant of IgA pemphigus? *Pediatr Dermatol* 22(4):321-327, 2005.
- 306 Dainichi T, Takeshita H, Moroi Y, Urabe K, Yoshida M, Hisamatsu Y, Komai A, Duan H, Koga T, Hashimoto T, Furue M: Cicatricial pemphigoid with autoantibodies against the laminin 5 gamma 2 subunit. *Eur J Dermatol* 15(3):189-193, 2005.
- 307 Duhieu S, Laperdrix C, Hashimoto T, Le Bitoux MA, Haftek M: Desmosome-binding antibody KM48 recognises an extracellular antigen different from desmosomal cadherins Dsg 1-3 and Dsc 1-3. *Eur J Dermatol* 15(2):80-84, 2005.
- 308 Hamada T, Hashimoto T: A Japanese case of dermatitis herpetiformis with facial and palmar lesions. *Clin Exp Dermatol* 30(3):298-300, 2005.
- 309 Hamada T, Ishii N, Karashima T, Kawano Y, Yasumoto S, Hashimoto T: The common KRT9 gene mutation in a Japanese patient with epidermolytic palmoplantar keratoderma and knuckle pad-like keratoses. *J Dermatol* 32(6):500-502, 2005.
- 310 Hamada T, Kawano Y, Szczecinska W, Wozniak K, Yasumoto S, Kowalewski C, Hashimoto T: Novel keratin 5 and 14 gene mutations in patients with epidermolysis bullosa simplex from Poland. *Arch Dermatol Res* 296(12):577-579, 2005.
- 311 Katagata Y, Takahashi M, Horiuchi Y, Takeda H, Kondo S, Tezuka T, Hashimoto T: Immunoelectron microscopy of keratin filaments in cultured malignant melanomas and squamous cell carcinomas. *Yamagata Med J* 23(2):117-124, 2005.
- 312 Kurokawa M, Koketsu H, Oda Y, Nagamine H, Toyama T, Hashimoto T, Setoyama M: A case of pemphigus vulgaris accompanied by multiple myeloma. *Int J Dermatol* 44(10):873-875, 2005.
- 313 Marinovic B, Mokos ZB, Basta-Juzbasic A, Jukic IL, Loncaric D, Hashimoto T, Pasic A: Atypical clinical appearance of pemphigus vulgaris on the face: case report. *Acta Dermatovenerol Croat* 13(4):233-236, 2005.
- 314 Morizane S, Yamamoto T, Hisamatsu Y, Tsuji K, Oono T, Hashimoto T, Iwatsuki K: Pemphigus vegetans with IgG and IgA antidesmoglein 3 antibodies. *Br J Dermatol* 153(6):1236-1237, 2005.
- 315 Motegi S, Abe M, Tamura A, Ishii N, Hashimoto T, Ishikawa O: Childhood bullous pemphigoid successfully treated with diaminodiphenyl sulfone. *J Dermatol* 32(10):809-812, 2005.
- 316 Nakama T, Natsuaki Y, Hamada T, Kurose K, Karashima T, Yasumoto S, Hashimoto T: Presentation of four

cases of effective use of Fibrast spray and of one cautionary case. The proceedings of the Scientific Session of the 2nd Meeting of Fibroblast Growth Factor (FGF) Research Group in Fukuoka, Medical Consultation and New Remedies (Shinryo to Shinyaku) 42(10):1119-1120, 2005.

- 317 Osawa M, Demitsu T, Toda S, Yokokura H, Umemoto N, Yamada T, Yoneda K, Kakurai M, Yoshida M, Hashimoto T: A case of mixed bullous disease of epidermolysis bullosa acquisita and linear IgA bullous dermatosis. *Dermatology* 211(2):146-148, 2005.
- 318 Raap U, Volker B, Petering H, Hashimoto T, Zillikens D, Kapp A, Werfel T: [Successful treatment of subcorneal pustular type of IgA pemphigus]. *Hautarzt* 56(1):66-70, 2005.
- 319 Shinojima Y, Ochiai T, Kawamura A, Arakawa H, Fukuda K, Hashimoto T: A case of bullous pemphigoid associated with autoantibodies targeting antigenic sites other than the NC16a domain of BP180. *Clin Exp Dermatol* 30(5):503-505, 2005.
- 320 Takahashi Y, Rouan F, Uitto J, Ishida-Yamamoto A, Iizuka H, Owaribe K, Tanigawa M, Ishii N, Yasumoto S, Hashimoto T: Plectin deficient epidermolysis bullosa simplex with 27-year-history of muscular dystrophy. *J Dermatol Sci* 37(2):87-93, 2005.
- 321 Tashiro H, Arai H, Hashimoto T, Takezaki S, Kawana S: Pemphigoid nodularis: two case studies and analysis of autoantibodies before and after the development of generalized blistering. *J Nippon Med Sch* 72(1):60-65, 2005.
- 322 Wakahara M, Kiyohara T, Kumakiri M, Ueda T, Ishiguro K, Fujita T, Amagai M, Hashimoto T: Paraneoplastic pemphigus with widespread mucosal involvement. *Acta Derm Venereol* 85(6):530-532, 2005.
- 323 Washio H, Hara H, Suzuki H, Yoshida M, Hashimoto T: Bullous pemphigoid on psoriasis lesions after UVA radiation. *Acta Derm Venereol* 85(6):561-563, 2005.

## 2006

- 324 Hattori N, Komine M, Kaneko T, Shimazu K, Tsunemi Y, Koizumi M, Goto J, Hashimoto T: A case of epidermolysis bullosa simplex with a newly found missense mutation and polymorphism in the highly conserved helix termination motif among type I keratins, which was previously reported as a pathogenic missense mutation. *Br J Dermatol* 155(5):1062-1063, 2006.
- 325 Heng A, Nwaneshiudu A, Hashimoto T, Amagai M, Stanley JR: Intraepidermal neutrophilic IgA/IgG antidesmocollin 1 pemphigus. *Br J Dermatol* 154(5):1018-1020, 2006.
- 326 Inaoki M, Ishii N, Hashimoto T, Fujimoto W: Cicatricial pemphigoid with widespread bullous eruption. *J Dermatol* 33(10):727-729, 2006.

- 327 Kowalewski C, Hashimoto T, Amagai M, Jablonska S, Mackiewicz W, Wozniak K: IgA/IgG pemphigus: a new atypical subset of pemphigus? *Acta Derm Venereol* 86(4):357-358, 2006.
- 328 Lazarczyk M, Wozniak K, Ishii N, Gorkiewicz-Petkov A, Hashimoto T, Schwarz R, Kowalewski C: Coexistence of psoriasis and pemphigoid--only a coincidence? *Int J Mol Med* 18(4):619-623, 2006.
- 329 Mayuzumi M, Akiyama M, Nishie W, Ukae S, Abe M, Sawamura D, Hashimoto T, Shimizu H: Childhood epidermolysis bullosa acquisita with autoantibodies against the noncollagenous 1 and 2 domains of type VII collagen: case report and review of the literature. *Br J Dermatol* 155(5):1048-1052, 2006.
- 330 Miida H, Kazama T, Inomata N, Takizawa H, Iwafuchi M, Ito M, Komai A, Hashimoto T, Togashi K: Severe gastrointestinal involvement in paraneoplastic pemphigus. *Eur J Dermatol* 16(4):420-422, 2006.
- 331 Torrelo A, Hashimoto T, Mediero IG, Colmenero I, Zambrano A: Pemphigus foliaceus in a child. *Clin Exp Dermatol* 31(2):288-289, 2006.
- 332 Wozniak K, Kowalewski C, Hashimoto T, Ishii N, Glinska-Wielochowska M, Schwartz RA: Penicillin-induced anti-p200 pemphigoid: an unusual morphology. *Acta Derm Venereol* 86(5):443-446, 2006.
- 333 Wozniak K, Waszczykowska E, Hashimoto T, Ishii N, Torzecka JD, Narbutt J, Rogozinski T, Schwartz RA, Kowalewski C: Anti-epiligrin cicatricial pemphigoid initially limited to the upper respiratory tract. *Br J Dermatol* 154(4):779-781, 2006.
- 334 Yamada T, Suzuki M, Koike Y, Kida K, Murata S, Ishii N, Hashimoto T, Ohtsuki M: A case of epidermolysis bullosa acquisita with autoantibody to anti-p200 pemphigoid antigen and exfoliative esophagitis. *Dermatology* 212(4):381-384, 2006.
- 335 Yokokura H, Demitsu T, Kakurai M, Umemoto N, Azuma R, Yamada T, Suzuki M, Jimbu Y, Yoneda K, Ishii N, Hashimoto T: Paraneoplastic pemphigus mimicking erosive mucosal lichen planus associated with primary hepatocellular carcinoma. *J Dermatol* 33(12):842-845, 2006.
- 336 Yoshida M, Hamada T, Amagai M, Hashimoto K, Uehara R, Yamaguchi K, Imamura K, Okamoto E, Yasumoto S, Hashimoto T: Enzyme-linked immunosorbent assay using bacterial recombinant proteins of human BP230 as a diagnostic tool for bullous pemphigoid. *J Dermatol Sci* 41(1):21-30, 2006.
- 337 Yoshida M, Maeyama Y, Yasumoto S, Hashimoto T: Vulvo-vaginal-gingival syndrome of lichen planus. *Int J Dermatol* 45(10):1252-1254, 2006.
- 2007**
- 338 Dilling A, Rose C, Hashimoto T, Zillikens D, Shimanovich I: Anti-p200 pemphigoid: a novel autoimmune subepidermal blistering disease. *J Dermatol* 34(1):1-8, 2007.

- 339 Fukiwake N, Moroi Y, Urabe K, Ishii N, Hashimoto T, Furue M: Detection of autoantibodies to desmoplakin in a patient with oral erythema multiforme. *Eur J Dermatol* 17(3):238-241, 2007.
- 340 Fukumoto T, Shiroyama Y, Niizeki H, Kobayashi N, Asada H, Ishii N, Hashimoto T, Miyagawa S: Paraneoplastic pemphigus presenting as erythrodermic lichenoid dermatitis with concomitant features of pemphigus foliaceus. *J Dermatol* 34(9):645-649, 2007.
- 341 Hamada T, Inoue Y, Nakama T, Hashimoto T: A case of zosteriform pigmented purpuric dermatosis. *Arch Dermatol* 143(12):1599-1600, 2007.
- 342 Hamada T, Kimura Y, Hayashi S, Nakama T, Hashimoto T: Hypereosinophilic syndrome with peripheral circulatory insufficiency and cutaneous microthrombi. *Arch Dermatol* 143(6):812-813, 2007.
- 343 Hamada T, Yasumoto S, Karashima T, Ishii N, Shimada H, Kawano Y, Imayama S, McGrath JA, Hashimoto T: Recurrent p.N767S mutation in the ATP2A2 gene in a Japanese family with haemorrhagic Darier disease clinically mimicking epidermolysis bullosa simplex with mottled pigmentation. *Br J Dermatol* 157(3):605-608, 2007.
- 344 Ishii N, Kusuhara M, Yasumoto S, Hashimoto T: Adenoma of the nipple in a Japanese man. *Clin Exp Dermatol* 32(4):448-449, 2007.
- 345 Izumi R, Fujimoto M, Yazawa N, Nakashima H, Asashima N, Watanabe R, Kuwano Y, Kurokawa M, Hashimoto T, Tamaki K: Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease. *J Am Acad Dermatol* 56(5 Suppl):S94-97, 2007.
- 346 Kakurai M, Demitsu T, Azuma R, Yamada T, Suzuki M, Yoneda K, Ishii N, Hashimoto T: Localized pemphigoid (pretibial type) with IgG antibody to BP180 NC16a domain successfully treated with minocycline and topical corticosteroid. *Clin Exp Dermatol* 32(6):759-761, 2007.
- 347 Kohroh K, Suga Y, Mizuno Y, Ishii N, Hashimoto T, Ikeda S: Case of localized bullous pemphigoid with unique clinical manifestations in the lower legs. *J Dermatol* 34(7):482-485, 2007.
- 348 Kowalewski C, Hamada T, Wozniak K, Kawano Y, Szczecinska W, Yasumoto S, Schwartz RA, Hashimoto T: A novel autosomal partially dominant mutation designated G476D in the keratin 5 gene causing epidermolysis bullosa simplex Weber-Cockayne type: a family study with a genetic twist. *Int J Mol Med* 20(1):75-78, 2007.
- 349 Mabuchi T, Oka A, Iizuka M, Umezawa Y, Matsuyama T, Kubota Y, Nakayama J, Terui T, Ozawa M, Yasumoto S, Hashimoto T, Ikeda S, Matsumoto Y, Sueki H, Iijima M, Kulski JK, Ozawa A: Fine mapping of a psoriasis-susceptibility locus within the HLA class II region by using microsatellite markers in an association study of Japanese cases and controls. *Tokai J Exp Clin Med* 32(1):6-13, 2007.
- 350 Maruyama H, Kawachi Y, Fujisawa Y, Itoh S, Furuta J, Ishii Y, Takahashi T, Hashimoto T, Otsuka F: IgA/IgG



pemphigus positive for anti-desmoglein 1 autoantibody. *Eur J Dermatol* 17(1):94-95, 2007.

- 351 Nakajima K, Hashimoto T, Nakajima H, Yokogawa M, Ikeda M, Kodama H: IgG/IgA pemphigus with dyskeratotic acantholysis and intraepidermal neutrophilic microabscesses. *J Dermatol* 34(11):757-760, 2007.
- 352 Nakama T, Ishii N, Ono F, Hamada T, Yasumoto S, Hashimoto T: Efficacy of interferon-gamma in patients with refractory bullous pemphigoid. *J Dermatol* 34(11):737-745, 2007.
- 353 Pastar Z, Rados J, Lipozencic J, Dobric I, Marinovic B, Ishii N, Hashimoto T: Case of concurrent epidermolysis bullosa acquisita and anti-p200 pemphigoid--how to treat it? *Int J Dermatol* 46(3):295-298, 2007.
- 354 Sugita K, Kabashima K, Nishio D, Hashimoto T, Tokura Y: Th2 cell fluctuation in association with reciprocal occurrence of bullous pemphigoid and psoriasis vulgaris. *J Eur Acad Dermatol Venereol* 21(4):569-570, 2007.
- 355 Taintor AR, Leiferman KM, Hashimoto T, Ishii N, Zone JJ, Hull CM: A novel case of IgA paraneoplastic pemphigus associated with chronic lymphocytic leukemia. *J Am Acad Dermatol* 56(5 Suppl):S73-76, 2007.
- 356 Yamane N, Sawamura D, Nishie W, Abe M, Kodama K, Adachi K, Nakamura H, Ishii N, Hashimoto T, Shimizu H: Anti-p200 pemphigoid in a 17-year-old girl successfully treated with systemic corticosteroid and dapsone. *Br J Dermatol* 156(5):1075-1078, 2007.
- 357 Yoneda K, Yokoi I, Demitsu T, Matsuda Y, Matsuoka Y, Miyamoto I, Moriue T, Nakai K, Nibu N, Hashimoto T, Kubota Y: Localized linear IgA disease showing contact dermatitis-like eruption. *Eur J Dermatol* 17(4):339-340, 2007.

## 2008

- 358 Amagai M, Hashimoto T, Kitajima Y: Post-IID 2008 International Meeting on autoimmune bullous diseases. *J Invest Dermatol* 128(9):2135-2137, 2008.
- 359 Arakaki O, Yamamoto Y, Awazawa R, Nonaka K, Taira K, Asato Y, Hagiwara K, Oyama B, Ishii N, Hashimoto T, Uezato H: Case of linear immunoglobulin A bullous dermatosis associated with acquired hemophilia. *J Dermatol* 35(7):437-446, 2008.
- 360 Blazsek A, Sillo P, Ishii N, Gergely P, Jr., Poor G, Preisz K, Hashimoto T, Medvecz M, Karpati S: Searching for foreign antigens as possible triggering factors of autoimmunity: Torque Teno virus DNA prevalence is elevated in sera of patients with bullous pemphigoid. *Exp Dermatol* 17(5):446-454, 2008.
- 361 Dainichi T, Honma Y, Hashimoto T, Furue M: Clavus detected incidentally by positron emission tomography with computed tomography. *J Dermatol* 35(4):242-243, 2008.
- 362 Dainichi T, Moroi Y, Duan H, Urabe K, Koga T, Miyazono M, Sasaki T, Hashimoto T, Furue M:

- Paraneoplastic acanthosis nigricans and silent meningioma producing transforming growth factor-alpha. *Eur J Dermatol* 18(6):721-722, 2008.
- 363 Dainichi T, Moroi Y, Urabe K, Hashimoto T, Furue M: Vitiligo onset removes congenital nevocellular nevus cells. *J Dermatol Sci* 51(1):66-69, 2008.
- 364 Dainichi T, Omori M, Hamada M, Hosokawa C, Moroi Y, Hashimoto T, Furue M: Successful treatment of nail bed hypoplasia after nail loss by acrylic nail. *Dermatol Surg* 34(7):984-985, 2008.
- 365 Dainichi T, Ueda S, Furue M, Hashimoto T: By the grace of peeling: the brace function of the stratum corneum in the protection from photo-induced keratinocyte carcinogenesis. *Arch Dermatol Res* 300 Suppl 1:S31-38, 2008.
- 366 Daito J, Katoh N, Asai J, Ueda E, Takenaka H, Ishii N, Hashimoto T, Kishimoto S: Brunsting-Perry cicatricial pemphigoid associated with autoantibodies to the C-terminal domain of BP180. *Br J Dermatol* 159(4):984-986, 2008.
- 367 Fukushima S, Egawa K, Nishi H, Wakasugi S, Ishii N, Hashimoto T, Yancey KB, Ihn H: Two cases of anti-epiligrin cicatricial pemphigoid with and without associated malignancy. *Acta Derm Venereol* 88(5):484-487, 2008.
- 368 Gupta S, Bamford M, Hashimoto T, Harman K: A rare and challenging diagnosis not to be missed. *Clin Exp Dermatol* 33(3):375-376, 2008.
- 369 Hamada T, Fukuda S, Ishii N, Sakaguchi S, Ishikawa T, Abe T, Yasumoto S, Hashimoto T, Nakano H, Sawamura D: Genotype-phenotype correlation in non-Hallopeau-Siemens recessive dystrophic epidermolysis bullosa: the splice site mutation c.6216+5G > T in the COL7A1 gene results in aberrant and normal splicings. *J Dermatol Sci* 50(2):147-150, 2008.
- 370 Hamada T, Fukuda S, Sakaguchi S, Yasumoto S, Kim SC, Hashimoto T: Molecular and clinical characterization in Japanese and Korean patients with Hailey-Hailey disease: six new mutations in the ATP2C1 gene. *J Dermatol Sci* 51(1):31-36, 2008.
- 371 Hamada T, Sandilands A, Fukuda S, Sakaguchi S, Ohshima B, Yasumoto S, McLean WH, Hashimoto T: De novo occurrence of the filaggrin mutation p.R501X with prevalent mutation c.3321delA in a Japanese family with ichthyosis vulgaris complicated by atopic dermatitis. *J Invest Dermatol* 128(5):1323-1325, 2008.
- 372 Hashimoto T: Treatment strategies for pemphigus vulgaris in Japan. *Expert Opin Pharmacother* 9(9):1519-1530, 2008.
- 373 Horiguchi Y, Ikoma A, Sakai R, Masatsugu A, Ohta M, Hashimoto T: Linear IgA dermatosis: report of an infantile case and analysis of 213 cases in Japan. *J Dermatol* 35(11):737-743, 2008.

- 374 Ishii N, Hamada T, Yasumoto S, Hashimoto T: A case of epidermolytic hyperkeratosis with no facial involvement associated with mutation in keratin 10. *Clin Exp Dermatol* 33(3):353-354, 2008.
- 375 Ishii N, Hashimoto T: A case of paraneoplastic pemphigus who shifted to pemphigus vulgaris. *J Eur Acad Dermatol Venereol* 22(3):374-375, 2008.
- 376 Ishii N, Maeyama Y, Karashima T, Nakama T, Kusuhara M, Yasumoto S, Hashimoto T: Immunoserological analyses of 55 patients with pemphigus at the Dermatological Department of Kurume University Hospital: an 11-year retrospective study (1996-2006). *Int J Dermatol* 47(12):1321-1322, 2008.
- 377 Ishii N, Maeyama Y, Karashima T, Nakama T, Kusuhara M, Yasumoto S, Hashimoto T: A clinical study of patients with pemphigus vulgaris and pemphigus foliaceus: an 11-year retrospective study (1996-2006). *Clin Exp Dermatol* 33(5):641-643, 2008.
- 378 Ishii N, Ohyama B, Yamaguchi Z, Hashimoto T: IgA autoantibodies against the NC16a domain of BP180 but not 120-kDa LAD-1 detected in a patient with linear IgA disease. *Br J Dermatol* 158(5):1151-1153, 2008.
- 379 Lee SE, Hashimoto T, Kim SC: No mucosal involvement in a patient with paraneoplastic pemphigus associated with thymoma and myasthenia gravis. *Br J Dermatol* 159(4):986-988, 2008.
- 380 Lee SE, Kim HR, Hashimoto T, Kim SC: Paraneoplastic pemphigus developed shortly after resection of follicular dendritic cell sarcoma. *Acta Derm Venereol* 88(4):410-412, 2008.
- 381 Mitsuya J, Hara H, Ito K, Ishii N, Hashimoto T, Terui T: Metastatic ovarian carcinoma-associated subepidermal blistering disease with autoantibodies to both the p200 dermal antigen and the gamma 2 subunit of laminin 5 showing unusual clinical features. *Br J Dermatol* 158(6):1354-1357, 2008.
- 382 Miyakura T, Yamamoto T, Tashiro A, Okubo Y, Oyama B, Ishii N, Hashimoto T, Tsuboi R: Anti-p200 pemphigoid associated with annular pustular psoriasis. *Eur J Dermatol* 18(4):481-482, 2008.
- 383 Murrell DF, Dick S, Ahmed AR, Amagai M, Barnadas MA, Borradori L, Bystryn JC, Cianchini G, Diaz L, Fivenson D, Hall R, Harman KE, Hashimoto T, Hertl M, Hunzelmann N, Iranzo P, Joly P, Jonkman MF, Kitajima Y, Korman NJ, Martin LK, Mimouni D, Pandya AG, Payne AS, Rubenstein D, Shimizu H, Sinha AA, Sirois D, Zillikens D, Werth VP: Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus. *J Am Acad Dermatol* 58(6):1043-1046, 2008.
- 2009**
- 384 Abreu-Velez AM, Howard MS, Hashimoto K, Hashimoto T: Autoantibodies to sweat glands detected by different methods in serum and in tissue from patients affected by a new variant of endemic pemphigus foliaceus. *Arch Dermatol Res* 301(10):711-718, 2009.

- 385 Akin MA, Gunes T, Akyn L, Ohyama B, Kontas O, Hashimoto T: A newborn with bullous pemphigoid associated with linear IgA bullous dermatosis. *Acta Dermatovenerol Alp Panonica Adriat* 18(2):66-70, 2009.
- 386 Amagai M, Ikeda S, Shimizu H, Iizuka H, Hanada K, Aiba S, Kaneko F, Izaki S, Tamaki K, Ikezawa Z, Takigawa M, Seishima M, Tanaka T, Miyachi Y, Katayama I, Horiguchi Y, Miyagawa S, Furukawa F, Iwatsuki K, Hide M, Tokura Y, Furue M, Hashimoto T, Ihn H, Fujiwara S, Nishikawa T, Ogawa H, Kitajima Y, Hashimoto K, Pemphigus Study G: A randomized double-blind trial of intravenous immunoglobulin for pemphigus. *J Am Acad Dermatol* 60(4):595-603, 2009.
- 387 Ando S, Sato-Matsumura KC, Kasai M, Nemoto-Hasebe I, Hoshina D, Ohyama B, Hashimoto T, Shimizu H: Desmoglein1 and BP 180 ELISA indexes correlating with disease activity in a patient with coexisting pemphigus foliaceus and bullous pemphigoid. *Clin Exp Dermatol* 34(8):e995-996, 2009.
- 388 Arakawa M, Dainichi T, Yasumoto S, Hashimoto T: Lesional Th17 cells in pemphigus vulgaris and pemphigus foliaceus. *J Dermatol Sci* 53(3):228-231, 2009.
- 389 Dainichi T, Kurono S, Ohyama B, Ishii N, Sanzen N, Hayashi M, Shimono C, Taniguchi Y, Koga H, Karashima T, Yasumoto S, Zillikens D, Sekiguchi K, Hashimoto T: Anti-laminin gamma-1 pemphigoid. *Proc Natl Acad Sci U S A* 106(8):2800-2805, 2009.
- 390 Demitsu T, Kakurai M, Yoneda K, Iida E, Takada M, Hiratsuka Y, Suzuki M, Yamada T, Ohyama B, Hashimoto T: Localized pemphigoid (Brunsting-Perry type) with IgG antibody to BP180 NC16a domain resembling lupus erythematosus successfully treated with topical tacrolimus therapy. *J Eur Acad Dermatol Venereol* 23(1):79-80, 2009.
- 391 Demitsu T, Yoneda K, Iida E, Sasaki K, Umemoto N, Kakurai M, Wakatabi K, Yamada T, Ohyama B, Hashimoto T: A case of mucous membrane pemphigoid with IgG antibodies against all the alpha3, beta3 and gamma2 subunits of laminin-332 and BP180 C-terminal domain, associated with pancreatic cancer. *Clin Exp Dermatol* 34(8):e992-994, 2009.
- 392 Duker I, Schaller J, Rose C, Zillikens D, Hashimoto T, Kunze J: Subcorneal pustular dermatosis-type IgA pemphigus with autoantibodies to desmocollins 1, 2, and 3. *Arch Dermatol* 145(10):1159-1162, 2009.
- 393 Furukita K, Ansai S, Hida Y, Kubo Y, Arase S, Hashimoto T: A case of epidermolysis bullosa acquisita with unusual clinical features. *Clin Exp Dermatol* 34(8):e702-704, 2009.
- 394 Goto-Ohguchi Y, Nishie W, Akiyama M, Tateishi Y, Aoyagi S, Tsuji-Abe Y, Sawamura D, Ishii N, Hashimoto T, Shimizu H: A severe and refractory case of anti-p200 pemphigoid resulting in multiple skin ulcers and scar formation. *Dermatology* 218(3):265-271, 2009.
- 395 Grover RK, Stites PC, Helm TN, Hashimoto T, Beutner EH: A case of bullous disease limited to the skin illustrates the spectrum of neoplasia-induced autoimmunity. *Dermatol Online J* 15(7):5, 2009.

- 396 Hamada T, Fukuda S, Ishii N, Abe T, Nagata K, Koro O, Hatano Y, Nakano H, Sawamura D, Hashimoto T: A Japanese family with dominant pretibial dystrophic epidermolysis bullosa: Identification of a new glycine substitution in the triple-helical collagenous domain of type VII collagen. *J Dermatol Sci* 54(3):212-214, 2009.
- 397 Hamada T, Ishii N, Fukuda S, Takagi A, Yasumoto S, Ikeda S, Hashimoto T: A new c.2541delC mutation in the ATP2A2 gene in a Japanese patient with Darier's disease. *J Eur Acad Dermatol Venereol* 23(4):457-458, 2009.
- 398 Hashikawa K, Hamada T, Ishii N, Fukuda S, Kuroki R, Nakama T, Yasumoto S, Tamai K, Nakano H, Sawamura D, Hashimoto T: The compound heterozygote for new/recurrent COL7A1 mutations in a Japanese patient with bullous dermolysis of the newborn. *J Dermatol Sci* 56(1):66-68, 2009.
- 399 Hashimoto T, Tokura Y, Shimizu H: Welcome all international dermatology researchers to the 34th Annual Meeting of the Japanese Society of Investigative Dermatology (JSID) and the JSID-Asia-Oceania-Forum on "Hair Reseach and Stem Cells" December 4-6, in Fukuoka City, Kyushu, Japan. *J Dermatol Sci* 55:143, 2009.
- 400 Imada K, Dainichi T, Yokomizo A, Tsunoda T, Song YH, Nagasaki A, Sawamura D, Nishie W, Shimizu H, Fukagawa S, Urabe K, Furue M, Hashimoto T, Naito S: Birt-Hogg-Dube syndrome with clear-cell and oncocytic renal tumour and trichoblastoma associated with a novel FLCN mutation. *Br J Dermatol* 160(6):1350-1353, 2009.
- 401 Inokuma D, Kodama K, Natsuga K, Kasai M, Abe M, Nishie W, Abe R, Hashimoto T, Shimizu H: Autoantibodies against type XVII collagen C-terminal domain in a patient with bullous pemphigoid associated with psoriasis vulgaris. *Br J Dermatol* 160(2):451-454, 2009.
- 402 Ishii N, Maeyama Y, Nakama T, Hashimoto T: A case of solitary collagenoma localized on the upper lip mimicking mucocele. *Clin Exp Dermatol* 34(2):243-244, 2009.
- 403 Ishii N, Yoshida M, Ishida-Yamamoto A, Fritsch A, Elfert S, Bruckner-Tuderman L, Hashimoto T: Some epidermolysis bullosa acquisita sera react with epitopes within the triple-helical collagenous domain as indicated by immunoelectron microscopy. *Br J Dermatol* 160(5):1090-1093, 2009.
- 404 Kakurai M, Demitsu T, Iida E, Umemoto N, Yamada T, Yoneda K, Kako S, Ohshima K, Ohyama B, Hashimoto T: Coexistence of paraneoplastic pemphigus and bullous pemphigoid. *J Eur Acad Dermatol Venereol* 23(8):962-964, 2009.
- 405 Kobayashi K, Tanaka M, Nakajima S, Ito H, Harada T, Hashimoto T: Simultaneous occurrence of anti-BP180 mucous membrane pemphigoid and mucosal-dominant pemphigus vulgaris. *Clin Exp Dermatol* 34(8):e785-788, 2009.
- 406 Koga H, Hamada T, Ohyama B, Nakama T, Yasumoto S, Hashimoto T: An association of idiopathic chronic eosinophilic pneumonia with pemphigoid nodularis: a rare variant of bullous pemphigoid. *Arch Dermatol* 145(11):1339-1340, 2009.

- 407 Matsuo A, Tanaka R, Shiotani A, Haruma K, Ishii N, Hashimoto T, Fujimoto W: Remission of sublamina densa-type linear IgA bullous dermatosis after Helicobacter pylori eradication. Clin Exp Dermatol 34(8):e988-989, 2009.
- 408 Miyakura T, Yamamoto T, Okubo Y, Ishii N, Oyama B, Hashimoto T, Tsuboi R: Pemphigus foliaceus with prominent neutrophilic pustules initially presenting as erythroderma. Clin Exp Dermatol 34(5):e46-49, 2009.
- 409 Muller R, Heber B, Hashimoto T, Messer G, Mullegger R, Niedermeier A, Hertl M: Autoantibodies against desmocollins in European patients with pemphigus. Clin Exp Dermatol 34(8):898-903, 2009.
- 410 Nakama T, Hashikawa K, Higuchi M, Ishii N, Miyasato M, Hamada T, Hashimoto T: Pigmentary demarcation lines associated with pregnancy. Clin Exp Dermatol 34(8):e573-576, 2009.
- 411 Probst C, Schlumberger W, Stocker W, Recke A, Schmidt E, Hashimoto T, Zhu XJ, Zillikens D, Komorowski L: Development of ELISA for the specific determination of autoantibodies against envoplakin and periplakin in paraneoplastic pemphigus. Clin Chim Acta 410(1-2):13-18, 2009.
- 412 Takahara M, Tsuji G, Ishii N, Dainichi T, Hashimoto T, Kohno K, Kamezaki K, Nagafuji K, Takeuchi S, Moroi Y, Furue M: Mucous membrane pemphigoid with antibodies to the beta(3) subunit of Laminin 332 in a patient with acute myeloblastic leukemia and graft-versus-host disease. Dermatology 219(4):361-364, 2009.
- 413 Takeichi S, Kubo Y, Arase S, Hashimoto T, Ansai S: Brunsting-Perry type localized bullous pemphigoid, possibly induced by furosemide administration and sun exposure. Eur J Dermatol 19(5):500-503, 2009.
- 414 Tanaka N, Dainichi T, Ohyama B, Yasumoto S, Oono T, Iwatsuki K, Elfert S, Fritsch A, Bruckner-Tuderman L, Hashimoto T: A case of epidermolysis bullosa acquisita with clinical features of Brunsting-Perry pemphigoid showing an excellent response to colchicine. J Am Acad Dermatol 61(4):715-719, 2009.
- 415 Toyama T, Nakamura K, Kuramochi A, Ohyama B, Hashimoto T, Tsuchida T: Two cases of childhood bullous pemphigoid. Eur J Dermatol 19(4):368-371, 2009.
- 416 Yasukawa S, Dainichi T, Kokuba H, Moroi Y, Urabe K, Hashimoto T, Furue M: Bullous pemphigoid followed by pustular psoriasis showing Th1, Th2, Treg and Th17 immunological changes. Eur J Dermatol 19(1):69-71, 2009.
- 2010**
- 417 Abreu Velez AM, Howard MS, Hashimoto T: Palm tissue displaying a polyclonal autoimmune response in patients affected by a new variant of endemic pemphigus foliaceus in Colombia, South America. Eur J Dermatol 20(1):74-81, 2010.
- 418 Abreu-Velez AM, Howard MS, Hashimoto T, Grossniklaus HE: Human eyelid meibomian glands and tarsal

muscle are recognized by autoantibodies from patients affected by a new variant of endemic pemphigus foliaceus in El-Bagre, Colombia, South America. *J Am Acad Dermatol* 62(3):437-447, 2010.

- 419 Chan PT, Ohyama B, Nishifuji K, Yoshida K, Ishii K, Hashimoto T, Amagai M: Immune response towards the amino-terminus of desmoglein 1 prevails across different activity stages in nonendemic pemphigus foliaceus. *Br J Dermatol* 162(6):1242-1250, 2010.
- 420 Csorba K, Sesarman A, Oswald E, Feldrihan V, Fritsch A, Hashimoto T, Sitaru C: Cross-reactivity of autoantibodies from patients with epidermolysis bullosa acquisita with murine collagen VII. *Cell Mol Life Sci* 67(8):1343-1351, 2010.
- 421 Dainichi T, Kawaguchi A, Ueda S, Tajiri R, Fumimori T, Kakuma T, Hashimoto T: Skin tightening effect using fractional laser treatment: I. A randomized half-side pilot study on faces of patients with acne. *Dermatol Surg* 36(1):66-70, 2010.
- 422 Dainichi T, Koga H, Tsuji T, Ishii N, Ohyama B, Ueda A, Natsuaki Y, Karashima T, Nakama T, Yasumoto S, Zillikens D, Hashimoto T: From anti-p200 pemphigoid to anti-laminin gamma1 pemphigoid. *J Dermatol* 37(3):231-238, 2010.
- 423 Dainichi T, Ohyama B, Ishii N, Yamaguchi Z, Yasumoto S, Hashimoto T: Refractory oral ulcers with multiple immunoglobulin G/immunoglobulin A autoantibodies without skin lesions. *J Am Acad Dermatol* 62(4):712-715, 2010.
- 424 Dainichi T, Ueda S, Fumimori T, Kiryu H, Hashimoto T: Skin tightening effect using fractional laser treatment II: A pilot animal study on skin remodeling. *Dermatol Surg* 36(1):71-75, 2010.
- 425 Endo Y, Kato M, Kitoh A, Kore-Eda S, Fukuda S, Hashimoto T, Toda K, Miyachi Y, Utani A: Pemphigoid without mucosal involvement showing autoantibodies against laminin-332  $\gamma$ 2 subunit. *Br J Dermatol* 163(5):1120-1122, 2010.
- 426 Endo Y, Tsujioka K, Tanioka M, Minegaki Y, Ohyama B, Hashimoto T, Miyachi Y, Utani A: Bullous dermatosis associated with IgG antibodies specific for desmocollins. *Eur J Dermatol* 20(5):620-625, 2010.
- 427 Groves RW, Liu L, Dopping-Hepenstal PJ, Markus HS, Lovell PA, Ozoemena L, Lai-Cheong JE, Gawler J, Owaribe K, Hashimoto T, Mellerio JE, Mee JB, McGrath JA: A homozygous nonsense mutation within the dystonin gene coding for the coiled-coil domain of the epithelial isoform of BPAG1 underlies a new subtype of autosomal recessive epidermolysis bullosa simplex. *J Invest Dermatol* 130(6):1551-1557, 2010.
- 428 Hashimoto T, Dainichi T, Ohyama B, Hamada T, Ishii N, Sato N, Tanigawa O, Nakayama J, Amano S, Nishiyama T, Karashima T, Nakama T, Yasumoto S: A case of antilaminin 332 mucous membrane pemphigoid showing a blister on the bulbar conjunctiva and a unique epitope on the alpha3 subunit. *Br J Dermatol* 162(4):898-899, 2010.

- 429 Hashimoto T, Hamada T, Dainichi T, Ishii N, Karashima T, Nakama T, Yasumoto S: How does intramolecular epitope spreading occur in BPAG2 (BP180)? *J Invest Dermatol* 130(4):924-926, 2010.
- 430 Hashimoto T, Ishii N, Hamada T, Dainichi T, Karashima T, Nakama T, Yasumoto S: Effects of olopatadine hydrochloride, a histamine h(1) receptor antagonist, on histamine-induced skin responses. *Dermatol Res Pract* 2010, 2010.
- 431 Howard MS, Yepes MM, Maldonado-Estrada JG, Villa-Robles E, Jaramillo A, Botero JH, Patino PJ, Hashimoto T, Abreu-Velez AM: Broad histopathologic patterns of non-glabrous skin and glabrous skin from patients with a new variant of endemic pemphigus foliaceus-part 1. *J Cutan Pathol* 37(2):222-230, 2010.
- 432 Ishii N, Hamada T, Dainichi T, Karashima T, Nakama T, Yasumoto S, Zillikens D, Hashimoto T: Epidermolysis bullosa acquisita: what's new? *J Dermatol* 37(3):220-230, 2010.
- 433 Ishii N, Hashimoto T, Zillikens D, Ludwig RJ: High-dose intravenous immunoglobulin (IVIG) therapy in autoimmune skin blistering diseases. *Clin Rev Allergy Immunol* 38(2-3):186-195, 2010.
- 434 Jin K, Nakano H, Akasaka E, Rokunohe D, Minakawa S, Ishii N, Hashimoto T, Sawamura D: Linear immunoglobulin A bullous dermatosis possibly induced by mefenamic acid. *J Dermatol* 37(3):269-271, 2010.
- 435 Kabashima R, Hino R, Bito T, Kabashima K, Nakamura M, Ohyama B, Hashimoto T, Tokura Y: Epidermolysis bullosa acquisita associated with psoriasis. *Acta Derm Venereol* 90(3):314-316, 2010.
- 436 Kaminaka C, Kanazawa N, Furukawa F, Hashimoto T: Case of anti-laminin-gamma1 pemphigoid associated with psoriatic erythroderma. *J Dermatol* 37(3):272-275, 2010.
- 437 Koga H, Ishii N, Hamada T, Karashima T, Nakama T, Yasumoto S, Hashimoto T: Successful treatment with mycophenolate mofetil of four Japanese patients with pemphigus vulgaris. *Eur J Dermatol* 20(4):472-475, 2010.
- 438 Mao X, Nagler AR, Farber SA, Choi EJ, Jackson LH, Leiferman KM, Ishii N, Hashimoto T, Amagai M, Zone JJ, Payne AS: Autoimmunity to desmoglein 3 in pemphigus vulgaris. *Am J Pathol* 177(6):2724-2730, 2010.
- 439 Masu T, Okuyama R, Tsunoda T, Hashimoto T, Aiba S: Paraneoplastic pemphigus associated with malignant gastrointestinal stromal tumour. *Acta Derm Venereol* 90(1):89-90, 2010.
- 440 Miura T, Kawakami Y, Oyama N, Ohtsuka M, Suzuki Y, Ohyama B, Hashimoto T, Motoki Y, Yamamoto T: A case of pemphigus herpetiformis with absence of antibodies to desmogleins 1 and 3. *J Eur Acad Dermatol Venereol* 24(1):101-103, 2010.
- 441 Morimoto K, Fukumoto T, Kobayashi N, Nagashima C, Tateishi C, Tsuruta D, Hashimoto T, Asada H: Pruritic reddish-brown papules and plaques as initial skin lesions in a case of antilaminin  $\gamma$ 1 pemphigoid without



psoriasis. *Br J Dermatol* 163(5):1134-1136, 2010.

- 442 Nagy N, Wedgeworth E, Hamada T, White JM, Hashimoto T, McGrath JA: Schopf-Schulz-Passarge syndrome resulting from a homozygous nonsense mutation in WNT10A. *J Dermatol Sci* 58(3):220-222, 2010.
- 443 Nakashima H, Fujimoto M, Watanabe R, Ishiura N, Yamamoto AI, Hashimoto T, Tamaki K: Herpetiform pemphigus without anti-desmoglein 1/3 autoantibodies. *J Dermatol* 37(3):264-268, 2010.
- 444 Natsuga K, Nishie W, Shinkuma S, Moriuchi R, Shibata M, Nishimura M, Hashimoto T, Shimizu H: Circulating IgA and IgE autoantibodies in antilaminin-332 mucous membrane pemphigoid. *Br J Dermatol* 162(3):513-517, 2010.
- 445 Niimi Y, Ohyama B, Di Zenzo G, Calabresi V, Hashimoto T, Kawana S: Paraneoplastic pemphigus presenting as mild cutaneous features of pemphigus foliaceus and lichenoid stomatitis with antidesmoglein 1 antibodies. *Dermatol Res Pract* 2010, 2010.
- 446 Oji V, Tadini G, Akiyama M, Blanchet Bardon C, Bodemer C, Bourrat E, Coudiere P, DiGiovanna JJ, Elias P, Fischer J, Fleckman P, Gina M, Harper J, Hashimoto T, Hausser I, Hennies HC, Hohl D, Hovnanian A, Ishida-Yamamoto A, Jacyk WK, Leachman S, Leigh I, Mazereeuw-Hautier J, Milstone L, Morice-Picard F, Paller AS, Richard G, Schmuth M, Shimizu H, Sprecher E, Van Steensel M, Taieb A, Toro JR, Vabres P, Vahlquist A, Williams M, Traupe H: Revised nomenclature and classification of inherited ichthyoses: results of the First Ichthyosis Consensus Conference in Soreze 2009. *J Am Acad Dermatol* 63(4):607-641, 2010.
- 447 Schepens I, Jaunin F, Begre N, Laderach U, Marcus K, Hashimoto T, Favre B, Borradori L: The protease inhibitor alpha-2-macroglobulin-like-1 is the p170 antigen recognized by paraneoplastic pemphigus autoantibodies in human. *PLoS One* 5(8):e12250, 2010.
- 448 Schmidt E, Dahnrich C, Rosemann A, Probst C, Komorowski L, Saschenbrecker S, Schlumberger W, Stocker W, Hashimoto T, Brocker EB, Recke A, Rose C, Zillikens D: Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients. *Exp Dermatol* 19(5):458-463, 2010.
- 449 Shiohara J, Yoshida K, Hasegawa J, Uhara H, Takata M, Saida T, Ohyama B, Hashimoto T: Tetracycline and niacinamide control bullous pemphigoid but not pemphigus foliaceus when these conditions coexist. *J Dermatol* 37(7):657-661, 2010.
- 450 Tajima M, Mitsuhashi Y, Irisawa R, Amagai M, Hashimoto T, Tsuboi R: IgA pemphigus reacting exclusively to desmoglein 3. *Eur J Dermatol* 20(5):626-629, 2010.
- 451 Tateishi C, Tsuruta D, Nakanishi T, Uehara S, Kobayashi H, Ishii M, Hashimoto T: Antidesmocollin-1 antibody-positive, antidesmoglein antibody-negative pemphigus herpetiformis. *J Am Acad Dermatol* 63(1):e8-10, 2010.

452 Yamaki F, Mayuzumi N, Ikeda S, Hashimoto T: Immunoglobulin A antibodies against desmoglein 1, envoplakin, periplakin and BP230 in a patient with atypical bullous pemphigoid. *J Dermatol* 37(3):255-258, 2010.

## 2011

453 Abreu-Velez AM, Howard MS, Yi H, Gao W, Hashimoto T, Grossniklaus HE: Neural system antigens are recognized by autoantibodies from patients affected by a new variant of endemic pemphigus foliaceus in Colombia. *J Clin Immunol* 31(3):356-368, 2011.

454 Arakawa M, Dainichi T, Ishii N, Hamada T, Karashima T, Nakama T, Yasumoto S, Tsuruta D, Hashimoto T: Lesional Th17 cells and regulatory T cells in bullous pemphigoid. *Exp Dermatol* 20(12):1022-1024, 2011.

455 Choi Y, Lee SE, Fukuda S, Hashimoto T, Kim SC: Mucous membrane pemphigoid with immunoglobulin G autoantibodies against full-length and 120-kDa ectodomain of BP180. *J Dermatol* 38(2):169-172, 2011.

456 Csorba K, Schmidt S, Florea F, Ishii N, Hashimoto T, Hertl M, Karpati S, Bruckner-Tuderman L, Nishie W, Sitaru C: Development of an ELISA for sensitive and specific detection of IgA autoantibodies against BP180 in pemphigoid diseases. *Orphanet J Rare Dis* 6:31, 2011.

457 Dainichi T, Hirakawa Y, Ishii N, Ohyama B, Kohda F, Takahara M, Moroi Y, Furue M, Yasumoto S, Hashimoto T: Mucous membrane pemphigoid with autoantibodies to all the laminin 332 subunits and fatal outcome resulting from liver cirrhosis and hepatocellular carcinoma. *J Am Acad Dermatol* 64(6):1199-1200, 2011.

458 Dainichi T, Ishii N, Hamada T, Karashima T, Fukuda S, Ohyama B, Yoshida M, Komai A, Yomoda M, Ishikawa T, Nakama T, Yasumoto S, Hashimoto T: Bullous pemphigoid in Asia. In: *Asian Skin and Skin Diseases* (Eun HC, Kim SC, Lee WS eds.). Medrang Inc: Seoul:103-111, 2011.

459 Davis RF, Ravenscroft J, Hashimoto T, Evans JH, Harman KE: Bullous pemphigoid associated with renal transplant rejection. *Clin Exp Dermatol* 36(7):824-825, 2011.

460 Endo Y, Tsuji M, Shirase T, Fukuda S, Hashimoto T, Miyachi Y, Yoshikawa Y: Angioimmunoblastic T-cell lymphoma presenting with both IgA-related leukocytoclastic vasculitis and mucous membrane pemphigoid. *Eur J Dermatol* 21(2):274-276, 2011.

461 Fukuda S, Hamada T, Ishii N, Hashimoto T: Ichthyosis follicularis, alopecia and photophobia (IFAP) syndrome. In: *The Color Atlas of Disorders of Keratinization Second Edition* (Ogawa H eds.). Kyowa Kikaku, LTD: Tokyo:97-98, 2011.

462 Fukuda S, Tsuruta D, Uchiyama M, Mitsushashi Y, Kobayashi H, Ishikawa T, Ohyama B, Ishii N, Hamada T, Dainichi T, Karashima T, Nakama T, Yasumoto S, Hashimoto T: Brunsting-Perry type pemphigoid with IgG

autoantibodies to laminin-332, BP230 and desmoplakins I/II. *Br J Dermatol* 165(2):433-435, 2011.

- 463 Groth S, Recke A, Vafia K, Ludwig RJ, Hashimoto T, Zillikens D, Schmidt E: Development of a simple enzyme-linked immunosorbent assay for the detection of autoantibodies in anti-p200 pemphigoid. *Br J Dermatol* 164(1):76-82, 2011.
- 464 Hamada T, Fukuda S, Ishii N, Tsuruta D, Teye K, Numata S, Dainichi T, Karashima T, Nakama T, Hashimoto T: Relationship between keratinizing disorders and inherited blistering disorders. In: *The Color Atlas of Disorders of Keratinization Second Edition* (Ogawa H eds.). Kyowa Kikaku, LTD: Tokyo:58-61, 2011.
- 465 Hashimoto T: Obituary. Dr. Jean-Claude Bystry, M.D., New York University, 1938-2010. *J Dermatol* 38(2):109-110, 2011.
- 466 Hashimoto T, Tsuruta D, Dainichi T, Hamada T, Furumura M, Ishii N: Demonstration of epitope spreading in bullous pemphigoid: results of a prospective multicenter study. *J Invest Dermatol* 131(11):2175-2177, 2011.
- 467 Hashimoto T, Tsuruta D, Hamada T, Dainichi T, Ishii N: Commentary:Upregulation of anti-human ribosomal protein S6-P240,topoisomerase II  $\alpha$ , cyclin D1, BCL-2 and anti-corneal antibodies in acute psoriasis. *Our Dermatology Online* 2(3):118, 2011.
- 468 Hashimoto T, Tsuruta D, Ishii N, Dainichi T, Hamada T: Jadwiga Schwann and her syndrome, Dr. Aboud A K.Comments to the article. *Our Dermatol Online* 2(4):226, 2011.
- 469 Hiruma A, Ikeda S, Terui T, Ozawa M, Hashimoto T, Yasumoto S, Nakayama J, Kubota Y, Iijima M, Sueki H, Matsumoto Y, Kato M, Akasaka E, Ikoma N, Mabuchi T, Tamiya S, Matsuyama T, Ozawa A, Inoko H, Oka A: A novel splicing variant of CADM2 as a protective transcript of psoriasis. *Biochem Biophys Res Commun* 412(4):626-632, 2011.
- 470 Iida K, Sueki H, Ohyama B, Ishii N, Hashimoto T: A unique case of intra-epidermal neutrophilic dermatosis-type IgA pemphigus presenting with subcorneal pustules. *Dermatology* 222(1):15-19, 2011.
- 471 Ishigami T, Kubo Y, Matsudate Y, Ansai S, Arase S, Ohyama B, Hashimoto T: Paraneoplastic pemphigus associated with non-Hodgkin's lymphoma. *Eur J Dermatol* 21(1):122-124, 2011.
- 472 Ishii N, Hamada T, Tsuji T, Fukuda S, Karashima T, Nakama T, Takeishi E, Hashimoto T: Trichothiodystrophy. In: *The Color Atlas of Disorders of Keratinization Second Edition* (Ogawa H eds.). Kyowa Kikaku, LTD: Tokyo:99-100, 2011.
- 473 Ishii N, Recke A, Mihai S, Hirose M, Hashimoto T, Zillikens D, Ludwig RJ: Autoantibody-induced intestinal inflammation and weight loss in experimental epidermolysis bullosa acquisita. *J Pathol* 224(2):234-244, 2011.
- 474 Kaneko S, Hamada T, Kawano Y, Hashimoto T, Morita E: Missense mutation at the helix termination region in

- the 2B domain of keratin 14 in a Japanese family with epidermolysis bullosa simplex, generalized, other. *Int J Dermatol* 50(4):436-438, 2011.
- 475 Kawakami T, Hashimoto T: Disease severity indexes and treatment evaluation criteria in vitiligo. *Dermatol Res Pract* 2011:750342, 2011.
- 476 Koga H, Hamada T, Ishii N, Fukuda S, Sakaguchi S, Nakano H, Tamai K, Sawamura D, Hashimoto T: Exon 87 skipping of the COL7A1 gene in dominant dystrophic epidermolysis bullosa. *J Dermatol* 38(5):489-492, 2011.
- 477 Masunaga K, Toyoda M, Kokuba H, Takahara M, Ohyama B, Hashimoto T, Furue M: Mucous membrane pemphigoid with antibodies to the  $\beta 3$  subunit of laminin 332. *J Dermatol* 38(11):1082-1084, 2011.
- 478 Matsuda M, Hamada T, Ishii N, Maeyama Y, Nakama T, Yasumoto S, Hashimoto T: Acquired smooth muscle hamartoma of the patchy follicular variant with Meyerson phenomenon. *Arch Dermatol* 147(10):1234-1235, 2011.
- 479 Minato H, Ishii N, Fukuda S, Wakasa T, Wakasa K, Sogame R, Hashimoto T, Horiguchi Y: Heterogeneity of Brunsting-Perry type pemphigoid: a case showing blister formation at the lamina lucida, immune deposition beneath the lamina densa and autoantibodies against the 290-kD polypeptide along the lamina densa. *J Dermatol* 38(9):887-892, 2011.
- 480 Morita K, Fujisawa A, Yagi Y, Makiura M, Fukuda S, Ishii N, Ohyama B, Hashimoto T: Immunoglobulin A anti-BP230 autoantibodies in linear immunoglobulin A/immunoglobulin G bullous dermatosis. *J Dermatol* 38(10):1030-1032, 2011.
- 481 Murase K, Kanoh H, Ishii N, Hashimoto T, Nakano H, Sawamura D, Seishima M: Bullous dermolysis of the newborn and dystrophic epidermolysis bullosa pruriginosa within the same family: two phenotypes associated with a COL7A1 mutation. *Acta Derm Venereol* 91(6):730-731, 2011.
- 482 Ozono S, Inada H, Nakagawa S, Ueda K, Matsumura H, Kojima S, Koga H, Hashimoto T, Oshima K, Matsuishi T: Juvenile myelomonocytic leukemia characterized by cutaneous lesion containing Langerhans cell histiocytosis-like cells. *Int J Hematol* 93(3):389-393, 2011.
- 483 Prado R, Brice SL, Fukuda S, Hashimoto T, Fujita M: Paraneoplastic pemphigus herpetiformis with IgG antibodies to desmoglein 3 and without mucosal lesions. *Arch Dermatol* 147(1):67-71, 2011.
- 484 Rafei D, Muller R, Ishii N, Llamazares M, Hashimoto T, Hertl M, Eming R: IgG autoantibodies against desmocollin 3 in pemphigus sera induce loss of keratinocyte adhesion. *Am J Pathol* 178(2):718-723, 2011.
- 485 Saleh MA, Ishii K, Kim YJ, Murakami A, Ishii N, Hashimoto T, Schmidt E, Zillikens D, Shirakata Y, Hashimoto K, Kitajima Y, Amagai M: Development of NC1 and NC2 domains of type VII collagen ELISA for

the diagnosis and analysis of the time course of epidermolysis bullosa acquisita patients. *J Dermatol Sci* 62(3):169-175, 2011.

486 Santiago-et-Sanchez-Mateos D, Juarez Martin A, Gonzalez De Arriba A, Delgado Jimenez Y, Fraga J, Hashimoto T, Garcia-Diez A: IgG/IgA pemphigus with IgA and IgG antidesmoglein 1 antibodies detected by enzyme-linked immunosorbent assay: presentation of two cases. *J Eur Acad Dermatol Venereol* 25(1):110-112, 2011.

487 Suda-Takayanagi T, Hara H, Ohyama B, Hashimoto T, Terui T: A case of pemphigoid vegetans with autoantibodies against both BP180 and BP230 antigens. *J Am Acad Dermatol* 64(1):206-208, 2011.

488 Tsuruta D, Dainichi T, Hamada T, Ishii N, Hashimoto T: Amniotic band with infantile digital fibromatosis, Ambika H, Sujatha C, Santhosh S. Comments to the article. *Our Dermatol Online* 2(4):234, 2011.

489 Tsuruta D, Hashimoto T, Hamill KJ, Jones JC: Hemidesmosomes and focal contact proteins: functions and cross-talk in keratinocytes, bullous diseases and wound healing. *J Dermatol Sci* 62(1):1-7, 2011.

490 Tsuruta D, Ishii N, Hamada T, Ohyama B, Fukuda S, Koga H, Imamura K, Kobayashi H, Karashima T, Nakama T, Dainichi T, Hashimoto T: IgA pemphigus. *Clin Dermatol* 29(4):437-442, 2011.

491 Tsuruta D, Sowa J, Tateishi C, Obase Y, Tsubura A, Fukumoto T, Ishii M, Kobayashi H, Sakaguchi S, Hashimoto T, Hamada T: Atypical epidermolysis bullosa simplex with a missense keratin 14 mutation p.Arg125Cys. *J Dermatol* 38(12):1177-1179, 2011.

492 Watanabe T, Kato M, Yoshida Y, Fukuda S, Hashimoto T, Yamamoto O: Mucocutaneous-type pemphigus vulgaris with anti-desmoplakin autoantibodies. *Eur J Dermatol* 21(2):299-300, 2011.

493 Wozniak K, Hashimoto T, Fukuda S, Ohyama B, Ishii N, Koga H, Dainichi T, Kowalewski C: IgA anti-p200 pemphigoid. *Arch Dermatol* 147(11):1306-1310, 2011.

494 Yamada Y, Sugita K, Izu K, Nakamura M, Hashimoto T, Tokura Y: A case of dyshidrosiform pemphigoid. *J UOEH* 33(2):183-187, 2011.

## 2012

495 Bizikova P, Dean GA, Hashimoto T, Olivry T: Cloning and establishment of canine desmocollin-1 as a major autoantigen in canine pemphigus foliaceus. *Vet Immunol Immunopathol* 149(3-4):197-207, 2012.

496 Choi Y, Nam KH, Lee JB, Lee JY, Ihm CW, Lee SE, Oh SH, Hashimoto T, Kim SC: Retrospective analysis of 12 Korean patients with paraneoplastic pemphigus. *J Dermatol* 39(12):973-981, 2012.

497 Di Zenzo G, Di Lullo G, Corti D, Calabresi V, Sinistro A, Vanzetta F, Didona B, Cianchini G, Hertl M, Eming R, Amagai M, Ohyama B, Hashimoto T, Sloostra J, Sallusto F, Zambruno G, Lanzavecchia A: Pemphigus

- autoantibodies generated through somatic mutations target the desmoglein-3 cis-interface. *J Clin Invest* 122(10):3781-3790, 2012.
- 498 Fabbri P, Calabro AS, Hashimoto T, Fasano A, Caproni M: Novel advances in dermatitis herpetiformis. *Clin Dev Immunol* 2012:450109, 2012.
- 499 Florea F, Torio-Padron N, Hashimoto T, Sitaru C: Nonscarring skin blistering disease and mucosal lesions with IgA autoantibodies reactive with collagen VII and IgG reactivity with laminin  $\gamma$ 2. *Br J Dermatol* 167(4):938-941, 2012.
- 500 Fukuda S, Hamada T, Ishii N, Sakaguchi S, Sakai K, Akiyama M, Shimizu H, Masuda K, Izu K, Teye K, Tsuruta D, Karashima T, Nakama T, Yasumoto S, Hashimoto T: Novel adenosine triphosphate (ATP)-binding cassette, subfamily A, member 12 (ABCA12) mutations associated with congenital ichthyosiform erythroderma. *Br J Dermatol* 166(1):218-221, 2012.
- 501 Fukuda S, Ishii N, Hamada T, Ohyama B, Momosaki N, Karashima T, Nakama T, Tsuruta D, Hashimoto T: A case of herpes gestationis: follow-up study of autoantibodies using enzyme-linked immunosorbent assay and immunoblotting. *Indian J Dermatol Venereol Leprol* 78(2):199-201, 2012.
- 502 Hanafusa T, Azukizawa H, Nishioka M, Tanemura A, Murota H, Yoshida H, Sato E, Hashii Y, Ozono K, Koga H, Hashimoto T, Katayama I: Lichen planus-type chronic graft-versus-host disease complicated by mucous membrane pemphigoid with positive anti-BP180/230 and scleroderma-related autoantibodies followed by reduced regulatory T cell frequency. *Eur J Dermatol* 22(1):140-142, 2012.
- 503 Hanawa F, Harada K, Andou N, Kawamura T, Shibagaki N, Fukuda S, Hashimoto T, Shimada S: Case of mucous membrane pemphigoid characterized by circulating immunoglobulin A and immunoglobulin G autoantibodies to the gamma-2 subunit of laminin-332. *J Dermatol* 39(11):962-963, 2012.
- 504 Hashikawa K, Niino D, Yasumoto S, Nakama T, Kiyasu J, Sato K, Kimura Y, Takeuchi M, Sugita Y, Hashimoto T, Ohshima K: Clinicopathological features and prognostic significance of CXCL12 in blastic plasmacytoid dendritic cell neoplasm. *J Am Acad Dermatol* 66(2):278-291, 2012.
- 505 Hashimoto T, Ishii N, Ohata C, Furumura M: Pathogenesis of epidermolysis bullosa acquisita, an autoimmune subepidermal bullous disease. *J Pathol* 228(1):1-7, 2012.
- 506 Hashimoto T, Kawakami T, Ishii N, Ishii K, Karashima T, Nakama T, Tsuruta D, Dainichi T, Hide M, Hamada T: Mizoribine treatment for antihistamine-resistant chronic autoimmune urticaria. *Dermatol Ther* 25(4):379-381, 2012.
- 507 Hashimoto T, Kawakami T, Koga H, Ohyama B, Hamada T, Dainichi T, Nakama T, Yasumoto S, Tsuruta D, Ishii N: Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus. *Dermatol Ther* 25(4):382-385, 2012.

- 508 Hashimoto T, Kawakami T, Tsuruta D, Hamada T, Natsuaki Y, Fukuda S, Koga H, Sogame R, Ohyama B, Ono F, Karashima T, Nakama T, Dainichi T, Ishii N, Yasumoto S: Low-dose cyclosporin improves the health-related quality of life in Japanese psoriasis patients dissatisfied with topical corticosteroid monotherapy. *Australas J Dermatol* 53(3):202-206, 2012.
- 509 Higuchi F, Tsuruta D, Ishibashi Y, Imamura K, Shimoyama T, Ookawa T, Kume S, Yoshida S, Gotoh M, Noda A, Mori T, Hamada T, Ishii N, Dainichi T, Kobayashi H, Nagata K, Hashimoto T: Psoriasis vulgaris caused by ceramic inserts used in total hip replacement. *J Cutan Med Surg* 16(6):448-450, 2012.
- 510 Hosoda S, Suzuki M, Komine M, Murata S, Hashimoto T, Ohtsuki M: A case of IgG/IgA pemphigus presenting malar rash-like erythema. *Acta Derm Venereol* 92(2):164-166, 2012.
- 511 Ichimura Y, Matsushita T, Hamaguchi Y, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, Hashimoto T, Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, Kuwana M, Takehara K, Fujimoto M: Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. *Ann Rheum Dis* 71(5):710-713, 2012.
- 512 Iida K, Yamaguchi F, Hibi K, Tate G, Ohyama B, Numata S, Hashimoto T, Sato M, Uchida T, Sueki H: Characterisation of inflammatory infiltrates in lesions of the oral mucosa, skin, and bronchioles in a case of paraneoplastic pemphigus. *Eur J Dermatol* 22(1):154-155, 2012.
- 513 Inaoki M, Nishijima C, Ohyama B, Hashimoto T: Subepidermal blistering disease presenting with anti-plakin antibodies. *Eur J Dermatol* 22(2):284-285, 2012.
- 514 Inoue Y, Adachi A, Ueno M, Fukumoto T, Nishitani N, Fujiwara N, Yamada Y, Ohyama B, Tsuruta D, Hashimoto T: Atypical subacute cutaneous lupus erythematosus presenting as lichen planus pemphigoides with autoantibodies to C-terminus of BP180, desmoglein 1 and SS-A/Ro antigen. *J Dermatol* 39(11):960-962, 2012.
- 515 Ishii N, Hamada T, Koga H, Sogame R, Ohyama B, Fukuda S, Natsuaki Y, Dainichi T, Karashima T, Nakama T, Tsuruta D, Hashimoto T: Decline of disease activity and autoantibodies to desmoglein 3 and envoplakin by oral prednisolone in paraneoplastic pemphigus with benign thymoma. *Eur J Dermatol* 22(4):547-549, 2012.
- 516 Kanwar AJ, Sawatkar GU, Vinay K, Hashimoto T: Childhood pemphigus vulgaris successfully treated with rituximab. *Indian J Dermatol Venereol Leprol* 78(5):632-634, 2012.
- 517 Kanwar AJ, Vinay K, Koga H, Hashimoto T: Mucous membrane pemphigoid with antibodies against  $\beta 3$  subunit of laminin-332: first report from India. *Indian J Dermatol Venereol Leprol* 78(4):475-479, 2012.
- 518 Karashima T, Hashikawa K, Ono F, Eguchi H, Hamada T, Ishii N, Dainichi T, Yasumoto S, Tsuruta D, Hashimoto T: Successful treatment of Bowen's disease with topical maxacalcitol. *Acta Derm Venereol* 92(6):660-661, 2012.

- 519 Karashima T, Tsuruta D, Hamada T, Ishii N, Ono F, Hashikawa K, Ohyama B, Natsuaki Y, Fukuda S, Koga H, Sogame R, Nakama T, Dainichi T, Hashimoto T: Interaction of plectin and intermediate filaments. *J Dermatol Sci* 66(1):44-50, 2012.
- 520 Karashima T, Tsuruta D, Hamada T, Ono F, Ishii N, Abe T, Ohyama B, Nakama T, Dainichi T, Hashimoto T: Oral zinc therapy for zinc deficiency-related telogen effluvium. *Dermatol Ther* 25(2):210-213, 2012.
- 521 Kiniwa Y, Ashida A, Ohashi A, Kitoh R, Fukuda S, Hashimoto T, Okuyama R: A case of epidermolysis bullosa acquisita associated with laryngeal stenosis. *Acta Derm Venereol* 92(1):93-94, 2012.
- 522 Koga H, Ohyama B, Tsuruta D, Ishii N, Hamada T, Dainichi T, Natsuaki Y, Sogame R, Fukuda S, Karashima T, Tada J, Yamashiro M, Uezato H, Chan PT, Hashimoto T: Five Japanese cases of antidesmoglein 1 antibody-positive and antidesmoglein 3 antibody-negative pemphigus with oral lesions. *Br J Dermatol* 166(5):976-980, 2012.
- 523 Kurashige Y, Mitsuhashi Y, Saito M, Fukuda S, Hashimoto T, Tsuboi R: Herpetiform pemphigus with anti-Dsg 1 and full-length BP180 autoantibodies. *Eur J Dermatol* 22(2):269-270, 2012.
- 524 Licarete E, Ganz S, Recknagel MJ, Di Zenzo G, Hashimoto T, Hertl M, Zambruno G, Hundorfean G, Mudter J, Neurath MF, Bruckner-Tuderman L, Sitaru C: Prevalence of collagen VII-specific autoantibodies in patients with autoimmune and inflammatory diseases. *BMC Immunol* 13(1):16, 2012.
- 525 Monshi B, Richter L, Hashimoto T, Groiss E, Haensch N, Rappersberger K: IgA pemphigus of the subcorneal pustular dermatosis type. Successful therapy with a combination of dapsone and acitretin. *Hautarzt* 63(6):482-486, 2012.
- 526 Murrell DF, Daniel BS, Joly P, Borradori L, Amagai M, Hashimoto T, Caux F, Marinovic B, Sinha AA, Hertl M, Bernard P, Sirois D, Cianchini G, Fairley JA, Jonkman MF, Pandya AG, Rubenstein D, Zillikens D, Payne AS, Woodley D, Zambruno G, Aoki V, Pincelli C, Diaz L, Hall RP, Meurer M, Mascaro JM, Jr., Schmidt E, Shimizu H, Zone J, Swerlick R, Mimouni D, Culton D, Lipozencic J, Bince B, Grando SA, Bystryk JC, Werth VP: Definitions and outcome measures for bullous pemphigoid: recommendations by an international panel of experts. *J Am Acad Dermatol* 66(3):479-485, 2012.
- 527 Ohata C, Ishii N, Hamada T, Shimomura Y, Niizeki H, Dainichi T, Furumura M, Tsuruta D, Hashimoto T: Distinct characteristics in Japanese dermatitis herpetiformis: a review of all 91 Japanese patients over the last 35 years. *Clin Dev Immunol* 2012:562168, 2012.
- 528 Ohata C, Mori Y, Tokita T, Koga H, Ohyama B, Sogame R, Hamada T, Ishii N, Furumura M, Hashimoto T: Pemphigoid with autoantibodies to all laminin 332 subunits and BP230 developing vesicles within psoriatic plaques. *Eur J Dermatol* 22(6):812-813, 2012.
- 529 Ohyama B, Nishifuji K, Chan PT, Kawaguchi A, Yamashita T, Ishii N, Hamada T, Dainichi T, Koga H, Tsuruta



D, Amagai M, Hashimoto T: Epitope spreading is rarely found in pemphigus vulgaris by large-scale longitudinal study using desmoglein 2-based swapped molecules. *J Invest Dermatol* 132(4):1158-1168, 2012.

530 Ono F, Yasumoto S, Furumura M, Hamada T, Ishii N, Gyotoku T, Higuchi M, Inokuchi K, Jyo K, Koga H, Komai A, Maruta K, Mashiko T, Mihara T, Miyahara H, Miyasato M, Muto K, Nagase K, Nagata M, Sakihama H, Tanahashi T, Ueda A, Yamakawa K, Ohata C, Dainichi T, Tsuruta D, Hashimoto T: Comparison between famciclovir and valacyclovir for acute pain in adult Japanese immunocompetent patients with herpes zoster. *J Dermatol* 39(11):902-908, 2012.

531 Sato M, Ishitsuka A, Shibuya Y, Kanoh H, Koga H, Hashimoto T, Seishima M: Time-course of the change in titre of antibodies against type VII collagen in a patient with epidermolysis bullosa acquisita. *Acta Derm Venereol* 92(6):693-694, 2012.

532 Shibuya T, Komatsu S, Takahashi I, Honma M, Takahashi H, Ishida-Yamamoto A, Kamiya T, Fukuda S, Hashimoto T, Iizuka H: Mucous membrane pemphigoid accompanied by ovarian cancer: a case with autoantibodies solely against  $\gamma(2)$ -subunit of laminin-332. *J Dermatol* 39(10):882-884, 2012.

533 Shigeta M, Saiki M, Tsuruta D, Ohata C, Ishii N, Ono F, Hamada T, Dainichi T, Furumura M, Zone JJ, Karpati S, Sitaru C, Hashimoto T: Two Japanese cases of dermatitis herpetiformis associated each with lung cancer and autoimmune pancreatitis but showing no intestinal symptom or circulating immunoglobulin A antibodies to any known antigens. *J Dermatol* 39(12):1002-1005, 2012.

534 Tsuruta D, Hashimoto T: Commentary: Facial plexiform neurofibromatosis in a patient with neurofibromatosis type 1: A case report. *Our Dermatol Online* 3(1):28, 2012.

535 Tsuruta D, Ishii N, Hashimoto T: Diagnosis and treatment of pemphigus. *Immunotherapy* 4(7):735-745, 2012.

536 Tsuruta D, Nishikawa T, Yamagami J, Hashimoto T: Unilateral bullous pemphigoid without erythema and eosinophil infiltration in a hemiplegic patient. *J Dermatol* 39(9):787-789, 2012.

537 Vafia K, Groth S, Beckmann T, Hirose M, Dworschak J, Recke A, Ludwig RJ, Hashimoto T, Zillikens D, Schmidt E: Pathogenicity of autoantibodies in anti-p200 pemphigoid. *PLoS One* 7(7):e41769, 2012.

538 Yamada H, Nobeyama Y, Matsuo K, Ishiji T, Takeuchi T, Fukuda S, Hashimoto T, Nakagawa H: A case of paraneoplastic pemphigus associated with triple malignancies in combination with antilaminin-332 mucous membrane pemphigoid. *Br J Dermatol* 166(1):230-231, 2012.

## 2013

539 Aoi J, Makino K, Sakai K, Masuguchi S, Fukushima S, Jinnin M, Inoue Y, Koga H, Hashimoto T, Ihn H: Case of paraneoplastic pemphigus with follicular lymphoma treated with rituximab. *J Dermatol* 40(4):285-286, 2013.

- 540 Arai R, Okuda H, Tsuruta D, Koga H, Teye K, Ishii N, Ohata C, Hashimoto T: IgA pemphigus with non-pustular erythematous lesions and IgA antibodies to desmocollins 1 and 2. *Eur J Dermatol* 23(3):362-365, 2013.
- 541 Asahina A, Koga H, Suzuki Y, Hashimoto T: IgA pemphigus associated with diffuse large B-cell lymphoma showing unique reactivity with desmocollins: unusual clinical and histopathological features. *Br J Dermatol* 168(1):224-226, 2013.
- 542 Fukuchi O, Suko A, Matsuzaki H, Baba H, Yoshida H, Takeuchi T, Odawara S, Fukuda S, Hashimoto T: Anti-laminin-332 mucous membrane pemphigoid with autoantibodies to  $\alpha 3$ ,  $\beta 3$  and  $\gamma 2$  subunits of laminin-332 as well as to BP230 and periplakin associated with adenocarcinoma from an unknown primary site. *J Dermatol* 40(1):61-62, 2013.
- 543 Gunes T, Akin MA, Sarici D, Hallac K, Kurtoglu S, Hashimoto T: Guaiazulene: a new treatment option for recalcitrant diaper dermatitis in NICU patients. *J Matern Fetal Neonatal Med* 26(2):197-200, 2013.
- 544 Hamada T, Tsuruta D, Fukuda S, Ishii N, Teye K, Numata S, Dainichi T, Karashima T, Ohata C, Furumura M, Hashimoto T: How do keratinizing disorders and blistering disorders overlap? *Exp Dermatol* 22(2):83-87, 2013.
- 545 Haneda T, Imai Y, Koga H, Hashimoto T, Yamanishi K: Case of subepidermal bullous dermatosis with immunoglobulin G autoantibodies against various basement membrane zone proteins. *J Dermatol* 40(4):283-285, 2013.
- 546 Hiroyasu S, Ozawa T, Kobayashi H, Ishii M, Aoyama Y, Kitajima Y, Hashimoto T, Jones JC, Tsuruta D: Bullous pemphigoid IgG induces BP180 internalization via a macropinocytic pathway. *Am J Pathol* 182(3):828-840, 2013.
- 547 Imamura K, Tsuruta D, Tsuchisaka A, Mori T, Ohata C, Furumura M, Hashimoto T: Anaphylaxis caused by ingestion of jellyfish. *Eur J Dermatol* 23(3):392-395, 2013.
- 548 Kanwar AJ, Tsuruta D, Vinay K, Koga H, Ishii N, Dainichi T, Hashimoto T: Efficacy and safety of rituximab treatment in Indian pemphigus patients. *J Eur Acad Dermatol Venereol* 27(1):e17-23, 2013.
- 549 Kim J, Teye K, Koga H, Yeoh SC, Wakefield D, Hashimoto T, Murrell DF: Successful single-cycle rituximab treatment in a patient with pemphigus vulgaris and squamous cell carcinoma of the tongue and IgG antibodies to desmocollins. *J Am Acad Dermatol* 69(1):e26-27, 2013.
- 550 Koga H, Ishii N, Dainichi T, Tsuruta D, Hamada T, Ohata C, Karashima T, Furumura M, Hashimoto T: An attempt to develop mouse model for anti-laminin  $\gamma 1$  pemphigoid. *J Dermatol Sci* 70(2):108-115, 2013.
- 551 Koga H, Tsuruta D, Ohyama B, Ishii N, Hamada T, Ohata C, Furumura M, Hashimoto T: Desmoglein 3, its

- pathogenicity and a possibility for therapeutic target in pemphigus vulgaris. *Expert Opin Ther Targets* 17(3):293-306, 2013.
- 552 Komorowski L, Muller R, Vorobyev A, Probst C, Recke A, Jonkman MF, Hashimoto T, Kim SC, Groves R, Ludwig RJ, Zillikens D, Stocker W, Schmidt E: Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. *J Am Acad Dermatol* 68(3):e89-95, 2013.
- 553 Kurashige Y, Minemura T, Nagatani T, Koga H, Hashimoto T: Acute blistering disease presenting IgG autoantibodies against NC16A and COOH-terminal domains of BP180 and laminin-332, with characteristic distribution of eruptions. *Eur J Dermatol* 23(1):109-110, 2013.
- 554 Majima Y, Yagi H, Tateishi C, Groth S, Schmidt E, Zillikens D, Koga H, Hashimoto T, Tokura Y: A successful treatment with ustekinumab in a case of antilaminin- $\gamma$ 1 pemphigoid associated with psoriasis. *Br J Dermatol* 168(6):1367-1369, 2013.
- 555 Maruta Y, Ohata C, Ishii N, Koga H, Ohyama B, Dainichi T, Hamada T, Furumura M, Tsuruta D, Nakama T, Hashimoto T: Linear IgA bullous dermatosis with a prurigo nodularis-like appearance. *Eur J Dermatol* 23(1):107-109, 2013.
- 556 Mitate E, Kawano S, Nakao Y, Goto Y, Kobayashi I, Onozawa K, Hashimoto T, Nakamura S: Concurrence of autoantibodies to both laminin  $\gamma$ 1 and  $\gamma$ 2 subunits in a patient with kidney rejection response. *Acta Derm Venereol* 93(1):114-115, 2013.
- 557 Nin M, Tokunaga D, Ishii N, Komai A, Hashimoto T, Katoh N: Case of coexisting psoriatic arthritis and bullous pemphigoid improved by etanercept. *J Dermatol* 40(1):55-56, 2013.
- 558 Numata S, Teye K, Tsuruta D, Sogame R, Ishii N, Koga H, Natsuaki Y, Tsuchisaka A, Hamada T, Karashima T, Nakama T, Furumura M, Ohata C, Kawakami T, Schepens I, Borradori L, Hashimoto T: Anti- $\alpha$ -2-macroglobulin-like-1 autoantibodies are detected frequently and may be pathogenic in paraneoplastic pemphigus. *J Invest Dermatol* 133(7):1785-1793, 2013.
- 559 Ohata C, Higashi Y, Yamagami J, Koga H, Ishii N, Kanekura T, Furumura M, Hashimoto T: Coexistence of Pemphigus Herpetiformis With IgG Antibodies to Desmocollin 1 and Pemphigoid With IgG Antibodies to BP180 C-Terminal Domain and Laminin  $\gamma$ 2. *JAMA Dermatol* 149(4):502-504, 2013.
- 560 Ohata C, Koga H, Teye K, Ishii N, Hamada T, Dainichi T, Furumura M, Sato M, Sueki H, Hashimoto T: Concurrence of bullous pemphigoid and herpetiform pemphigus with IgG antibodies to desmogleins 1/3 and desmocollins 1-3. *Br J Dermatol* 168(4):879-881, 2013.
- 561 Ohata C, Saiki M, Koga H, Ono F, Ohyama B, Ishii N, Hamada T, Tsuruta D, Furumura M, Hashimoto T: Discoid lupus erythematosus with the presence of a lupus band in the hair follicle basement membrane zone and IgA anti-BP230 autoantibodies. *Eur J Dermatol* 23(3):414-416, 2013.

- 562 Ohata C, Yasunaga M, Tsuruta D, Ishii N, Hamada T, Dainichi T, Karashima T, Nakama T, Hashimoto T: Nodular morphea (NM): report of a case of concurrent NM and morphea profunda associated with limited type systemic sclerosis, and overview and definition for NM. *Eur J Dermatol* 23(1):87-93, 2013.
- 563 Ono S, Tanioka M, Tanizaki H, Fujisawa A, Koga H, Hashimoto T, Kamiya K, Aoyama Y, Iwatsuki K, Miyachi Y: Concurrence of autoantibodies to bullous pemphigoid antigens and desmoglein 3: analysis of pathogenic and nonpathogenic antibodies. *Br J Dermatol* 168(6):1357-1360, 2013.
- 564 Parmar NV, Kanwar AJ, Minz RW, Parsad D, Vinay K, Tsuruta D, Ishii N, Hashimoto T: Assessment of the therapeutic benefit of dexamethasone cyclophosphamide pulse versus only oral cyclophosphamide in phase II of the dexamethasone cyclophosphamide pulse therapy: a preliminary prospective randomized controlled study. *Indian J Dermatol Venereol Leprol* 79(1):70-76, 2013.
- 565 Poot AM, Diercks GF, Kramer D, Schepens I, Klunder G, Hashimoto T, Borradori L, Jonkman MF, Pas HH: Laboratory diagnosis of paraneoplastic pemphigus. *Br J Dermatol* 169(5):1016-1024, 2013.
- 566 Shimizu A, Funakoshi T, Ishibashi M, Yoshida T, Koga H, Hashimoto T, Amagai M, Ishiko A: Immunoglobulin G deposition to nonhemidesmosomal lamina lucida and early neutrophil involvement are characteristic features in a case of anti-p200 pemphigoid. *Br J Dermatol* 168(3):647-655, 2013.
- 567 Sugiura K, Koga H, Ishikawa R, Matsumoto T, Matsubara M, Hagiwara R, Muro Y, Hashimoto T, Akiyama M: Paraneoplastic pemphigus with anti-laminin-332 autoantibodies in a patient with follicular dendritic cell sarcoma. *JAMA Dermatol* 149(1):111-113, 2013.
- 568 Suzuki K, Nishiwaki K, Yamada H, Baba H, Hori K, Takeuchi T, Fukuda S, Hashimoto T: Case of paraneoplastic pemphigus associated with retroperitoneal diffuse large B-cell lymphoma and fatal bronchiolitis obliterans-like lung disease. *J Dermatol* 40(2):142-144, 2013.
- 569 Takegami Y, Makino T, Matsui K, Ueda C, Fukuda S, Hashimoto T, Shimizu T: Coexistence of antilaminin-332-type mucous membrane pemphigoid, lamina lucida-type linear IgA bullous dermatosis and Sjogren syndrome. *Clin Exp Dermatol* 38(2):194-196, 2013.
- 570 Tsuruta D, Brzezinski P, Koga H, Ohata C, Furumura M, Hashimoto T: Bullous pemphigoid with prominent milium formation. *Acta Dermatovenerol Croat* 21(1):35-38, 2013.
- 571 Tsuruta D, Dainichi T, Hamada T, Ishii N, Hashimoto T: Molecular diagnosis of autoimmune blistering diseases. *Methods Mol Biol* 961:17-32, 2013.
- 572 Tsuruta D, Ohzono A, Ishii N, Ono F, Hamada T, Dainichi T, Ohata C, Furumura M, Noda K, Hashimoto T: Overlap syndrome comprised of systemic sclerosis and systemic lupus erythematosus associated with spinocerebellar ataxia type 6 and MALT lymphoma. *Eur J Dermatol* 23(1):117, 2013.

- 573 Ueda A, Ishii N, Temporin K, Yamazaki R, Murakami F, Fukuda S, Hamada T, Dainichi T, Kyoya M, Saito C, Matsunaga R, Kimura S, Kawakami T, Soma Y, Hashimoto T: IgA pemphigus with paraneoplastic pemphigus-like clinical features showing IgA antibodies to desmoglein 1/3 and desmocollin 3, and IgG and IgA antibodies to the basement membrane zone. *Clin Exp Dermatol* 38(4):370-373, 2013.
- 574 Ueda A, Ishii N, Teye K, Dainichi T, Ohyama B, Hamada T, Tsuruta D, Kamioka N, Mitsui K, Hosaka H, Soh I, Nakada T, Hashimoto T: Unique herpetiform bullous dermatosis with IgG antibodies to desmocollins 1/3 and LAD-1. *Br J Dermatol* 169(3):719-721, 2013.
- 575 Ueo D, Hamada T, Hashimoto T, Hatano Y, Okamoto O, Fujiwara S: Late-onset Darier's disease due to a novel missense mutation in the ATP2A2 gene: a different missense mutation affecting the same codon has been previously reported in acrokeratosis verruciformis. *J Dermatol* 40(4):280-281, 2013.
- 576 Wakumoto-Nakashima K, Yoshida Y, Adachi K, Yamamoto O, Hashimoto T: Rare appearance of toxic epidermal necrolysis-like histopathological features in a case of atypical pemphigus with serological pemphigus vulgaris character. *J Dermatol* 40(1):63-64, 2013.
- 577 Washio K, Nakamura A, Fukuda S, Hashimoto T, Horikawa T: A case of lichen planus pemphigoides successfully treated with a combination of cyclosporine a and prednisolone. *Case Rep Dermatol* 5(1):84-87, 2013.
- 578 Wozniak K, Hashimoto T, Ishii N, Koga H, Huczek M, Kowalewski C: Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA. *Br J Dermatol* 168(3):634-638, 2013.
- 579 Yamada T, Nakamura S, Demitsu T, Nakamura T, Iida E, Yoneda K, Fukuda S, Hashimoto T: Paraneoplastic pemphigus mimicking toxic epidermal necrolysis associated with B-cell lymphoma. *J Dermatol* 40(4):286-288, 2013.
- 580 Yoshimura K, Nakano S, Tsuruta D, Ohata C, Hashimoto T: Successful treatment with 308-nm monochromatic excimer light and subsequent tacrolimus 0.03% ointment in refractory plasma cell cheilitis. *J Dermatol* 40(6):471-474, 2013.
- 581 Tani N, Ogoshi M, Kawakubo C, Tajima S, Hamada T, Ishii N, Furumura M, Tsuruta D, Ohata C, Hashimoto T: Case of relapsing polychondritis showing elevation of anti-type II collagen antibody titer. *J Dermatol* 40(9):767-768, 2013.
- 582 Yoshida Y, Tsuruta D, Nagata H, Ishii N, Nakama T, Yomoda M, Furumura M, Ohata C, Hashimoto T: Second reported case of unilateral angiokeratoma of the vulva. *J Dermatol* 40(9):763-764, 2013.
- 583 Li X, Hamada T, Ohata C, Furumura M, Hashimoto T: Potential mesenchymal stem cell therapy for skin diseases. *Exp Dermatol* 22(8):515-516, 2013.

- 584 Saruta H, Ishii N, Teye K, Ono F, Ohyama B, Koga H, Ohata C, Furumura M, Tsuruta D, Hashimoto T: Two cases of pemphigus vegetans with IgG anti-desmocollin 3 antibodies. *JAMA Dermatol* 149(10):1209-1213, 2013.
- 585 Kawano H, Ohata C, Ono F, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Hashimoto T: Edema and ulcers on the legs and dilated abdominal veins caused by thromboembolism of inferior vena cava in a patient with protein C deficiency. *Indian J Dermatol Venereol Leprol* 79(5):725, 2013.
- 586 Nishimura R, Fujimoto N, Kito K, Uchiyama K, Koga H, Hodohara K, Hashimoto T, Fujiyama Y, Tanaka T: Refractory mucous membrane pemphigoid which developed after allogeneic stem cell transplantation and was successfully treated with rituximab. *Eur J Dermatol* 23(4):562-564, 2013.
- 587 Fukuda S, Li X, Momosaki N, Hamada T, Nakama T, Yasumoto S, Awazawa R, Uezato H, Hashimoto T: Detection of human papilloma virus type 60 in a case of ridged wart. *Eur J Dermatol* 23(4):558-559, 2013.
- 588 Sakaguchi M, Bito T, Oda Y, Kikusawa A, Nishigori C, Munetsugu T, Yokozeki H, Itotani Y, Niguma T, Tsuruta D, Tateishi C, Ishii N, Koga H, Hashimoto T: Three Cases of Linear IgA/IgG Bullous Dermatitis Showing IgA and IgG Reactivity With Multiple Antigens, Particularly Laminin-332. *JAMA Dermatol* 149(11):1308-1313, 2013.
- 589 Tsuruta D, Kanwar AJ, Vinay K, Fukuda S, Koga H, Dainichi T, Ohata C, Ishii N, Hashimoto T: Clinical and immunologic characterization in 26 Indian pemphigus patients. *J Cutan Med Surg* 17(5):321-331, 2013.
- 590 Gohara M, Yagami A, Suzuki K, Morita Y, Sano A, Iwata Y, Hashimoto T, Matsunaga K: Allergic contact dermatitis caused by phenylethyl resorcinol [4-(1-phenylethyl)-1,3-benzenediol], a skin-lightening agent in cosmetics. *Contact Dermatitis* 69(5):319-320, 2013.
- 591 Sakaguchi M, Tsuruta D, Ishii N, Hamada T, Ohata C, Furumura M, Hashimoto T: Development of acquired idiopathic generalized anhidrosis in a case of Vogt-Koyanagi-Harada disease. *Eur J Dermatol* 23(5):724-725, 2013.
- 592 Ohata C, Fukuda S, Ishii N, Koga H, Hamada T, Furumura M, Hashimoto T: Refractory anti-laminin  $\gamma$ 1 pemphigoid with psoriasis vulgaris successfully treated by double-filtration plasmapheresis. *Eur J Dermatol* 23(5):715-716, 2013.
- 593 Kawakami T, Koga H, Saruta H, Ueda A, Inoue Y, Soma Y, Ishii N, Hashimoto T: Four mild but refractory cases of pemphigus foliaceus successfully treated with intravenous immunoglobulin. *J Dermatol* 40(11):869-873, 2013.
- 594 Saruta H, Tsuruta D, Hashikawa K, Ohyama B, Ishii N, Furumura M, Ohata C, Yasumoto S, Ohshima K, Hashimoto T: Old-aged case of indolent grade III lymphomatoid granulomatosis successfully treated only with oral prednisolone. *J Dermatol* 40(11):942-943, 2013.

- 595 Tanaka N, Ohata C, Ishii N, Imamura K, Ueda A, Furumura M, Yasumoto S, Kawakami T, Tsuruta D, Hashimoto T: Comparative study for the effect of photodynamic therapy, imiquimod immunotherapy and combination of both therapies on 40 lesions of actinic keratosis in Japanese patients. *J Dermatol* 40(12):962-967, 2013.
- 596 Kamata M, Fujita H, Hamanaka T, Takahashi K, Koga H, Hashimoto T, Sato S: Anti-Laminin  $\gamma$ 1 Pemphigoid Accompanied by Autoantibodies to Laminin  $\alpha$ 3 and  $\gamma$ 2 Subunits of Laminin-332. *JAMA Dermatol* 149(12):1437-1439, 2013.
- 597 Ohzono A, Tsuruta D, Hashikawa K, Yoshida Y, Arakawa M, Maeyama Y, Nakama T, Furumura M, Ohata C, Hashimoto T: Three cases of pseudolymphoma successfully treated with amoxicillin. *Eur J Dermatol* 23(5):717-718, 2013.
- 598 Krol RP, Yasukochi A, Hashimoto T: Towards understanding mechanisms of autoimmune bullous skin diseases. *N Am J Med Sci* 5(10):609-610, 2013.
- 599 Hashimoto T: Mesenchymal stem cell therapy in wound healing. *Editors' Picks from Experimental Dermatology* (June issue). *JID jotting*, 2013.
- 600 Muro Y, Sugiura K, Shiraki A, Ishii N, Hashimoto T, Akiyama M: Detection of autoantibodies to periplakin and envoplakin in paraneoplastic pemphigus but not idiopathic pulmonary fibrosis using full-length recombinant proteins. *Clin Chim Acta* 429C:14-17, 2013.
- 601 Karashima T, Tsuruta D, Hamada T, Ishii N, Ono F, Ueda A, Abe T, Nakama T, Dainichi T, Hashimoto T: Morphological changes of the hair roots in alopecia areata: A scanning electron microscopic study. *J Dermatol* 40(12):1045-1048, 2013.
- 602 Fumimori T, Tsuruta D, Kawakami T, Ohata C, Furumura M, Hashimoto T: Effect of monochromatic excimer light on palmoplantar pustulosis: A clinical study performed in a private clinic by a dermatological specialist. *J Dermatol* 40(12):1004-1007, 2013.
- 603 Hosoda S, Suzuki M, Komine M, Fujita E, Yamada T, Murata S, Koga H, Hashimoto T, Ohtsuki M: Case of pemphigoid involving skin and mucous membrane with immunoglobulin G autoantibodies targeted to BP180 and laminin-332. *J Dermatol* 40(12):1067-1068, 2013.
- 604 Saruta H, Ono F, Hamada T, Ishii N, Matsuda M, Ohata C, Furumura M, Tsuruta D, Hashimoto T: Multiple unilocular epidermal cysts presenting as a single lesion on the toe web. *J Dermatol* 40(12):1052-1054, 2013.
- 2014**
- 605 Otten JV, Hashimoto T, Hertl M, Payne AS, Sitaru C: Molecular diagnosis in autoimmune skin blistering conditions. *Curr Mol Med* 14(1):69-95, 2014.

- 606 Iijima S, Hamada T, Kanzaki M, Ohata C, Hashimoto T: Sibling cases of hailey-hailey disease showing atypical clinical features and unique disease course. *JAMA Dermatol* 150(1):97-99, 2014.
- 607 Moreno AC, Santi CG, Gabbi TV, Aoki V, Hashimoto T, Maruta CW: IgA pemphigus: Case series with emphasis on therapeutic response. *J Am Acad Dermatol* 70(1):200-201, 2014.
- 608 Hatamochi A, Hamada T, Yoshino M, Hashimoto T: The first Japanese case of the arthrochalasia type of Ehlers-Danlos syndrome with COL1A2 gene mutation. *Gene* 538(1):199-203, 2014.
- 609 Kanwar AJ, Vinay K, Saikia UN, Koga H, Teye K, Tsuruta D, Hashimoto T: IgG/IgA pemphigus reactive with desmoglein 1 with additional undetermined reactivity with epidermal basement membrane zone. *Indian J Dermatol Venereol Leprol* 80(1):46-50, 2014.
- 610 Kanwar AJ, Vinay K, Hashimoto T: Long-term follow-up in a case of pemphigus. *Cutis* 93(1):E3, 2014.
- 611 Inaba Y, Kanazawa N, Furukawa F, Sakurane Y, Nakano H, Sawamura D, Yoneda K, Hamada T, Hashimoto T: Pachyonychia congenita in Japan: report of familial cases with a recurrent KRT16 mutation. *Eur J Dermatol* 24(1):122-123, 2014.
- 612 Yamauchi T, Matsushita S, Hashimoto T, Hirako Y: Major cleavage-dependent epitopes for linear IgA bullous dermatosis are formed at the boundary between the non-collagenous 16A and collagenous 15 domains of BP180. *J Dermatol Sci* 76(1):25-33, 2014.
- 613 Teye K, Hamada T, Krol RP, Numata S, Ishii N, Matsuda M, Ohata C, Furumura M, Hashimoto T: Homozygous deletion of six genes including corneodesmosin on chromosome 6p21.3 is associated with generalized peeling skin disease. *J Dermatol Sci* 75(1):36-42, 2014.
- 614 Goletz S, Hashimoto T, Zillikens D, Schmidt E: Anti-p200 pemphigoid. *J Am Acad Dermatol* 71(1):185-191, 2014.
- 615 Yashiro M, Nakano T, Taniguchi T, Katsuoka K, Tadera N, Miyazaki K, Teye K, Koga H, Hashimoto T: IgA Paraneoplastic Pemphigus in Angioimmunoblastic T-cell Lymphoma with Antibodies to Desmocollin 1, Type VII Collagen and Laminin 332. *Acta Derm Venereol* 94(2):235-236, 2014.
- 616 Yoneda K, Demitsu T, Kakurai M, Narita T, Nakai K, Kubota Y, Ishii N, Hashimoto T: Detection of Apoptotic Keratinocytes in a Case of Bullous Pemphigoid Developed after Graft-versus-host Disease. *Acta Derm Venereol* 94(2):231-232, 2014.
- 617 Kato K, Moriyama Y, Saito H, Koga H, Hashimoto T: A Case of Mucous Membrane Pemphigoid Involving the Trachea and Bronchus with Autoantibodies to  $\beta$ 3 Subunit of Laminin-332. *Acta Derm Venereol* 94(2):237-238, 2014.



- 618 Florea F, Bernards C, Caproni M, Kleindienst J, Hashimoto T, Koch M, Sitaru C: Ex Vivo Pathogenicity of Anti-Laminin  $\gamma$ 1 Autoantibodies. *Am J Pathol* 184(2):494-506, 2014.
- 619 Saruta H, Ohata C, Muto I, Yoshimura K, Inoue Y, Hamada T, Furumura M, Hashimoto T: Adenocarcinoma of Moll's gland with multiple metastases. *Eur J Dermatol* 24(2):269-271, 2014.
- 620 Matsui K, Makino T, Takegami Y, Murayama S, Seki Y, Ishii N, Hashimoto T, Shimizu T: Bullous pemphigoid with IgG anti-LAD-1 antibodies. *Eur J Dermatol* 24(2):275-276, 2014.
- 621 España A, Koga H, Suárez-Fernández R, Ohata C, Ishii N, Irarrazaval I, Teye K, Ohyama B, Hashimoto T: Antibodies to the amino-terminal domain of desmoglein 1 are retained during transition from pemphigus vulgaris to pemphigus foliaceus. *Eur J Dermatol* 24(2):174-179, 2014.
- 622 Tashima S, Konishi K, Koga H, Hashimoto T: A case of vancomycin-induced linear IgA bullous dermatosis with circulating IgA antibodies to the NC16a domain of BP180. *Int J Dermatol* 53(3):e207-209, 2014.
- 623 Numata S, Hamada T, Teye K, Matsuda M, Ishii N, Karashima T, Kabashima K, Furumura M, Ohata C, Hashimoto T: Complete maternal isodisomy of chromosome 5 in a Japanese patient with netherton syndrome. *J Invest Dermatol* 134(3):849-852, 2014.
- 624 Garcia-Martin P, Fraga J, Hashimoto T, Garcia-Diez A: Brunsting-Perry-type cicatricial pemphigoid with IgG autoantibodies to LAD-1. *Br J Dermatol* 170(3):743-745, 2014.
- 625 Kitagawa C, Nakajima K, Aoyama Y, Fujioka A, Nakajima H, Tarutani M, Tsuruta D, Hashimoto T, Sano S: A Typical Case of Paraneoplastic Pemphigus Without Detection of Malignancy: Effectiveness of Plasma Exchange. *Acta Derm Venereol* 94(3):359-361, 2014.
- 626 Li X, Ishii N, Ohata C, Furumura M, Hashimoto T: Signalling pathways in pemphigus vulgaris. *Exp Dermatol* 23(3):155-156, 2014.
- 627 Gallo E, Garcia-Martin P, Fraga J, Teye K, Koga H, Hashimoto T, Garcia-Diez A: Paraneoplastic pemphigus with eosinophilic spongiosis and autoantibodies against desmocollins 2 and 3. *Clin Exp Dermatol* 39(3):323-326, 2014.
- 628 Hashikawa K, Yasumoto S, Nakashima K, Arakawa F, Kiyasu J, Kimura Y, Saruta H, Nakama T, Yasuda K, Tashiro K, Kuhara S, Hashimoto T, Ohshima K: Microarray analysis of gene expression by microdissected epidermis and dermis in mycosis fungoides and adult T-cell leukemia/lymphoma. *Int J Oncol* 45(3):1200-1208, 2014.
- 629 Yoshimura K, Ishii N, Hamada T, Abe T, Ono F, Hashikawa K, Fukuda S, Ohyama B, Koga H, Sogame R, Teye K, Ochiai T, Nakajima H, Nakajima K, Iijima S, Kanzaki M, Kojima K, Nagatani T, Fujimoto W, Karashima T, Nakama T, Ohata C, Furumura M, Tsuruta D, Hashimoto T: Clinical and immunological profiles

- in 17 Japanese patients with drug-induced pemphigus studied at Kurume University. *Br J Dermatol* 171(3):544-553, 2014.
- 630 Shintani T, Ohata C, Koga H, Ohyama B, Hamada T, Nakama T, Furumura M, Tsuruta D, Ishii N, Hashimoto T: Combination therapy of fexofenadine and montelukast is effective in prurigo nodularis and pemphigoid nodularis. *Dermatol Ther* 27(3):135-139, 2014.
- 631 Vinay K, Kanwar AJ, Sawatkar GU, Dogra S, Ishii N, Hashimoto T: Successful use of rituximab in the treatment of childhood and juvenile pemphigus. *J Am Acad Dermatol* 71(4):669-675, 2014.
- 632 Hida T, Kase K, Hamada T, Matsuda M, Hashimoto T, Yamashita T: Ankyloblepharon-ectodermal defects-cleft lip/palate syndrome: a case with a novel p63 mutation associated with abnormal keratohyalin granules. *Eur J Dermatol* 24(4):495-497, 2014.
- 633 Hayakawa T, Furumura M, Fukano H, Li X, Ishii N, Hamada T, Ohata C, Tsuruta D, Shimoizato K, Hashimoto T: Diagnosis of oral mucous membrane pemphigoid by means of combined serologic testing. *Oral Surg Oral Med Oral Pathol Oral Radiol* 117(4):483-496, 2014.
- 634 Zenke Y, Nakano T, Eto H, Koga H, Hashimoto T: A case of vancomycin-associated linear IgA bullous dermatosis and IgA antibodies to the  $\alpha 3$  subunit of laminin-332. *Br J Dermatol* 170(4):965-969, 2014.
- 635 Mizuno K, Hamada T, Hashimoto T, Okamoto H: Successful treatment with narrow-band UVB therapy for a case of generalized Hailey-Hailey disease with a novel splice-site mutation in ATP2C1 gene. *Dermatol Ther* 27(4):233-235, 2014.
- 636 Sato M, Oiso N, Koga H, Ishii N, Matsuda H, Hayamizu K, Saitou K, Doi K, Hashimoto T, Kawada A: Mucosal dominant-type pemphigus vulgaris associated with gastrointestinal stromal tumor. *Eur J Dermatol* 24(4):494-495, 2014.
- 637 Furuya A, Takahashi E, Ishii N, Hashimoto T, Satoh T: IgG/IgA pemphigus recognizing desmogleins 1 and 3 in a patient with Sjögren's syndrome. *Eur J Dermatol* 24(4):512-513, 2014.
- 638 Hara H, Makino T, Matsui K, Takegami Y, Koga H, Fukuda S, Ishii N, Hashimoto T, Shimizu T: Unusual bullous pemphigoid without infiltration of inflammatory cells in the skin lesions. *Eur J Dermatol* 24(4):488-489, 2014.
- 639 Sato H, Toriyama K, Yagi S, Takanari K, Takama H, Sawada M, Hashimoto T, Kamei Y: Surgical Correction of Microstomia in a Patient With Antilaminin 332 Mucous Membrane Pemphigoid. *Ann Plast Surg* 72(5):553-555, 2014.
- 640 Hatano Y, Ishikawa K, Koga H, Ishii N, Hashimoto T, Takeo N, Shimada H, Sakai T, Okamoto O, Fujiwara S: A case of concurrent pemphigoid vegetans and pemphigus vegetans remitted without oral corticosteroid. *Br J*

Dermatol 170(5):1192-1194, 2014.

- 641 Matsuda M, Ohata C, Hamada T, Oiso N, Tsuruta D, Furumura M, Hashimoto T: Late-onset Brooke-Spiegler syndrome with family histories of various cancers. *J Dermatol* 41(5):454-456, 2014.
- 642 Kusuhara M, Qian H, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Ohata C, Furumura M, Hashimoto T: Mouse bone marrow-derived dendritic cells can phagocytize the sporothrix schenckii, and mature and activate the immune response by secreting IL-12 and presenting antigens to T lymphocytes. *J Dermatol* 41(5):386-392, 2014.
- 643 Tsuchisaka A, Furumura M, Hashimoto T: Cytokine regulation in epidermal differentiation and skin barrier. *J Invest Dermatol* 134(5):1194-1196, 2014.
- 644 Demitsu T, Yamada T, Nakamura S, Kakurai M, Dohmoto T, Kamiya K, Aoyama Y, Iwatsuki K, Yamagami J, Ohyama B, Ohata C, Koga H, Hashimoto T: Detection of Autoantibodies to Precursor Proteins of Desmogleins in Sera of a Patient with Bowen Carcinoma. *Acta Derm Venereol* 94(5):601-603, 2014.
- 645 Muro Y, Tsuchisaka A, Ishii N, Hashimoto T, Sugiura K, Akiyama M: Author's Reply to "Detection of anti-periplakin autoantibodies during idiopathic pulmonary fibrosis" by Taille et al. *Clin Chim Acta* 433C:194, 2014.
- 646 Kanwar AJ, Vinay K, Sawatkar GU, Dogra S, Minz RW, Shear NH, Koga H, Ishii N, Hashimoto T: Clinical and immunological outcomes of high and low dose rituximab treatments in pemphigus patients: A randomized comparative observer blinded study. *Br J Dermatol* 170(6):1341-1349, 2014.
- 647 Karashima T, Furumura M, Ishii N, Ohyama B, Saruta H, Natsuaki Y, Nakama T, Ohata C, Tsuruta D, Hitomi K, Hashimoto T: Distinct protein expression and activity of transglutaminases found in different epidermal tumors. *Exp Dermatol* 23(6):433-435, 2014.
- 648 Aoki N, Nakajima K, Shiga T, Koga H, Hashimoto T, Sano S: A case of anti-BP180 type mucous membrane pemphigoid treated with intravenous immunoglobulin. *J Dermatol* 41(6):557-559, 2014.
- 649 Amagai M, Tanikawa A, Shimizu T, Hashimoto T, Ikeda S, Kurosawa M, Niizeki H, Aoyama Y, Iwatsuki K, Kitajima Y: Japanese guidelines for the management of pemphigus. Committee for Guidelines for the Management of Pemphigus Disease. *J Dermatol* 41(6):471-486, 2014.
- 650 Osawa M, Ueda-Hayakawa I, Isei T, Yoshimura K, Fukuda S, Hashimoto T, Okamoto H: A case of childhood bullous pemphigoid with IgG and IgA autoantibodies to various domains of BP180. *J Am Acad Dermatol* 70(6):e129-131, 2014.
- 651 Matsuda M, Hamada T, Numata S, Teye K, Okazawa H, Imafuku S, Ohata C, Furumura M, Hashimoto T: Mutation-dependent effects on mRNA and protein expressions in cultured keratinocytes of Hailey-Hailey

disease. *Exp Dermatol* 23(7):514-516, 2014.

- 652 Takayama N, Nakazono S, Kumagai J, Kawamura T, Suzuki F, Ishii N, Hashimoto T, Namiki T: Case of subepidermal bullous disease with diffuse esophageal involvement presenting with immunoglobulin G autoantibodies to both the BP180 NC16a and C-terminal domains, and immunoglobulin A autoantibodies to the BP180 NC16a domain. *J Dermatol* 41(7):665-667, 2014.
- 653 Nagamoto E, Fujisawa A, Jinnin M, Koga H, Ishii N, Hashimoto T, Yoshino Y: Case of pemphigoid vegetans positive with both BP180 and BP230 in enzyme-linked immunosorbent assays. *J Dermatol* 41(7):667-668, 2014.
- 654 Kanaoka M, Matsukura S, Ishikawa H, Matsuura M, Ishii N, Hashimoto T: Aihara M: Paraneoplastic pemphigus associated with fatal bronchiolitis obliterans and appearance of anti-BP180 antibodies in the late stage of the disease. *J Dermatol* 41(7):628-630, 2014.
- 655 Jinbu Y, Kashiwazaki A, Munemasa N, Ozawa M, Kusama M, Ishii N, Ohyama B, Ohata C, Hashimoto T: Oral lesions of a patient with antidesmoglein 1 antibody-positive and antidesmoglein 3 antibody-negative pemphigus. *J Oral Maxillofac Surg Med Pathol* 26(3):369-373, 2014.
- 656 Ohata C, Fukuda S, Hashikawa K, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Ohshima K, Hashimoto T: Molluscum Contagiosum With CD30+ Cell Infiltration in a Patient With Mycosis Fungoides. *Am J Dermatopathol* 36(8):685-687, 2014.
- 657 Tsuchisaka A, Kawano H, Yasukochi A, Teye K, Ishii N, Koga H, Sogame R, Ohzono A, Krol RP, Kawakami T, Furumura M, Ohata C, Li X, Hashimoto T: Immunological and Statistical Studies of Anti-BP180 Antibodies in Paraneoplastic Pemphigus. *J Invest Dermatol* 134(8):2283-2287, 2014.
- 658 Matsukura S, Takahashi K, Hirokado M, Ikezawa Y, Nakamura K, Fukuda S, Hashimoto T, Ikezawa Z, Aihara M, Kambara T: Recalcitrant pemphigus herpetiformis with high titer of immunoglobulin G antibody to desmoglein 1 and positive IgG antibody to desmocollin 3, elevating thymus and activation-regulated chemokine. *Int J Dermatol* 53(8):1023-1026, 2014.
- 659 Qian H, Kusuhara M, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Koga H, Hayakawa T, Ohara K, Karashima T, Ohyama B, Ohata C, Furumura M, Hashimoto T: B-cell activating factor detected on both naive and memory B-cells in bullous pemphigoid. *Exp Dermatol* 23(8):596-605, 2014.
- 660 Yoneda K, Moriue J, Demitsu T, Ishii N, Kubota Y, Hashimoto T: Case of mucous membrane pemphigoid with autoantibodies solely to the  $\gamma$ 2-subunit of laminin-332. *J Dermatol* 41(8):766-767, 2014.
- 661 Ludwig RJ, Borradori L, Diaz LA, Hashimoto T, Hertl M, Ibrahim SM, Jonkman MF, Kitajima Y, Murrell DF, Schmidt E, Shimizu H, Stanley JR, Woodley D, Zillikens D: From epidemiology and genetics to diagnostics, outcome measures and novel treatments in autoimmune bullous diseases. *J Invest Dermatol* 134(9):2298-2300,

2014.

- 662 Li X, Qian H, Ono F, Tsuchisaka A, Krol RP, Ohara K, Hayakawa T, Matsueda S, Sasada T, Ohata C, Furumura M, Hamada T, Hashimoto T: Human dermal fibroblast migration induced by fibronectin in autocrine and paracrine manners. *Exp Dermatol* 23(9):682-684, 2014.
- 663 Minakawa S, Kaneko T, Rokunohe D, Nakajima K, Matsuzaki Y, Nakano H, Hashimoto T, Sawamura D: Pemphigoid gestationis with prepartum flare. *J Dermatol* 41(9):850-851, 2014.
- 664 Jang HW, Chun SH, Lee JM, Jeon J, Hashimoto T, Kim IH: Radiotherapy-induced pemphigus vulgaris. *J Dermatol* 41(9):851-852, 2014.
- 665 Alloo A, Strazzula L, Rothschild B, Hawryluk E, Levine D, Hoang MP, Koga H, Hashimoto T, Kroshinsky D: Refractory antilaminin  $\gamma$ 1 pemphigoid successfully treated with intravenous immunoglobulin and mycophenolate mofetil. *J Eur Acad Dermatol Venereol* 28(10):1401-1403, 2014.
- 666 Igarashi M, Tsunemi Y, Koga H, Hashimoto T, Tateishi C, Tsuruta D, Ishii M, Kawashima M: Anti-laminin  $\gamma$ 1 pemphigoid associated with pustular psoriasis. *Eur J Dermatol* 24(5):629-630, 2014.
- 667 Sasai S, Nishikawa R, Ohzono A, Hayakawa T, Tsuruta D, Kudoh K, Kikuchi T, Hashiguchi M, Ohata C, Furumura M, Koga H, Ishii N, Hashimoto T: Characterization of Two Cases of Bullous Pemphigoid Reactive Only with BP230 on Japanese Enzyme-linked Immunosorbent Assays. *Acta Derm Venereol* 94(6):734-736, 2014.
- 668 Uchiyama R, Ishii N, Arakura F, Kiniwa Y, Nakazawa K, Uhara H, Hashimoto T, Okuyama R: IgA/IgG Pemphigus with Infiltration of Neutrophils and Eosinophils in an Ulcerative Colitis Patient. *Acta Derm Venereol* 94(6):737-738, 2014.
- 669 Natsuaki Y, Egawa G, Nakamizo S, Ono S, Hanakawa S, Okada T, Kusuba N, Otsuka A, Kitoh A, Honda T, Nakajima S, Tsuchiya S, Sugimoto Y, Ishii KJ, Tsutsui H, Yagita H, Iwakura Y, Kubo M, Ng LG, Hashimoto T, Fuentes J, Guttman-Yassky E, Miyachi Y, Kabashima K: Perivascular leukocyte clusters are essential for efficient activation of effector T cells in the skin. *Nat Immunol* 15(11):1064-1069, 2014.
- 670 Shimizu T, Takebayashi T, Sato Y, Niizeki H, Aoyama Y, Kitajima Y, Iwatuki K, Hashimoto T, Yamagami J, Werth VP, Amagai M, Tanikawa A: Grading criteria for disease severity by pemphigus disease area index. *J Dermatol* 41(11):969-973, 2014.
- 671 Uchida S, Oiso N, Koga H, Ishii N, Okahashi K, Matsuda H, Hashimoto T, Kawada A: Refractory bullous pemphigoid leaving numerous milia during recovery. *J Dermatol* 41(11):1003-1005, 2014.

- 672 Otaguchi R, Kawakami T, Matsuoka M, Kimura S, Soma Y, Matsuda M, Hamada T, Hashimoto T: A sporadic elder case of erythrokeratoderma variabilis with a single base-pair transversion in GJB3 gene successfully treated with systemic vitamin A derivative. *J Dermatol* 41(11):1016-1018, 2014.
- 673 Ansai SI, Hashizume S, Kawana S, Tateishi C, Koga H, Hashimoto T: Case of anti-laminin gamma-1 pemphigoid with antibody against C-terminal domain of BP180 in a patient with psoriasis vulgaris. *J Dermatol* 41(11):1031-1033, 2014.
- 674 Sekiya A, Kodera M, Yamaoka T, Iwata Y, Usuda T, Ohzono A, Yasukochi A, Koga H, Ishii N, Hashimoto T: A case of lichen planus pemphigoides with autoantibodies to the NC16a and C-terminal domains of BP180 and to desmoglein-1. *Br J Dermatol* 171(5):1230-1235, 2014.
- 675 Li X, Qian H, Ishii N, Yamaya M, Fukuda H, Mukai H, Hirako Y, Hashimoto T: A case of concurrent anti-laminin  $\gamma$ 1 pemphigoid and anti-laminin 332-type mucous membrane pemphigoid. *Br J Dermatol* 171(5):1257-1259, 2014.
- 676 Nakamura Y, Takahata H, Teye K, Ishii N, Hashimoto T, Muto M: A case of pemphigus herpetiformis-like atypical pemphigus with IgG anti-desmoglein 3 antibodies. *Br J Dermatol* 171(6):1588-1590, 2014.
- 677 Miyamoto S, Chikazu D, Yasuda T, Enomoto A, Oh-i T, Hirako Y, Tsuchisaka A, Yasukochi A, Sogame R, Teye K, Koga H, Ishii N, Qian H, Li X, Hashimoto T: A case of oral mucous membrane pemphigoid with IgG antibodies to integrin  $\alpha$ 6 $\beta$ 4. *Br J Dermatol* 171(6):1555-1557, 2014.
- 678 Wozniak K, Kalinska-Bienias A, Hashimoto T, Kowalewski C: Ultraviolet-induced linear IgA bullous dermatosis: a case report and literature survey. *Br J Dermatol* 171(6):1578-1581, 2014.

## 2015

- 679 Murrell DF, Marinovic B, Caux F, Prost C, Ahmed R, Wozniak K, Amagai M, Bauer J, Beissert S, Borradori L, Culton D, Fairley JA, Fivenson D, Jonkman MF, Marinkovich MP, Woodley D, Zone J, Aoki V, Bernard P, Bruckner-Tuderman L, Cianchini G, Venning V, Diaz L, Eming R, Grando SA, Hall RP, Hashimoto T, Herrero-González JE, Hertl M, Joly P, Karpati S, Kim J, Chan Kim S, Korman NJ, Kowalewski C, Lee SE, Rubenstein DR, Sprecher E, Yancey K, Zambruno G, Zillikens D, Doan S, Daniel BS, Werth VP: Definitions and outcome measures for mucous membrane pemphigoid: Recommendations of an international panel of experts. *J Am Acad Dermatol* 72(1):168-174, 2015.
- 680 Ohzono A, Numata S, Hamada T, Fukuda S, Teye K, Shirakashi Y, Kasai H, Koga H, Ishii N, Sugiura M, Hashimoto T: Anti-laminin- $\gamma$ 1 pemphigoid developed in a case of gene undetermined autosomal recessive congenital ichthyosis. *Acta Derm Venereol* 95(1):93-94, 2015.
- 681 Ishii N, Furumura M, Hamada T, Mori O, Ohzono A, Ueda A, Karashima T, Nakama T, Tsuruta D, Takedatsu H, Fujita H, Hashimoto T: Oesophageal involvement in epidermolysis bullosa acquisita. *Br J Dermatol*

172(1):288-290, 2015.

- 682 España A, Gimenez-Azcarate A, Ishii N, Idoate MA, Panizo C, Hashimoto T: Anti-desmocollin 1 autoantibody negative SPD-type IgA pemphigus associated with multiple myeloma. *Br J Dermatol* 172(1):296-298, 2015.
- 683 Yan Y, Furumura M, Numata S, Teye K, Karashima T, Ohyama B, Tanida N, Hashimoto T: Various peroxisome proliferator-activated receptor (PPAR)- $\gamma$  agonists differently induce differentiation of cultured human keratinocytes. *Exp Dermatol* 24(1):62-65, 2015.
- 684 Tani N, Kimura Y, Koga H, Kawakami T, Ohata C, Ishii N, Hashimoto T: Clinical and immunological profiles of 25 patients with pemphigoid gestationis. *Br J Dermatol* 172(1):120-129, 2015.
- 685 Asahina A, Niizuma A, Ohzono A, Ishii N, Koga H, Hashimoto T: Pemphigoid Nodularis with Diverse IgG, IgA and IgE Antibodies Showing Neutrophilic Papillary Microabscesses. *Acta Derm Venereol* 95(2):239-240, 2015.
- 686 Tsuchisaka A, Ohara K, Ishii N, Nguyen NT, Peter Marinkovich M, Hashimoto T: Type VII Collagen is the Major Autoantigen for Sublamina Densa-Type Linear IgA Bullous Dermatitis. *J Invest Dermatol* 135(2):626-629, 2015.
- 687 Solano-López G, Concha-Garzón MJ, Sánchez-Pérez J, Hirako Y, Li X, Ishii N, Hashimoto T, Daudén E: Pure ocular mucous membrane pemphigoid reactive with both  $\beta$ 4 integrin and the BP180 C-terminal domain. *Br J Dermatol* 172(2):542-544, 2015.
- 688 Izaki S, Mitsuya J, Okada T, Koga H, Hashimoto T, Terui T: A Case of Linear IgA/IgG Bullous Dermatitis with Anti-laminin-332 Autoantibodies. *Acta Derm Venereol* 95(2):359-360, 2015.
- 689 Tsuchisaka A, Ishii N, Hamada T, Teye K, Sogame R, Koga H, Tsuruta D, Ohata C, Furumura M, Hashimoto T: Epidermal polymeric immunoglobulin receptors: Leads from intraepidermal neutrophilic IgA dermatosis-type IgA pemphigus. *Exp Dermatol* 24(3):217-219, 2015.
- 690 Numata S, Teye K, Krol RP, Karashima T, Fukuda S, Matsuda M, Ishii N, Furumura M, Ohata C1, Saminathan SD, Ariffin R, Pramono ZA, Leong KF, Hamada T, Hashimoto T: Mutation study for 9 genes in 23 unrelated patients with autosomal recessive congenital ichthyosis in Japan and Malaysia. *J Dermatol Sci* 78 (1):82-85, 2015.
- 691 Hong WJ, Lee SE, Chang SE, Hashimoto T, Kim SC: Paraneoplastic pemphigus associated with metastatic lymphoepithelioma-like carcinoma originating from the thyroid gland. *Br J Dermatol* 172(3):831-834, 2015.
- 692 On HR, Hashimoto T, Kim SC: Pemphigus herpetiformis with IgG autoantibodies to desmoglein 1 and desmocollin 1. *Br J Dermatol* 172(4):1144-1146, 2015.

- 693 Oh SJ, Kim TH, Roh MR, Hashimoto T, Kim SC: Coexistence of Psoriasis and Bullous Pemphigoid in Three Cases. *Korean J Dermatol* 53(3):239-243, 2015 (in Korean).
- 694 Li X, Qian H, Takizawa M, Koga H, Tsuchisaka A, Ishii N, Hayakawa T, Ohara K, Sitaru C, Zillikens D, Sekiguchi K, Hirako Y, Hashimoto T: N-linked glycosylation on laminin  $\gamma$ 1 influences recognition of anti-laminin  $\gamma$ 1 pemphigoid autoantibodies. *J Dermatol Sci* 77(2):125-129, 2015.
- 695 Hashimoto T: Production of numerous autoantibodies in paraneoplastic pemphigus. *Br J Dermatol* 172(4):849-850, 2015.
- 696 Ishida S, Takahashi K, Kanaoka M, Okawa T, Tateishi C, Yasukochi A, Ishii N, Li X, Hashimoto T, Aihara M: A case of subepidermal autoimmune bullous disease with psoriasis vulgaris reacting to both BP180 C-terminal domain and laminin gamma-1. *J Dermatol* 42(4):391-393, 2015.
- 697 Imanishi A, Tateishi C, Imanishi H, Sowa-Osako J, Koga H, Tsuruta D, Hashimoto T: Pemphigoid with antibodies to laminin  $\gamma$ 1, BP180 and BP230, associated with psoriasis vulgaris: Successful disease control with cyclosporine. *J Dermatol* 42(4):394-397, 2015.
- 698 Hirakawa Y, Oiso N, Ishii N, Koga H, Tatebayashi M, Uchida S, Matsuda H, Hashimoto T, Kawada A: Mucous Membrane Pemphigoid with Immunoglobulin G Autoantibodies to the 120-kDa Ectodomain of Type XVII Collagen (BP180/Linear IgA Dermatitis Antigen) in a Patient with Idiopathic Thrombocytopenic Purpura. *Acta Derm Venereol* 95(4):493-494, 2015.
- 699 Kanwar AJ, Vinay K, Varma S, Koga H, Ishii N, Hashimoto T: Anti-desmoglein antibody-negative paraneoplastic pemphigus successfully treated with rituximab. *Int J Dermatol* 54(5):576-579, 2015.
- 700 Matsuda H, Oiso N, Ishii N, Sato M, Tatebayashi M, Hashimoto T, Kawada A: Bullous pemphigoid in infancy showing epitope-spreading phenomenon: recovery with topical therapy. *Acta Derm Venereol* 95(5):610-611, 2015.
- 701 Prüßmann W, Prüßmann J, Koga H, Recke A, Iwata H, Juhl D, Görg S, Henschler R13, Hashimoto T, Schmidt E, Zillikens D, Ibrahim SM, Ludwig RJ: Prevalence of pemphigus and pemphigoid autoantibodies in the general population. *Orphanet J Rare Dis* 10(1):63, 2015.
- 702 Vorobyev A, Ujiie H, Recke A, Buijsrogge JJ, Jonkman MF, Iwata H, Hashimoto T, Kim SC, Kim JH, Groves R, Samavedam U, Gupta Y, Schmidt E, Zillikens D, Shimizu H, Ludwig RJ: Autoantibodies to multiple epitopes on the non-collagenous-1 domain of type VII collagen induce blisters. *J Invest Dermatol* 135(6):1565-1573, 2015.
- 703 Minagawa A, Arakura F, Koga H, Tokuda Y, Koga H, Hashimoto T, Okuyama R: An immunogenetic study of bullous pemphigoid with mucosal involvement in two siblings. *Eur J Dermatol* 25(2):186-188, 2015.



- 704 Takayama N, Nakazono S, Kumagai J, Chiorean R, Sitaru C, Ishii N, Hashimoto T, Namiki T: Pemphigoid gestationis with IgG autoantibodies to both the 120 kDa LAD-1 and the BP180 NC16a domain. *Eur J Dermatol* 25(2):190-192, 2015.
- 705 Kaipe H, Carlson LM, Erkers T, Nava S, Molldén P, Gustafsson B, Qian H, Li X, Hashimoto T, Sadeghi B, Alheim M, Ringden O: Immunogenicity of decidual stromal cells in an epidermolysis bullosa patient and in allogeneic hematopoietic stem cell transplantation patients. *Stem Cells Dev* 24(12):1471-1482, 2015.
- 706 Akasaka E, Nakano H, Korekawa A, Fukui T, Kaneko T, Koga H, Hashimoto T, Sawamura D: Anti-laminin  $\gamma$ 1 pemphigoid associated with ulcerative colitis and psoriasis vulgaris showing autoantibodies to laminin  $\gamma$ 1, type XVII collagen and laminin-332. *Eur J Dermatol* 25(2):198-199, 2015.
- 707 Morita R, Oiso N, Ishii N, Tatebayashi M, Matsuda H, Hashimoto T, Kawada A: A case of burn-associated bullous pemphigoid caused by anti-BP230 IgG autoantibodies. *J Dermatol* 42(6):657-658, 2015.
- 708 Ohata C, Ishii N, Koga H, Fukuda S, Tateishi C, Tsuruta D, Furumura M, Hashimoto T: Coexistence of autoimmune bullous diseases and psoriasis: a series of 145 cases. *J Am Acad Dermatol* 73(1):50-55, 2015.
- 709 Kato K, Koike K, Kobayashi C, Iijima S, Hashimoto T, Tsuchida M: Bullous pemphigoid after allogeneic hemaopoietic stem cell transplantation. *Pediat Int* 57(3):480-483, 2015.
- 710 Okahashi K, Oiso N, Ishii N, Uchida S, Matsuda H, Hashimoto T, Kawada A: Bullous pemphigoid associated with psoriasis: a possible example of an inverse intramolecular epitope-spreading phenomenon. *J Dermatol* 42(7):758-759, 2015.
- 711 Gawaz A, Metzler G, Hertl M, Hashimoto T, Schaller M: Treatment of anti-Laminin- $\gamma$ 1-Pemphigoid with mycophenolate mofetil. *J Dtsch Dermatol Ges* 13(7):696-697, 2015.
- 712 Ishii N, Teye K, Fukuda S, Uehara R, Hachiya T, Koga H, Tsuchisaka A, Numata S, Ohyama B, Tateishi C, Tsuruta D, Furumura M, Hattori S, Kawakami T, Ohata C, Hashimoto T: Anti-desmocollin autoantibodies in non-classical pemphigus. *Br J Dermatol* 173(1):59-68, 2015.
- 713 Tsuchisaka A, Kaneko S, Imaoka K, Ota M, Kishimoto K, Tomaru U, Kasahara M, Ohata C, Furumura M, Takamori S, Morita E, Hashimoto T: Presence of autoimmune regulator and absence of desmoglein 1 in thymoma associated with a pemphigus foliaceus patient. *Br J Dermatol* 173(1):268-271, 2015.
- 714 Ueo D, Ishii N, Hamada T, Teye K, Hashimoto T, Hatano Y, Fujiwara S: Desmocollin-specific antibodies in a patient with Hailey-Hailey disease. *Br J Dermatol* 173(1):307-309, 2015.
- 715 Akasaka E, Kayo SJ, Nakano H, Ishii N, Hashimoto T, Sawamura D: Diaminodiphenyl Sulfone-Induced Hemolytic Anemia and Alopecia in a Case of Linear IgA Bullous Dermatitis. *Case Rep Dermatol* 7(2):183-186, 2015.

- 716 Iino Y, Kano T, Adachi F, Suzuki M, Nishikawa R, Ishii N, Ohata C, Furumura M, Hamada T, Hashimoto T: A case of bullous pemphigoid associated with psoriasis vulgaris showing Hailey-Hailey disease-like histopathological changes in regenerated epidermis without genomic mutation in ATP2C1 or ATP2A2 gene. *J Eur Acad Dermatol Venereol* 29(8):1646-1648, 2015.
- 717 Vinay K, Kanwar AJ, Mittal A, Dogra S, Minz RW, Hashimoto T: Intralesional Rituximab in the Treatment of Refractory Oral Pemphigus Vulgaris. *JAMA Dermatol* 151(8):878-882, 2015.
- 718 Yan Y, Furumura M, Gouya T, Iwanaga A, Teye K, Numata S, Karashima T, Li X, Hashimoto T: Shikonin promotes skin cell proliferation and exerts anti-inflammatory effect via proteasome inhibition in vitro. *Chin Med J* 128(16):2228-2233, 2015.
- 719 Sueki H, Sato Y, Ohtoshi S, Nakada T, Yoshimura A, Tateishi C, Borza DB, Fader W, Ghohestani RF, Hirako Y, Koga H, Ishii N, Tsuchisaka A, Qian H, Li X, Hashimoto T: A case of subepidermal blistering disease with autoantibodies to multiple laminin subunits developing membranous glomerulonephropathy. *Acta Derm Venereol* 95(7):826-829, 2015.
- 720 Hashimoto T, Ishii N, Demitsu T: Response to the Letter to the Editor by Muro et al. The mechanisms for pathogenicity of autoantibodies to desmogleins. *Acta Derm Venereol* 95(7):872-874, 2015.
- 721 Hashimoto T, Nishikawa T: Nomenclature for diseases with IgA anti-keratinocyte cell surface autoantibodies. *Br J Dermatol* 173(3):868-869, 2015.
- 722 Li X, Tsuchisaka A, Qian H, Teye K, Ishii N, Sogame R, Harada K, Nakagomi D, Shimada S, Tateishi C, Hirako Y, Hashimoto T: Linear IgA/IgG bullous dermatosis reacts with multiple laminins and integrins. *Eur J Dermatol* 25(5):418-423, 2015.
- 723 Li M, Kensuke M, Hashimoto T, Naoyuki H: Epidermolysis bullosa acquisita in a patient with psoriasis vulgaris. *Eur J Dermatol* 25(5):499-500, 2015.
- 724 Shimada H, Shono T, Sakai T, Ishikawa K, Takeo N, Hatano Y, Ishii N, Hashimoto T, Inomata M, Tojigamori M, Ichimada M, Kitano S, Fujiwara S: Lichen planus pemphigoides concomitant with rectal adenocarcinoma: fortuitous or a true association? *Eur J Dermatol* 25(5):501-503, 2015.
- 725 Okada R, Yamaguchi Y, Sawaki H, Hashimoto T, Aihara M: Development of mucous membrane pemphigoid with antibodies to the  $\beta 3$  subunit of laminin 332 and bronchiolitis obliterans in a patient with chronic graft-versus-host disease. *Eur J Dermatol* 25(5):505-506, 2015.
- 726 Jakubowska B, Kowalewski C, Ishii N, Hashimoto T, Fraczek M, Kalinska-Bienias A, Sobocki J4, Wozniak K: Mucous membrane pemphigoid with severe stricture of the esophagus mediated by IgG and IgA autoantibodies to LAD-1. *Eur J Dermatol* 25(5):510-512, 2015.

- 727 Yamashita H, Ansai S, Ueno T, Kawana S, Koga H, Ishii N, Hashimoto T: Bullous pemphigoid with IgG autoantibodies to BP180 C-terminal domain and desmocollin 3 associated with transverse colon cancer. *Eur J Dermatol* 25(5):515-516, 2015.
- 728 Iijima S, Okazaki Y, Watanabe S, Tsuruta D, Tateishi C, Ishii N, Ohata C, Hashimoto T: A case of concurrence of anti-laminin gamma-1 pemphigoid and scabies. *J Dermatol* 42(10):1024-1026, 2015.
- 729 Matsuda M, Hamada T, Numata S, Teye k, Ishii N, Ohata C, Furumura M, Nakama T, Hashimoto T: A three-dimensional in vitro culture model of Hailey-Hailey disease. *Exp Dermatol* 24(10):788-789, 2015.
- 730 Hirano T, Higuchi Y, Yuki H, Hirata S, Nosaka K, Ishii N, Hashimoto T, Mitsuya H, Okuno Y: Rituximab Monotherapy and Rituximab-Containing Chemotherapy Were Effective for Paraneoplastic Pemphigus Accompanying Follicular Lymphoma, but not for Subsequent Bronchiolitis Obliterans. *J Clin Exp Hematop* 55(2):83-88, 2015.
- 731 Goto-Hamano H, Ito K, Sakamoto-Kimura K, Terui T, Ohyama B, Hashimoto T, Hara H: Autoantibodies Against Multiple Epitopes in Bp180 and Laminin Gamma-1 in Subepidermal Blistering Skin Disease Associated with Psoriatic Erythroderma. *Indian J Dermatol* 60(5):521, 2015.
- 732 Lazić-Mosler E, Jukić IL, Murat-Sušić S, Husar K, Skerlev M, Bukvić Mokos Z, Ishii N, Hashimoto T, Marinović B: Inflammatory epidermolysis bullosa acquisita in a 4-year-old girl. *J Dermatol* 42(11):1098-1100, 2015.
- 733 Takahashi H, Sato K, Takagi A, Ikawa S, Ishii N, Hashimoto T, Ishida-Yamamoto A, Iizuka H: Subepidermal autoimmune blistering lesion in a case of psoriasis successfully treated with cyclosporin. *J Dermatol* 42(11):1125-1126, 2015.
- 734 Murata S, Sumikawa Y, Takahashi H, Ota M, Kusatake K, Niihara H, Koga H, Hashimoto T, Morita E: Case of mucous membrane pemphigoid with immunoglobulin G antibodies to the beta 3 subunit of laminin-332 showing clinically Stevens-Johnson syndrome-like generalized blistering mucocutaneous lesions. *J Dermatol* 42(11):1126-1128, 2015.
- 735 Ivars M, Hashimoto T, Ishii N, Bernad I, Lecumberri R, España A: Atypical bullous pemphigoid with extensive cutaneous and mucosal erosions associated with chronic lymphocytic leukaemia. *J Dermatol* 42(11):1128-1129, 2015.
- 736 Uchiyama M, Mitsuhashi Y, Tsuboi R, Ishii N, Hayakawa T, Yasukochi A, Hashimoto T: Anti-BP180-type oral mucous membrane pemphigoid reactive to both NC16a and C-terminal domains. *Indian J Dermatol Venereol Leprol* 81(6):637-639, 2015.
- 737 Ohzono A, Sogame R, Li X, Teye K, Tsuchisaka A, Numata S, Koga H, Kawakami T, Tsuruta D, Ishii N, Hashimoto T: Clinical and immunological findings in 104 cases of paraneoplastic pemphigus. *Br J Dermatol*

173(6):1447-1452, 2015.

- 738 Hashimoto T, Fukuda A, Himejima A, Morita S, Daisuke T, Koga H, Krol RP, Ishii N: Ten cases of severe oral lichen planus showing granular C3 deposition in oral mucosal basement membrane zone. *Eur J Dermatol* 25(6):539-547, 2015.
- 739 Makino T, Hara H, Mizawa M, Seki Y, Hayashi M, Ishii N, Hashimoto T, Shimizu T: Detection of IgG antibodies to desmoglein 3 and desmocollins 2 and 3 in mucosal dominant-type pemphigus vulgaris with severe pharyngalgia and hyperemia of the bulbar conjunctiva. *Eur J Dermatol* 25(6):619-620, 2015.
- 740 Oh SJ, Lee SE, Hashimoto T, Kim SC: A case of paraneoplastic pemphigus associated with Castleman's disease reacting with multiple autoantigens including laminin  $\gamma$ 1. *Br J Dermatol* 172(3):831-834, 2015.

## 2016

- 741 Ohata C, Ishii N, Niizeki H, Shimomura Y, Furumura M, Inoko H, Mitsunaga S, Saiki M, Shigeta M, Fujiwara S, Yamakawa K, Kobayashi S, Kamata M, Inaba M, Ito T, Uhara H, Watanabe R, Ohtoshi S, Ohashi T, Tanaka T, Suzuki M, Sitaru C, Karpati S, Zone JJ, Hashimoto T: Unique characteristics in Japanese dermatitis herpetiformis. *Br J Dermatol* 174 (1):180-183, 2016.
- 742 Geller S, Gat A, Harel A, Mashiah J, Zeeli T, Eming R, Ishii N, Hertl M, Hashimoto T, Sprecher E: Childhood Pemphigus Foliaceus with Exclusive Immunoglobulin G Autoantibodies to Desmocollins. *Pediatr Dermatol* 33(1):e10-13, 2016.
- 743 Tsuchisaka A, Numata S, Teye K, Natsuaki Y, Kawakami T, Takeda Y, Wang W, Ishikawa K, Goto M, Koga H, Sogame R, Ishii N, Takamori S, Hoshino T, Brandt O, Pas Hendri, Fujiwara S, Hashimoto T: Epiplakin is a paraneoplastic pemphigus autoantigen and related to bronchiolitis obliterans in Japanese patients. *J Invest Dermatol* 136(2):399-408, 2016.
- 744 Concha-Garzón MJ, Pérez-Gala S, Solano-López G, Fraga J, Ishii N, Hashimoto T, Daudén E: Ketoprofen-induced lamina lucida-type linear IgA bullous dermatosis. *J Eur Acad Dermatol Venereol* 30(2):350-352, 2016.
- 745 Hong WJ, Hashimoto T, Kim SC: A Case of Pemphigus Herpetiformis with Only Immunoglobulin G Anti-Desmocollin 3 Antibodies. *Ann Dermatol* 28(1):102-106, 2016.
- 746 Kalinska-Bienias A, Kalowska M, Kwiec B, Jakubowska B, Ishii N, Hashimoto T, Kowalewski C, Wozniak K: Efficacy and safety of perilesional/intralesional triamcinolone injections of oral mucous membrane pemphigoid. *Br J Dermatol* 174(2):436-438, 2016.
- 747 Hashimoto T, Ohzono A, Ishii N: 'Reply to: Clinical and immunological findings in 104 cases of paraneoplastic pemphigus': reply from the authors. *Br J Dermatol* 174(2):461-462, 2016.

- 748 Izaki S, Ito K, Ishii N, Hashimoto T, Fujita H, Terui T: Infantile linear IgA/IgG bullous dermatosis. *Eur J Dermatol* 26(1):96-98, 2016.
- 749 Ise Y, Suga Y, Okumura K, Negi O, Ishii, N, Hashimoto T: A case report of erythematous variety of bullous pemphigoid and literature surveillance. *Acta Derm Venereol* 96(3):412–413, 2016.
- 750 Yamate T, Shono T, Shimada H, Ishikawa K, Hatano Y, Kohno K, Yamamoto, T, Fujimoto W, Yamaguchi M, Aoyama, Y, Ishii N, Hashimoto T, Fujiwara S: Blistering disease associated with diffuse large B cell lymphoma but without autoantibodies. *J Dermatol* 43(3):341-343, 2016.
- 751 Namba C, Tohyama M, Hanakawa Y, Murakami M, Shirakata Y, Matsumoto T, Suemori K, Ishii N, Hashimoto T, Sayama K: Paraneoplastic pemphigus associated with fatal bronchiolitis obliterans and intractable mucosal erosions: Treatment with cyclosporine in addition to steroid, rituximab and IVIG. *J Dermatol* 43(4):419-422, 2016.
- 752 Sato-Shibuya M, Dainichi T, Egawa G, Honda T, Otsuka A, Hashimoto T, Miyachi Y, Kabashima K: Case with Brunsting-Perry-like localized subepidermal blister formations and IgG antibodies against unidentified basement membrane zone antigen. *J Dermatol* 43(4):426-428, 2016.
- 753 Kamiya, K, Aoyama Y, Wakashima C, Kudo T, Nakajima K, Sano S, Ishii N, Teye K, Hashimoto T, Iwatsuki K, Tokura Y: Atypical pemphigus with IgG autoantibodies against desmoglein 3 and desmocollin 3. *J Dermatol* 43(4):429-431, 2016.
- 754 Hashimoto T, Hirako Y, Tsuruta D:  $\beta 4$  integrin in hereditary and acquired mucocutaneous diseases. *Exp Dermatol* 25(4):267-268, 2016.
- 755 Arakawa M, Ohata C, Tsuruta D, Ishii N, Sogame R, Nakama T, Yasumoto S, Yokoyama Y, Takeishi E, Hashimoto T: A severe and prolonged case of pemphigoid gestationis successfully treated with combination therapies. *Br J Dermatol* 174(4):925-927, 2016.
- 756 Maki N, Demitsu T, Umemoto N, Nagashima K, Nakamura T, Kakura M, Nakamura S, Yamada T, Ishii N, Hashimoto T: A possible paraneoplastic syndrome case of bullous pemphigoid with IgG anti-BP180 C-terminal domain antibodies associated with psoriasis and primary macroglobulinemia. *J Dermatol* 43(5):571-574, 2016.
- 757 Nishikawa R, Takahashi H, Matsuda M, Imaoka K, Ogawa M, Teye K, Tsuchisaka A, Koga H, Komorowski L, Probst C, Hachiya T, Fritzler M, Ishii N, Ohata C, Furumura M, Krol P. R, Muro Y, Morita E, Hashimoto T: Anti-early endosome antigen 1 autoantibodies were detected in a pemphigus-like patient but not in the majority of pemphigus diseases. *Exp Dermatol* 25(5):368-574, 2016.
- 758 Teye K, Suga Y, Numata S, Soejima M, Ishii N, Krol RP, Ohata C, Matsuda M, Honma M, Ishida-Yamamoto A, Hamada T, Koda Y, Hashimoto T: A founder deletion of corneodesmosin gene is prevalent in Japanese

patients with peeling skin disease: identification of 2 new cases. *J Dermatol Sci* 82(2):134-137, 2016.

- 759 Fukuda A, Himejima A, Tsuruta D, Koga H, Ohyama B, Morita S, Hashimoto T: Four cases of mucous membrane pemphigoid with clinical features of oral lichen planus. *Int J Dermatol* 55(6):657-665, 2016.
- 760 Hayakawa T, Teye K, Hachiya T, Uehara R, Hashiguchi M, Kawakami T, Li X, Tsuchisaka A, Ohara K, Sogame R, Koga H, Hamada T, Ohata C, Furumura M, Ishii N, Fukano H, Shimozato K, Hashimoto T: Clinical and immunological profiles of anti-BP230-type bullous pemphigoid: Restriction of epitopes to C-terminal domain of BP230 shown by novel ELISAs of BP230-domain specific recombinant proteins. *Eur J Dermatol* 26(2):155-163, 2016.
- 761 Dainichi T, Hayden MS, Park SG, Oh H, Seeley JJ, Grinberg-Bleyer Y, Beck KM, Miyachi Y, Kabashima K, Hashimoto T, Ghosh S: PDK1 Is a Regulator of Epidermal Differentiation that Activates and Organizes Asymmetric Cell Division. *Cell Rep* 15(8):1615-1623, 2016.

### [Accepted articles](#)

#### **Epub ahead of print**

- 762 Inoue-Nishimoto T, Hanafusa T, Hirohata A, Mabuchi-Kiyohara E, Mizoguchi N, Matsumoto K, Ishii N, Hashimoto T, Ikegami R: IgG/IgA Pemphigus representing Pemphigus vegetans caused by low titers of IgG and IgA antibodies to desmoglein 3 and IgA antibodies to desmocollin 3. *J Eur Acad Dermatol Venereol*, 2015 Apr 10. doi: 10.1111/jdv.13158. [Epub ahead of print].
- 763 Tomida E, Kato Y, Ozawa H, Hasegawa H, Ishii N, Hashimoto T, Akiyama M: Causative drug detection by drug-induced lymphocyte stimulation test in drug-induced linear IgA bullous dermatosis. *Br J Dermatol*, 2015 Aug 12. doi: 10.1111/bjd.14069. [Epub ahead of print].
- 764 Oyama N, Matsuda M, Hamada T, Numata S, Teye K, Hashimoto T, Hasegawa M: Two novel missense mutations of STS gene underlie X-linked recessive ichthyosis: understanding of the mutational 1 and structural spectrum. *J Eur Acad Dermatol Venereol*, 2015 Sep 21. doi: 10.1111/jdv.13231. [Epub ahead of print].
- 765 Irie H, Dainichi T, Fujita M, Endo Y, Fujisawa A, Tanioka M, Ishii N, Hashimoto T, Kabashima K, Miyachi Y: Anti-BP180 mucous membrane pemphigoid associated with acquired hemophilia A in a patient who suffered from life-threatening mucosal bleeding. *J Eur Acad Dermatol Venereol*, 2015 Nov 30. doi: 10.1111/jdv.13525. [Epub ahead of print].
- 766 Imanishi A, Imanishi H, Hiroyasu S, Ozawa T, Koga H, Ishii N, Kitajima Y, Hashimoto T, Tsuruta D: Anti-BP180-type mucous membrane pemphigoid immunoglobulin G shows heterogeneity of internalization of BP180/collagen XVII into keratinocyte cytoplasm. *Med Mol Morphol*, 2015 Dec 10. [Epub ahead of print].
- 767 Witte M, Koga H, Hashimoto T, Ludwig RJ, Bieber K: Discovering potential drug-targets for personalized

treatment of autoimmune disorders - what we learn from Epidermolysis bullosa acquisita. *Expert Opin Ther Tar*, 2016 Feb 19:1-14. [Epub ahead of print].

- 768 Hashimoto T, Tsuruta D, Yasukochi A, Imanishi H, Sekine H, Fujita T, Wanibuchi H, GI M, Karpati S, Sitaru C, Zone JJ, Endo D, Abe S, Nishino T, Koji T, Ishii N: Granular C3 dermatosis. *Acta Derm Venereol*, 2016 Feb 25. doi: 10.2340/00015555-2379. [Epub ahead of print].
- 769 Geller S, Gat A, Zeeli T, Schmidt E, Ishii N, Hashimoto T, Zillikens D, Sprecher E: A refractory, cutaneous, subepidermal bullous disease. *Clin Exp Dermatol*, 2016 Mar 2. doi: 10.1111/ced.12823. [Epub ahead of print].
- 770 Otsuka Y, Ueno T, Kaneko A, Ito M, Osada S, Funasaka Y, Teye K, Ishii N, Hashimoto T, Kawana S: Case of paraneoplastic pemphigus with IgG and IgA antibodies to various antigens. *J Dermatol*, 2016 Mar 11. doi: 10.1111/1346-8138.13341. [Epub ahead of print].
- 771 Kawano H, Kayama H, Nakama T, Hashimoto T, Umemoto E, Takeda K: IL-10-producing lung interstitial macrophages prevent neutrophilic asthma. *Int Immunol*, 2016 Mar 14. pii: dxw012. [Epub ahead of print].
- 772 Ikawa T, Tada Y, Ohnishi T, Miyagaki T, Watanabe R, Ishii N, Hashimoto T, Watanabe S: Bullous pemphigoid with IgG anti-LAD-1 antibodies without evident erythema and eosinophil infiltration. *Acta Derm Venereol*, 2016 Mar 15. doi: 10.2340/00015555-2400. [Epub ahead of print].
- 773 Yasukochi A, Teye K, Ishii N, Hashimoto T: Clinical and immunological studies including newly developed BP180 C-terminal domain ELISA for 332 Japanese cases diagnosed as anti-BP180-type mucous membrane pemphigoid by tentative criteria at Kurume University. *Acta Derm Venereol*. 2016 Mar 17. doi: 10.2340/00015555-2407. [Epub ahead of print].
- 774 Yamase A, Kono K, Ishii N, Hashimoto T, Saeki H: An autoimmune bullous dermatosis with clinical, histopathological, and immunological features of bullous pemphigoid and epidermolysis bullosa acquisita in an adult. *Br J Dermatol*, 2016 Mar 16. doi: 10.1111/bjd.14553. [Epub ahead of print].
- 775 Numata, S, Teye K, Karashima T, Matsuda M, HamadaT, Hashimoto T: Functional study of TGM1 missense mutations in autosomal recessive congenital ichthyosis. *Exp Dermatol*, 2016 Mar 17. doi: 10.1111/exd.13000. [Epub ahead of print].
- 776 Numata S, Teye K, Krol RP., Okamatsu Y, Hashikawa K, Matsuda M, Fortugno P, Di Zenzo G, Castiglia D, Zambruno G, Hamada T, Hashimoto T: A compound synonymous mutation c.474G>A with p.Arg578X mutation in SPINK5 causes splicing disorder and mild phenotype in Netherton syndrome. *Exp Dermatol*. 2016 *Exp Dermatol*, 2016 Mar 21. doi: 10.1111/exd.13011. [Epub ahead of print].
- 777 Teye K, Numata S, OhzonoA, Ohyama B, Tsuchisaka A, Koga H, Hachiya T, Tsuruta D, Ishii N, Hashimoto T: Establishment of IgA ELISAs of mammalian recombinant proteins of human desmocollins 1-3. *J Dermatol Sci* , 2016 Apr 7. pii: S0923-1811(16)30053-6. doi: 10.1016/j.jdermsci.2016.04.001. [Epub ahead of print]

- 778 García-Díez I, Martínez-Escala ME, Ishii N, Hashimoto T, Mascaró Galy JM, Pujol RM, Herrero-González JE: Usefulness of a Simple Immunohistochemical Staining Technique to Differentiate Anti-p200 Pemphigoid From Other Autoimmune Blistering Diseases: A Report of 2 Cases. *Actas Dermosifiliogr*. 2016 Apr 16. pii: S0001-7310(16)30018-7. doi: 10.1016/j.ad.2015.10.019. [Epub ahead of print].
- 779 Hashimoto T, Tsuruta D, Koga H, Fukuda S, Ohyama B, Komai A, Karashima T, Ohata C, Teye K, Ishii N: Summary of results of serological tests and diagnoses for 4774 cases of various autoimmune bullous diseases consulted to Kurume University. 2016 Apr 23. doi: 10.1111/bjd.14692. [Epub ahead of print].
- 780 Kieny A, Hashimoto T, Ishii N, Antal MC, Boehm N, Lipsker D: Granular pemphigus-like IgM deposition around keratinocytes in a patient with Waldenström's macroglobulinaemia: a so far unreported finding. *J Eur Acad Dermatol Venereol*, 2016 May 2. doi: 10.1111/jdv.13708. [Epub ahead of print].
- 781 Adachi A, Komine M, Suzuki M, Murata S, Hirano T, Ishii N, Hashimoto T, Ohtsuka M: Oral Colchicine Monotherapy for Epidermolysis Bullosa Acquisita: Mechanism of Action and Efficacy. *J Dermatol*, 2016 May 6. doi: 10.1111/1346-8138.13395. [Epub ahead of print].
- 782 Wijayanti A, Zhao CY, Boettiger D, Chiang YZ, Ishii N, Hashimoto T, Murrell DF. The Reliability, Validity and Responsiveness of Two Disease Scores (BPDAI and ABSIS) for Bullous Pemphigoid: Which One to Use? *Acta Derm Venereol*. 2016 May 31. doi: 10.2340/00015555-2473. [Epub ahead of print].

### **In press**

- 783 Hashimoto T: Collaboration between dermatologists and dentists in autoimmune bullous diseases and IgA antibodies in pemphigus. *Br J Dermatol*, 2016 in press.
- 784 Li X, Qian H, Sogame R, Hirako Y, Tsuruta D, Ishii N, Koga H, Tsuchisaka A, Jin Z, Tsubota K, Fukumoto A, Sotozono C, Kinoshita S, Hashimoto T: Integrin  $\beta 4$  is a major target antigen in pure ocular mucous membrane pemphigoid. *Eur J Dermatol*, 2016 in press.
- 785 Inoue T, Yagami A, Iwata Y, Ishii N, Hashimoto T, Matsunaga K: Mucous membrane pemphigoid reactive only with BP230. *J Dermatol*, 2016 in press.
- 786 Vinay K., Kanwar AJ, Sawatkar GU, Dogra S, Minz RW, Ishii N, Hashimoto T: Clinical and immunological study of mucous membrane pemphigoid in a cohort of Indian patients. *Int J Dermatol*, 2016 in press.
- 787 Winge M, Ohyama B, Bradley M, Dey C., Boxer LD, Li W, Ehsani-Chimeh N, Truong A, Wu D, Armstrong A, Makino T, Davidson M, Starcevic D, Kislat A, Nguyen N, Hashimoto T, Homey B, Khavari PA, Waterman E, Marinkovich P: Rac1 drives pathologic epidermal-immune interactions. *J Clin Invest*, 2016 in press.
- 788 Hashimoto T, Jin Z, Ishii N: 105 Japanese patients of epidermolysis bullosa acquisita. *Expert Rev Clin Immunol*, 2016 in press.



Hashimoto T, Teye K, Ishii N: Clinical and immunological studies of 49 cases of various types of intercellular IgA dermatosis and 13 cases of classical subcorneal pustular dermatosis examined at Kurume University. *Br J Dermatol*, 2016 in press.